



Applied Mathematics and Informatics Program

Heart Rate Modeling

Moritz M. Konarski

A Thesis Submitted to the Applied Mathematics and Informatics Program of American University of Central Asia in Partial Fulfillment of the Requirements for the Degree of
Bachelor of Arts

Author

Moritz M. Konarski

Certified by Thesis Supervisor

Professor Taalaibek Imanaliev

Accepted by

Sergey Sklyar

Head of Applied Mathematics and
Informatics Program, AUCA

December 11, 2020
Bishkek, Kyrgyz Republic

ABSTRACT

Here is an abstract.

Keywords: heart rate, ECG, model, FFT

TABLE OF CONTENTS

| | |
|---------------------------------|----------|
| Abstract | 2 |
| 1 Introduction | 4 |
| 1.1 Hello there | 4 |
| 1.1.1 Methods | 4 |
| 2 Method 1 | 5 |
| References | 7 |

1 INTRODUCTION

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Morbi lacinia ante leo, id tristique turpis semper nec. Phasellus at feugiat libero. Fusce sed porta quam. Vivamus bibendum nulla in urna sagittis, vel aliquam neque commodo. Ut a faucibus arcu, eu placerat ex. Vestibulum nec quam neque. Sed vitae quam sit amet tellus suscipit aliquam id eget ipsum. Mauris consequat tristique scelerisque. Orci varius natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Donec in tempus nunc, laoreet pretium sem. Proin commodo, augue eu mollis hendrerit, sapien est lobortis tellus, mattis convallis tortor lacus a augue. Phasellus euismod aliquet iaculis. Aenean fringilla euismod lectus sit amet mollis. Proin erat erat, pharetra vel diam in, consectetur hendrerit odio. Praesent lacinia tellus tempor est consectetur, eget eleifend est sollicitudin.

1.1 Hello there

Nulla pulvinar lectus ac velit suscipit interdum quis at ipsum. Suspendisse in tincidunt nibh, id facilisis leo. Praesent bibendum, nibh aliquet interdum dapibus, tortor lorem pellentesque est, et eleifend velit arcu at eros. Nunc porttitor dui sit amet mollis hendrerit. Ut mauris elit, ullamcorper sed tempor sit amet, luctus quis purus. Nunc eros erat, consequat at ligula id, semper interdum massa. Phasellus vestibulum, augue sit amet accumsan feugiat, ex lectus maximus urna, vel scelerisque leo nunc sed mi. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia curae; Nam purus ex, semper volutpat dolor in, ornare congue enim. Fusce purus mi, feugiat ut nulla in, cursus facilisis velit.

1.1.1 Methods

Donec tempor sodales tortor a facilisis. Duis neque est, hendrerit ac lobortis ac, fermentum non augue. Proin commodo quis nisi at congue. Mauris congue ante non purus hendrerit aliquet. Sed neque odio, dignissim et maximus interdum, vehicula quis metus. Praesent sagittis tincidunt est, eu tempor dui pharetra vitae. Pellentesque maximus euismod tellus sed blandit.

2 METHOD 1

Vivamus at blandit ligula, vitae aliquam risus. Aliquam a lectus lacinia, ornare dui vel, ultricies ex. Nulla facilisi. Etiam eu scelerisque ipsum. Class aptent taciti sociosqu ad litora torquent per conubia nostra, per inceptos himenaeos. Etiam non neque eros. Ut a ex et nunc iaculis tincidunt. Morbi semper nulla tortor, quis faucibus ipsum fermentum id.

Mauris ipsum quam, rhoncus nec vehicula vitae, viverra et nisi. Nullam pellentesque non magna sit amet efficitur. Duis efficitur lectus in placerat euismod. Fusce eu diam odio. Maecenas vehicula dapibus erat, ac vehicula tellus tempus non. Vestibulum pharetra varius leo, a posuere ante posuere ut. Donec sit amet bibendum nulla, sed ultricies libero.

Here are some mathematics examples using the standard word font for times new roman. This shall be used for comparison as well. I will hope that I can replicate this exactly using LuaLa-Tex. I hope so.

$$(x + a)^n = \sum_{k=0}^n \binom{n}{k} x^k a^{n-k} \quad (2.1)$$

$$f(x) = a_0 + \sum_{n=1}^{\infty} \left(a_n \cos \frac{n\pi x}{L} + b_n \sin \frac{n\pi x}{L} \right)$$

$$\cos \alpha + \cos \beta = 2 \cos \frac{1}{2}(\alpha + \beta) \cos \frac{1}{2}(\alpha - \beta)$$

In Figure 2.1 we can see what was indicated by (2.1)




Figure 2.1: This is a test caption

Table 2.1 may illustrate why Figure 2.1 looks the way it looks.

| A | B | C |
|----------------|----------|-------------|
| 231123.2134234 | 30491234 | 02341029348 |
| 231123.2134234 | 30491234 | 02341029348 |
| 231123.2134234 | 30491234 | 02341029348 |
| 231123.2134234 | 30491234 | 02341029348 |

Table 2.1: This is a test caption for the table

REFERENCES

- [1] Dr. Rahul Kher and Shivang Gohel, “Abnormality classification of ECG signal using DSP processor,” 2016, Retrieved from https://www.researchgate.net/publication/299441676_Abnormality_classification_of_ECG_signal_using_DSP_processor.
- [2] S. Goto, M. Kimura, Y. Katsumata, S. Goto, T. Kamatani, G. Ichihara, S. Ko, J. Sasaki, K. Fukuda, and M. Sano, “Artificial intelligence to predict needs for urgent revascularization from 12-leads electrocardiography in emergency patients,” *PLoS ONE*, vol. 1, no. 14, 2019, <https://doi.org/10.1371/journal.pone.0210103>. DOI: 10.1371/journal.pone.0210103.
- [3] J. Parak and J. Havlik, “ECG signal processing and heart rate frequency detection methods,” 2011, Retrieved from https://www.researchgate.net/publication/266281892_ECG_Signal_Processing_and_Heart_Rate_Frequency_Detection_Methods.
- [4] A. K. M Fazlul Haque, Md. Hanif Ali, M Adnan Kiber, and Md. Tanvir Hasan, “Automatic feature extraction of ECG signal using fast fourier transform,” 2009, Retrieved from https://www.researchgate.net/publication/295813369_Automatic_Feature_Extraction_of_ECG_Signal_Using_Fast_Fourier_Transform.
- [5] B. V. P Prasad and V. Parthasarathy, “Detection and classification of cardiovascular abnormalities using FFT based multi-objective genetic algorithm,” *Biotechnology & Biotechnological Equipment*, vol. 32, no. 1, pp. 183–193, 2018, Retrieved from <https://www.tandfonline.com/doi/full/10.1080/13102818.2017.1389303#>. DOI: 10.1080/13102818.2017.1389303.
- [6] S. Bera, B. Chakraborty, and J. Ray, “A mathematical model for analysis of ECG waves in a normal subject,” *Measurement*, vol. 38, pp. 53–60, 2005, Retrieved from https://www.researchgate.net/publication/223280187_A_mathematical_model_for_analysis_of_ECG_waves_in_a_normal_subject. DOI: 10.1016/j.measurement.2005.01.003.
- [7] P. D. Myers, B. M. Scirica, and C. M. Stultz, “Machine learning improves risk stratification after acute coronary syndrome,” 2017, Retrieved from <https://www.nature.com/articles/s41598-017-12951-x>. DOI: 10.1038/s41598-017-12951-x.
- [8] Yun Liu, BS, Zeeshan Syed, PhD, Benjamin M. Scirica, MD, MPH, David A. Morrow, MD, MPH, John V. Guttag, PhD, and Collin M. Stultz, MD, PhD, “ECG morphological variability in beat space for risk stratification after acute coronary syndrome,” *J Am Heart Assoc.*, 2014, Retrieved from <https://www.ahajournals.org/doi/10.1161/JAHA.114.000981>. DOI: 10.1161/JAHA.114.000981.
- [9] F. Ieva, A. M. Paganoni, D. Pigoli, and V. Vitelli, “Multivariate functional clustering for the morphological analysis of electrocardiograph curves,” *Journal of the Royal Statistical Society. Series C (Applied Statistics)*, vol. 62, no. 3, pp. 401–418, 2013, <https://www.jstor.org/stable/24771812>.

- [10] P. W. Armstrong, D. G. Watts, D. C. Hamilton, M. A. Chiong, and J. O. Parker, "Quantification of myocardial infarction: Template model for serial creatine kinase analysis," *Circulation*, vol. 60, no. 4, pp. 856–865, 1979, Retrieved from <https://www.ahajournals.org/doi/10.1161/01.CIR.60.4.856>. DOI: 10.1161/01.CIR.60.4.856.
- [11] G. D. Clifford, "Signal processing methods for heart rate variability," 2002, Retrieved from <http://www.ibme.ox.ac.uk/research/biomedical-signal-processing-instrumentation/prof-l-tarassenko/publications/pdf/gdcliffordthesis.pdf>.