Technische Universität Berlin

PAVOOC - Prediction and visualization of on- and off-targets for CRISPR

Moritz Schäfer | Technische Universität Berlin & Bayer Pharma | Master thesis

Technische Universität Berlin

Background



- Knockout experiments used in drug target validation
- Sequence (partially) determines efficacy

Technische Universität Berlin

Problem

– Guide prediction scores still vary in performance

Technische Universität Berlin

Problem

- Guide prediction scores still vary in performance
- A lot of manual labor for guide selection

19	POLR2L	28,5	28	-3,00752118182
20	SPC24	29,5	42	-2,83403119872683
21	THAP1	31,5	27	-3,01155447143932
22	CDC123	32,5	44	-2,81699463079959
23	WDR74	37	68	2,58033320817648

Technische Universität Berlin

Problem

- Guide prediction scores still vary in performance
- A lot of manual labor for guide selection

19	POLR2L	28,5	28	-3,00752118182
20	SPC24	29,5	42	-2,83403119872683
21	THAP1	31,5	27	-3,01155447143932
22	CDC123	32,5	44	-2,81699463079959
23	WDR74	37	68	-2,58033320817648

- Non-frame-shift indels cannot be circumvented



Problem

- Guide prediction scores still vary in performance
- A lot of manual labor for guide selection

19	POLR2L	28,5	28	-3,00752118182
20	SPC24	29,5	42	-2,83403119872683
21	THAP1	31,5	27	-3,01155447143932
22	CDC123	32,5	44	-2,81699463079959
23	WDR74	37	68	-2,58033320817648

- Non-frame-shift indels cannot be circumvented



- Cancer cellline data affects certain guides



Technische Universität Berlin

Solution

- Cutting-edge guide efficacy scoring
- All-in-one guide design tool
- Web-based
- Functional domain-aware
- Incorporate cancer cellline data

Technische Universität Berlin

Guide efficacy prediction – Dataset

Guide	Measured efficacy
GTAGGGGTCCGTACTCAGCAAGG	0.86
ACACTGCCGAGCGATGAGGATGG	0.42
AAGGTGAAGGAGGATGCGGCGGG	0.53
GAAAAGATAGGTCACTGACCCGG	0.12
GCAAGTCACTGAGTGCAGAACGG	0.73
GCATTGGTAAGCGCACAGGAAGG	0.70
AAGACTGGCGCATGGTCCACTGG	0.57
. . .	...

- 5310 data rows
- Efficacy relates to cell proliferation after CRISPR application

"Optimized sgRNA design to maximize activity and minimize off-target effects of CRISPR-Cas9", 2016, John G. Doench et al.

Technische Universität Berlin

Conservation features





$p_{max} = 0.0043$

Conservation feature results

Comparison of 100 runs on adaboost





Deep Learning architecture

"Predicting the sequence specificities of DNA-and RNA-binding proteins by deep learning", 2015, B. Alipanahi et al.



Deep Learning architecture

"Predicting the sequence specificities of DNA-and RNA-binding proteins by deep learning", 2015, B. Alipanahi et al.





Conclusion: Deep Learning can improve guide efficacy prediction

Technische Universität Berlin

Architecture



Technische Universität Berlin

Application overview



Technische Universität Berlin

Application overview

Technische Universität Berlin

Application overview



Technische Universität Berlin

Application overview