

For Dialogue Generation:

- [1]. Li, Jiwei, Will Monroe, Alan Ritter, Dan Jurafsky, Michel Galley, and Jianfeng Gao. "Deep Reinforcement Learning for Dialogue Generation." In Proceedings of the 2016 Conference on Empirical Methods in Natural Language Processing, pp. 1192-1202. 2016.
- [2]. Huang, Chenyang, Osmar Zaiane, Amine Trabelsi, and Nouha Dziri. "Automatic dialogue generation with expressed emotions." In Proceedings of the 2018 Conference of the North American Chapter of the Association for Computational Linguistics: Human Language Technologies, Volume 2 (Short Papers), pp. 49-54. 2018.
- [3]. Liu, Shuman, Hongshen Chen, Zhaochun Ren, Yang Feng, Qun Liu, and Dawei Yin. "Knowledge diffusion for neural dialogue generation." In Proceedings of the 56th Annual Meeting of the Association for Computational Linguistics (Volume 1: Long Papers), pp. 1489-1498. 2018.
- [4]. Li, Jiwei, Michel Galley, Chris Brockett, Georgios P. Spithourakis, Jianfeng Gao, and Bill Dolan. "A persona-based neural conversation model." arXiv preprint arXiv:1603.06155 (2016).
- [5]. Zheng, Yinhe, Guanyi Chen, Minlie Huang, Song Liu, and Xuan Zhu. "Personalized Dialogue Generation with Diversified Traits." arXiv preprint arXiv:1901.09672 (2019).
- [6]. Dušek, Ondřej, and Filip Jurčíček. "Sequence-to-sequence generation for spoken dialogue via deep syntax trees and strings." arXiv preprint arXiv:1606.05491 (2016).
- [7]. Asri, Layla El, Jing He, and Kaheer Suleman. "A sequence-to-sequence model for user simulation in spoken dialogue systems." arXiv preprint arXiv:1607.00070 (2016).

For Machine Translation:

- [1]. Sutskever, Ilya, Oriol Vinyals, and Quoc V. Le. "Sequence to sequence learning with neural networks." In Advances in neural information processing systems, pp. 3104-3112. 2014.
- [2]. Bahdanau, Dzmitry, Kyunghyun Cho, and Yoshua Bengio. "Neural machine translation by jointly learning to align and translate." arXiv preprint arXiv:1409.0473 (2014).
- [3]. Luong, Minh-Thang, Hieu Pham, and Christopher D. Manning. "Effective approaches to attention-based neural machine translation." arXiv preprint arXiv:1508.04025 (2015).
- [4]. Wu, Yonghui, Mike Schuster, Zhifeng Chen, Quoc V. Le, Mohammad Norouzi, Wolfgang Macherey, Maxim Krikun et al. "Google's neural machine translation system: Bridging the gap between human and machine translation." arXiv preprint arXiv:1609.08144 (2016).

- [5]. Weiss, Ron J., Jan Chorowski, Navdeep Jaitly, Yonghui Wu, and Zhifeng Chen. "Sequence-to-sequence models can directly translate foreign speech." arXiv preprint arXiv:1703.08581 (2017).
- [6]. Neubig, Graham. "Neural machine translation and sequence-to-sequence models: A tutorial." arXiv preprint arXiv:1703.01619 (2017).
- [7]. Lake, Brenden, and Marco Baroni. "Still not systematic after all these years: On the compositional skills of sequence-to-sequence recurrent networks." (2018).