# **Model-Centric Federated Machine Learning**

AUTHORS, Institute xx, Country

Traditional Federated Machine Learning follows a server-domincated cooperation paradigm which narrows the application scenarios of federated learning and decreases the enthusiasm of data holders to participate.

 $CCS\ Concepts: \bullet \textbf{Computer systems organization} \rightarrow \textbf{Embedded systems}; \textit{Redundancy}; \textit{Robotics}; \bullet \textbf{Networks} \rightarrow \textit{Network reliability}.$ 

Additional Key Words and Phrases: datasets, neural networks, gaze detection, text tagging

#### **ACM Reference Format:**

# 1 INTRODUCTION

In recent years, the barriers to the development of Artificial Intelligence (AI) have been broken down with the rapid progress of ABC technologies in computing: AI, Big Data, and Cloud Computing, as well as the emergence of cost-effective specialized hardware [76] and software [33]. This has led to the world entering the third wave of AI development: Deep Learning [39]. The success of current data-driven AI relies on massive amounts of training data and follows a gather-and-analyze paradigm [82], which confronts with challenges of complying with rigorous data protection regulations such as OECD Privacy Guidelines [79] and General and Data Protection Regulation (GDPR) [81]. So although data-centric AI is now the mainstream, a novel model-centric distributed collaborative training framework called Federated Learning is gaining popularity in both academia and industry due to its advantages in complying with privacy regulations. So although data-centric AI is currently mainstream, Federated Learning (FL) [46], a novel model-centric distributed collaborative training framework, is gaining popularity in both academia and industry for its advantages in complying with privacy regulations [80].

According to the definitions of IEEE Standard for Federated Machine Learning (FML, aka FL) [74], FL is a framework or system that enables multiple participants to collaboratively build and use machine learning models without disclosing the raw and private data owned by the participants while achieving good performance. For example, a typical workflow of FL systems is that the entity with modeling demand (aka FL server) first deploys the FL services and initializes the model training task, and then distributing this task to participants with training data (aka FL clients) for modeling [9]. Based on this workflow pattern, many FL frameworks have been derived with specialized improvements in communication [36, 60, 84], optimizaiton [35, 44, 47], robustness [18, 41, 71] and privacy [10, 15, 24]. While these fascinating improvements greatly enhance the utility of FL, they all follow a task-based interaction paradigm, in which an FL server dominates the cooperation between FL participants. In this narrow interpretation of FL, the data owner is treated more like a worker than a collaborator and performs training primarily for the benefit of the server's goals. Due to the above defects, clients have little enthusiasm to participate, and the potential for redundant training also leads to low model reuse rate, further diminishing

Author's address: Authors, Institute xx, City, Country, @mail.com.

Permission to make digital or hard copies of all or part of this work for personal or classroom use is granted without fee provided that copies are not made or distributed for profit or commercial advantage and that copies bear this notice and the full citation on the first page. Copyrights for components of this work owned by others than ACM must be honored. Abstracting with credit is permitted. To copy otherwise, or republish, to post on servers or to redistribute to lists, requires prior specific permission and/or a fee. Request permissions from permissions@acm.org.

the efficiency of the FL systems. This explains why current FL frameworks are more akin to private distributed modeling services rather than sustainable and privacy-preserving modeling platforms for everyone as expected.

In this paper, we try to answer the question: Can we establish a sustainable open FL platform based on a novel mutually beneficial cooperation framework? Obviously, to answer this quesion, it is insufficient simply study the basic concepts of FL and investigate existing FL techniques. We also need to conduct a wide survey of potential techniques that can facilitate the construction of an open FL platform. To aid understanding, Fig. 1 provides a first glimpse of two novel FL cooperation frameworks we advocated:

- Query-based FL. It follows a loosely-coupled cooperation framework between entities (we use "entities" instead of "participants" to emphasizes equality), where any entity can freely upload their local models or retrieve models from the open repository named Model Community. There are many valuable challenges that can be explored, such as how to query for models, how to "assemble" the retrieved models, or how to transfer knowledge from these models (see Section ??).
- Contract-based FL. It follows a mutual choice cooperation framework, where each entity can deploy model training contracts with specialized requirements such as task modality, execution environment, model architecture and license. Meanwhile, entities holding data can choose whether to accept the contract. Research topics in this area include model pricing, model ownership verification and .... (see Section ??)

It's worth noting that the definitions of the four roles (i.e., model user, coordinator, data owner, auditor) are adopted for compatibility with the IEEE standard [74], and our proposals are also within the scope of FML definitions. The diagram in Fig. 1(c) illustrates the workflow of traditional FL, where all FL clients are required to accept the training schedule from the FL server and perform multiple rounds of local training until the model converges. In contrast, the entities in query-based FL and contract-based are proactive in their participate. We believe that these mutually beneficial cooperation frameworks have the potential to expand the prevalence of FL and establish FL ecosystems.

#### 1.1 Related Surveys

Federated learning has become a buzzword in various fields, leading to the emergence of numerous FL studies. These works can be classified into three primary categories: FL systems design, FL appllications and FL toolkits. Extensive surveys are available to summarized the advancement of federated learning, as shown in Table 1. The initial architectures and concepts for FL systems were summaried by Yang *et al.* [87]. They categorized FL




Fig. 1. A schematic diagram of three cooperation frameworks of FL. (a) (b) are the proposed open FL platforms, (c) is the traditional FL platform. Four colors correspond to four roles in [74], and colors with grid lines indicate non-essential roles.

into horizontal FL, vertical FL and federated transfer learning based on the distribution characteristics of data, which are written in IEEE Standard 3652.1-2020 [74, 86]. Following this, an increasing number of surveys have emerged focusing on enhancing FL system design [6, 34, 45, 46, 92]. From the algorithmic perspective, personlized FL [38, 77] aims to learn personlized models for each client to address the challenge of statistical heterogeneity [57]. Besides, the privacy-perserving computing platforms and model aggregation protocols for FL systems also been widely studied and sumaried by [20, 53, 56, 89]. Furthermore, many advanced FL architectures had been proposed, such as asynchronous [84], decentralized and blockchain-based FL frameworks [61, 63, 97]. Given that federated learning technologies enable collaboration among distributed participants in model training and decision-making, this capability holds great promise in a wide range of application scenarios. For instance, multiple geogrphically distributed medical insitutions can enhace medication recommendation, drug-drug interaction prediction and medical image analysis in a collaborative manner without exchanging any sensitive data [7, 62, 67, 85]. The massive real-time data generated by IoT devices in smart cities [65, 94], industries [11], vehicles [17] has also sparked interest in exploring how FL technology can be used to deliver more advanced services such as intrusion detection, anomaly detection, fraud detection and network load prediction [4, 5, 25].

As summarized in Table 1, most surveys extensively discuss the challenges of efficiency, heterogeneity, privacy in FL systems design, with the surveys from blockchain fileds offering the most comprehensive review. However, except for a few blockchain-based FL studies, most of the above surveys just present the same story from slightly different angles or backgrounds, i.e a server sets the model training task and delegate it to data holders to complete. This server-dominated cooperation framework is a narrow implementation of the FL systems. Therefore, this survey aim to fill the gap by investigating and surveying the associated tenchnologies that support more open and inclusive cooperation frameworks in FL systems, where all entities, whether they own the data or not, can benefit from it. The challenges investigated in this survey are not listed in the Table 1, to the best of our knowledge, this is the first survey that focuses on the **cooperation frameworks** of FL. In the following section, we will differentiate this survey from other related concepts in the field of FL.

#### Distinction of Our Survey 1.2

This survey focuses on exploring the innovative cooperation frameworks in FL, which will involve some FL concepts such as decentralized FL, blockchain-based FL, few-shot FL, ML related platforms and services but goes beyond them. In this section, we will distinguish our survey by highlingting the similarities and differences between these related concepts.

- 1.2.1 Decentralized FL. ref: given the high scalability of modern edge computing networks, a single MEC server cannot manage to aggregate all updates offloaded from millions of devices. Therefore, there is an urgent need to develop a more decentralized FL approach without using a central server so as to solve security and scalability issues for enabling the next generation intelligent edge networks.
- Blockchain-based FL.
- 1.2.3 Few-shot FL.
- 1.2.4 FL Systems. Federated learning, with its nature advantages in privacy-preserving decision sharing, has garnered significant attention in both industry and academia, leading to the rapid development of federated learning systems. The earliest attempt at the large-scale FL system was by Google, where FL was used to improve next-word prediction [29] and query suggesion [88] for Gboard applications. Subsequently, many novel FL systems have emerged to adapt to diverse federated training scenarios, such as Horizontal FL (e.g. TFF [1], FedLab [91], Felicitas [93], IBM FL [55]), Vertical FL [83] or both (e.g. FATE [52], FedML [30], PaddleFL [58], Flower [8], FedTree [43], NVFLARE [69]). Despite these frameworks covering a wide range of application

Table 1. Summary of existing FL surveys, SYS denotes FL Systems Design, APP denotes FL Applications, SDC denotes Server-Dominated Cooperation frameworks.

|                 |                        | Challenges |               |          |           |               | Contents |          |          |
|-----------------|------------------------|------------|---------------|----------|-----------|---------------|----------|----------|----------|
| Scenarios/Tasks | FL Surveys             | Efficiency | Heterogeneity | Privacy  | Incentive | Decentralized | SYS      | APP      | SDC      |
| General         | Yang et al. [87]       | ✓          | ✓             | <b>√</b> | ✓         | ✓             | <b>√</b> | <b>√</b> | <b>√</b> |
|                 | Li et al. 2020 [46]    | ✓          | ✓             | <b>√</b> |           | ✓             | ✓        | ✓        | <b>√</b> |
|                 | Zhang 2021et al. [92]  | ✓          | ✓             | <b>√</b> |           |               | <b>√</b> | <b>√</b> | <b>✓</b> |
|                 | Gupta et al. [26]      | ✓          | ✓             | <b>√</b> |           | ✓             | <b>√</b> | ✓        | <b>√</b> |
|                 | Xu et al. [84]         | ✓          | ✓             | <b>√</b> |           | ✓             | <b>√</b> | ✓        | <b>√</b> |
|                 | Li et al. 2021 [45]    | ✓          | ✓             | <b>√</b> | ✓         | ✓             | <b>√</b> | ✓        | <b>√</b> |
|                 | El et al. [20]         |            |               | ✓        |           | ✓             | <b>√</b> |          | <b>√</b> |
|                 | Kulkarni et al. [38]   | ✓          | ✓             |          |           |               | <b>√</b> |          | <b>√</b> |
|                 | Liu et al.[53]         | ✓          |               | ✓        |           | ✓             | <b>√</b> |          | <b>√</b> |
|                 | Tan et al. [77]        |            | ✓             |          |           |               | <b>√</b> |          | <b>√</b> |
|                 | Zhu et al. 2021 [96]   |            | <b>√</b>      |          |           |               | <b>√</b> |          | <b>✓</b> |
|                 | Ma et al. [57]         | ✓          | ✓             | <b>√</b> |           |               | <b>√</b> |          | <b>√</b> |
|                 | Aledhari et al. [6]    | ✓          | ✓             |          |           |               | <b>√</b> | <b>√</b> | <b>√</b> |
|                 | Kairouz et al. [34]    | ✓          | ✓             | <b>√</b> | ✓         | ✓             | <b>√</b> | ✓        | ✓        |
|                 | AbdulRahman et al. [3] | ✓          | ✓             | <b>√</b> | ✓         |               | <b>√</b> | ✓        | <b>√</b> |
|                 | Lim et al. [50]        | ✓          | ✓             | ✓        | ✓         |               | <b>√</b> | ✓        | <b>√</b> |
| Healthcare      | Xu et al. [85]         | ✓          | ✓             | ✓        |           |               | <b>√</b> | ✓        | <b>√</b> |
|                 | Pfitzner et al.[62]    | ✓          | ✓             | <b>√</b> |           |               | <b>√</b> | ✓        | <b>√</b> |
|                 | Antunes et al. [7]     |            | ✓             | <b>√</b> |           |               |          | ✓        | <b>√</b> |
|                 | Rieke et al. [67]      |            | ✓             | <b>√</b> |           | ✓             | <b>√</b> | <b>√</b> | <b>√</b> |
| ІоТ             | Zhang 2022et al. [94]  | ✓          | ✓             |          |           |               | <b>√</b> | ✓        | <b>√</b> |
|                 | Boopalan et al. [11]   | ✓          | ✓             | <b>√</b> | ✓         | ✓             | <b>√</b> | <b>√</b> | <b>√</b> |
|                 | Ramu et al. [65]       | ✓          | ✓             | <b>√</b> |           | ✓             | <b>√</b> | ✓        | <b>√</b> |
|                 | Du et al. [17]         | ✓          | ✓             | <b>√</b> | <b>√</b>  | ✓             | <b>√</b> | <b>√</b> | <b>√</b> |
| Cybersecurity   | Agrawal et al. [4]     | ✓          | ✓             | <b>√</b> |           | ✓             | <b>√</b> | ✓        | <b>√</b> |
|                 | Alazab et al. [5]      |            |               | <b>√</b> |           |               | <b>√</b> | ✓        | <b>√</b> |
|                 | Ghimire et al. [25]    | <b>√</b>   |               | <b>√</b> |           |               | <b>√</b> | <b>√</b> | <b>√</b> |
| Blockchain      | Nguyen et al. [61]     | <b>√</b>   | ✓             | <b>√</b> | ✓         | ✓             | <b>√</b> | ✓        | <b>√</b> |
|                 | Qu et al. [63]         | <b>√</b>   | <b>√</b>      | <b>√</b> | <b>√</b>  | <b>√</b>      | <b>√</b> | <b>√</b> | <b>√</b> |
|                 | Zhu et al. 2022 [97]   | <b>√</b>   | <b>√</b>      | ✓        | <b>√</b>  | ✓             | <b>√</b> | <b>√</b> | <b>√</b> |
|                 |                        |            |               |          |           |               |          |          |          |

scenarios, they all follow the server-dominated cooperation mechanism. This business model restricts FL to function as a collaborative modeling software, rather than an open platform that provides FL services to the public.

Unlike the FL systems mentioned above, PySyft [98] developed by OpenMined depicts a novel FL cooperation frameworks which is closely realted to our focus. PySyft encourages data owners to share their data on a private domain server, which provides data management and privacy controls, as well as limited machine learning analysis APIs for third-party data scientists. Besides, a public network server will provide connections between data owners and data scientist, enabling datasets search and discovery for platform users. Recently, a new FL platform named PySyTFF<sup>1</sup> was announced. It integrates TFF and PySyft, allowing data scientists to train models under the coordination of TFF and the datasets provided by PySyft domain servers. However, even with inference controls of datasets, there is still a high security risk associated with exposing access to sensitive data on the Internet [21]. To preserve the privacy advantages of FL, in this survey, we aim to discuss an open and data-free

Proc. ACM Meas. Anal. Comput. Syst., Vol. 37, No. 4, Article 111. Publication date: August 2018.

Model Architecture DS Name Modality/Task License Input-Output Batch Export # of Models Tag Hugging Face<sup>5</sup> Х 133,641 Model Zoo<sup>6</sup> Х Х Х 3,426 OpenVINO ! ! Х ! 278 Tensorflow Hub8  $\checkmark$ ! ! Х 1,356 Pytorch Hub Х Х Х 49 ! NVIDIA NGC<sup>10</sup> 527

Table 2. Summary of existing deep learning model repositories.

FL platform under the scope of model-centric ML [54]. In such FL platform, every user is free to collaborate on the training of machine learning models while privacy is protected.

1.2.5 As-a-Service Business Model. In the current context of Software-as-a-Service (SaaS) [12], there are several as-a-service cloud computing frameworks that encapsulate ML tasks as services and provides unified APIs for upper layer applications. For example, Model-as-a-Service (MaaS) [22, 51, 68, 75, 99] and Machine-Learning-as-a-Service (MLaaS) [28, 31, 37, 42, 66] encapsulate model execution and model development as services. The original concept of MaaS [22, 68] was to provide re-usable and fine-grained user interfaces and visualization tools of domain-specific models (e.g wealther model, oil spill detection model) for environmental decision support systems. Subsequently, this concept has been extended to the field of recommendation systems [99] and deep learning based systems [51, 75]. However, in contrast to the focus of this survey, the aforementioned MaaS framework does not involve any user collaboration but solely provides model inference APIs to users.

As the architectures of deep neural networks (DNNs) become increasingly complex, training and maintaining DNNs become more and more challenging [27]. To address this issue, cloud service providers have introduced MLaaS, which offers an integrated development environment as a service for constructing and operationalizing ML workflows, aiming to reduce the computational resources required. MLaaS enables users to upload their data for training [31, 66, 95] or inference [28], freeing them from the responsibility of managing hardware resources and implementation. Most MLaaS providers adopt a pay-by-query business model, such as Google Vertex AI<sup>2</sup>, Microsoft Azure Machine Learning<sup>3</sup> and ChatGPT<sup>4</sup>. However, privacy protection can be compromised when users upload data to perform inference and training in the cloud. Moverover, under this model, users are not given the ability to contribute their own models to the repository or collaborate with others to enhance the diversity of available models. While there are some ongoing efforts to offer privacy-preserving MLaaS services using techniques such as Isolated Execution Environment [28, 59] and Homomorphic Encryption [23, 31], it is worth noting that our focus is not solely on privacy. Rather, the FL framework we focus on emphasizes a collaborative framework where all entities involved have equal access to services and mutual benefits.

Recently, Kourtellis *et al.* [37] propose Federated Learning as a Service (FLaaS) that provides high-level and extensible APIs aim to enabling third-party applications to build collaborative, decentralized, privacy-preserving ML models. However, this approach also follows the traditional server-dominated cooperation framework, which falls under the scope of previous FL surveys[34, 46, 87].

<sup>&</sup>lt;sup>2</sup>https://cloud.google.com/vertex-ai

 $<sup>^3</sup> https://azure.microsoft.com/products/machine-learning/\\$ 

 $<sup>^4</sup> https://chat.openai.com/chat\\$ 

<sup>&</sup>lt;sup>5</sup>https://huggingface.co

<sup>6</sup>https://modelzoo.co/

<sup>&</sup>lt;sup>7</sup>https://docs.openvino.ai/latest/model\_zoo.html

<sup>8</sup>https://tfhub.dev/

<sup>9</sup>https://pytorch.org/hub/

<sup>10</sup> https://catalog.ngc.nvidia.com/models

#### 1.3 FAIR in FL

FAIR Data Principles: Findable, Accessible, Interoperable, Reusable.

#### 2 BASIC CONCEPTS OF FEDERATED LEARNING

#### 2.1 Definition

Federated Learning [60, 74] is a collaborative machine learning modeling paradigm that enables sharing and aggregation of knowledge from multiple sources while maintaining the confidentiality of source data. Generally, in terms of task organization, there are two kinds of entities in FL systems: the server and participant. The FL server can launche a federated training task and invites participants with sufficient training data and hardware resources to contribute their local modeling results for multi-source knowledge aggregation. In practice, FL systems can be divided into two categories based on application scenarios [34]:

- Cross-device FL. In this setting, the participants are numberous end devices with relatively small dataset size, such as mobiles, IoT sensors and wearable devices, the server is hosted in the cloud. Since there is low context correlation between the data of distributed end devices and less overlapping sample ids, this setting typically falls within the scope of horizontal FL. The cross-device FL applications include: Gboard next-word prediction [29], emoji prediction [64] and query suggesion [88].
- Cross-silo FL. In this setting, the participants are organizations or institutions with large amounts of well-maintained structured data, and the server is hosted by a trusted FL service providers such as FATE [52] and NVFLARE [69]. As participants can be different departments within an organization, the data silo owned by these departments can have a large overlap in sample space and less overlap in feature space, which falls within vertical FL. The applications of cross-silo FL include federated data analysis for radiomics [48, 49, 72], epidemiology [16] and EHR [13, 32].

The allocation to the server and participants in FL is dependent on the particular application context. Furthermore, FL entities can also serve multiple functional roles to support advanced features such as privacy enhancement [10, 24], participant scheduling [2, 41], model verification [73, 78] and incentive mechanisms [90]. Recall that there are four roles defined in the FL standard [74]:

- Model User. The FL model users can request for FL modeling services and preset the targeted task, and
  then establish cooperation with participants who provide training data. This role can leverage the benefits
  of collaborative training to improve the preformance of its objective models.
- Coordinator. The FL coordinator is responsible for providing FL services to all FL entities. This role involves setting up communication channels with entities, initializing the execution environment [28] of participants, scheduling the training and aggregation workflows for improve system efficiency, such as by alleviating the straggler effect [14, 40], optimizing data heterogeneity [2, 19] and compressing model transfer [36, 71]. Additionally, the FL coordinator provides privacy control mechanisms [10, 20, 31] for model users and authorization verification for participants to maintain the security of FL systems. Furthermore, the coordinator can hold a validation dataset for evaluate the models contributed by participants or detect potential disturbances from Byzantine attacks [70].
- Data Owner. The FL data owners
- Auditor

# 3 QUERY-BASED FEDERATED LEARNING

The properties are: (1) Model Agnostic; (2) Contactless; (3) Community-powered

Proc. ACM Meas. Anal. Comput. Syst., Vol. 37, No. 4, Article 111. Publication date: August 2018.




Fig. 2. An overview of traditional FL systems. (U: model User, C: Coordinator, D: Data owner, A: Auditor)

### **ACKNOWLEDGMENTS**

ACK.

#### REFERENCES

- [1] Martín Abadi, Paul Barham, Jianmin Chen, Zhifeng Chen, Andy Davis, Jeffrey Dean, Matthieu Devin, Sanjay Ghemawat, Geoffrey Irving, Michael Isard, et al. 2016. Tensorflow: A system for large-scale machine learning. In *Proceedings of the 12th USENIX Symposium on Operating Systems Design and Implementation (OSDI)*. 265–283.
- [2] Sawsan AbdulRahman, Hanine Tout, Azzam Mourad, and Chamseddine Talhi. 2020. FedMCCS: multicriteria client selection model for optimal IoT federated learning. *IEEE Internet of Things Journal* 8, 6 (2020), 4723–4735.
- [3] Sawsan AbdulRahman, Hanine Tout, Hakima Ould-Slimane, Azzam Mourad, Chamseddine Talhi, and Mohsen Guizani. 2020. A survey on federated learning: The journey from centralized to distributed on-site learning and beyond. *IEEE Internet of Things Journal* 8, 7 (2020), 5476–5497. https://doi.org/10.1109/JIOT.2020.3030072
- [4] Shaashwat Agrawal, Sagnik Sarkar, Ons Aouedi, Gokul Yenduri, Kandaraj Piamrat, Mamoun Alazab, Sweta Bhattacharya, Praveen Kumar Reddy Maddikunta, and Thippa Reddy Gadekallu. 2022. Federated learning for intrusion detection system: Concepts, challenges and future directions. Computer Communications (2022). https://doi.org/10.1016/j.comcom.2022.09.012
- [5] Mamoun Alazab, Swarna Priya RM, M Parimala, Praveen Kumar Reddy Maddikunta, Thippa Reddy Gadekallu, and Quoc-Viet Pham. 2021. Federated learning for cybersecurity: concepts, challenges, and future directions. *IEEE Transactions on Industrial Informatics* 18, 5 (2021), 3501–3509. https://doi.org/10.1109/TII.2021.3119038
- [6] Mohammed Aledhari, Rehma Razzak, Reza M Parizi, and Fahad Saeed. 2020. Federated learning: A survey on enabling technologies, protocols, and applications. IEEE Access 8 (2020), 140699–140725. https://doi.org/10.1109/ACCESS.2020.3013541
- [7] Rodolfo Stoffel Antunes, Cristiano André da Costa, Arne Küderle, Imrana Abdullahi Yari, and Björn Eskofier. 2022. Federated learning for healthcare: Systematic review and architecture proposal. ACM Transactions on Intelligent Systems and Technology (TIST) 13, 4 (2022), 1–23. https://doi.org/10.1145/3501813
- [8] Daniel J Beutel, Taner Topal, Akhil Mathur, Xinchi Qiu, Titouan Parcollet, Pedro PB de Gusmão, and Nicholas D Lane. 2020. Flower: A friendly federated learning research framework. arXiv preprint arXiv:2007.14390 (2020).
- [9] Keith Bonawitz, Hubert Eichner, Wolfgang Grieskamp, Dzmitry Huba, Alex Ingerman, Vladimir Ivanov, Chloe Kiddon, Jakub Konecny, Stefano Mazzocchi, H Brendan McMahan, et al. 2019. Towards Federated Learning at Scale: System Design. In Proceedings of the 2nd SysML Conference.

- [10] Keith Bonawitz, Vladimir Ivanov, Ben Kreuter, Antonio Marcedone, H Brendan McMahan, Sarvar Patel, Daniel Ramage, Aaron Segal, and Karn Seth. 2017. Practical secure aggregation for privacy-preserving machine learning. In Proceedings of the 2017 ACM SIGSAC Conference on Computer and Communications Security (CCS). ACM, 1175–1191.
- [11] Parimala Boopalan, Swarna Priya Ramu, Quoc-Viet Pham, Kapal Dev, Praveen Kumar Reddy Maddikunta, Thippa Reddy Gadekallu, Thien Huynh-The, et al. 2022. Fusion of federated learning and industrial Internet of Things: A survey. Computer Networks (2022), 109048. https://doi.org/10.1016/j.comnet.2022.109048
- [12] Pearl Brereton, David Budgen, Keith Bennnett, Malcolm Munro, Paul Layzell, Linda MaCaulay, David Griffiths, and Charles Stannett. 1999. The future of software. *Commun. ACM* 42, 12 (1999), 78–84. https://doi.org/10.1145/322796.322813
- [13] Theodora S Brisimi, Ruidi Chen, Theofanie Mela, Alex Olshevsky, Ioannis Ch Paschalidis, and Wei Shi. 2018. Federated learning of predictive models from federated electronic health records. *International journal of medical informatics* 112 (2018), 59–67. https://doi.org/10.1016/j.ijmedinf.2018.01.007
- [14] Zheng Chai, Ahsan Ali, Syed Zawad, Stacey Truex, Ali Anwar, Nathalie Baracaldo, Yi Zhou, Heiko Ludwig, Feng Yan, and Yue Cheng. 2020. Tifl: A tier-based federated learning system. In Proceedings of the 29th international symposium on high-performance parallel and distributed computing. 125–136. https://doi.org/10.1145/3369583.3392686
- [15] Kewei Cheng, Tao Fan, Yilun Jin, Yang Liu, Tianjian Chen, Dimitrios Papadopoulos, and Qiang Yang. 2021. Secureboost: A lossless federated learning framework. *IEEE Intelligent Systems* 36, 6 (2021), 87–98. https://doi.org/10.1109/MIS.2021.3082561
- [16] Ittai Dayan, Holger R Roth, Aoxiao Zhong, Ahmed Harouni, Amilcare Gentili, Anas Z Abidin, Andrew Liu, Anthony Beardsworth Costa, Bradford J Wood, Chien-Sung Tsai, et al. 2021. Federated learning for predicting clinical outcomes in patients with COVID-19. Nature medicine 27, 10 (2021), 1735–1743. https://doi.org/10.1038/s41591-021-01506-3
- [17] Zhaoyang Du, Celimuge Wu, Tsutomu Yoshinaga, Kok-Lim Alvin Yau, Yusheng Ji, and Jie Li. 2020. Federated learning for vehicular internet of things: Recent advances and open issues. IEEE Open Journal of the Computer Society 1 (2020), 45–61. https://doi.org/10.1109/ OJCS.2020.2992630
- [18] Moming Duan, Duo Liu, Xianzhang Chen, Renping Liu, Yujuan Tan, and Liang Liang. 2020. Self-balancing federated learning with global imbalanced data in mobile systems. *IEEE Transactions on Parallel and Distributed Systems (TPDS)* 32, 1 (2020), 59–71.
- [19] Moming Duan, Duo Liu, Xianzhang Chen, Yujuan Tan, Jinting Ren, Lei Qiao, and Liang Liang. 2019. Astraea: Self-balancing federated learning for improving classification accuracy of mobile deep learning applications. In *Proceedings of the IEEE 37th International Conference on Computer Design (ICCD)*. IEEE, 246–254.
- [20] Ahmed El Ouadrhiri and Ahmed Abdelhadi. 2022. Differential privacy for deep and federated learning: A survey. IEEE Access 10 (2022), 22359–22380. https://doi.org/10.1109/ACCESS.2022.3151670
- [21] Attlee M Gamundani and Lucas M Nekare. 2018. A review of new trends in cyber attacks: A zoom into distributed database systems. In 2018 IST-Africa Week Conference (IST-Africa). IEEE, Page-1.
- [22] Gary N Geller and Woody Turner. 2007. The model web: a concept for ecological forecasting. In 2007 IEEE International Geoscience and Remote Sensing Symposium. IEEE, 2469–2472. https://doi.org/10.1109/IGARSS.2007.4423343
- [23] Craig Gentry. 2009. Fully homomorphic encryption using ideal lattices. In Proceedings of the Forty-First Annual ACM Symposium on Theory of Computing (STOC). 169–178. https://doi.org/10.1145/1536414.1536440
- [24] Robin C Geyer, Tassilo Klein, and Moin Nabi. 2017. Differentially private federated learning: A client level perspective. arXiv preprint arXiv:1712.07557 (2017).
- [25] Bimal Ghimire and Danda B Rawat. 2022. Recent advances on federated learning for cybersecurity and cybersecurity for federated learning for internet of things. *IEEE Internet of Things Journal* (2022). https://doi.org/10.1109/JIOT.2022.3150363
- [26] Ruchi Gupta and Tanweer Alam. 2022. Survey on federated-learning approaches in distributed environment. Wireless Personal Communications 125, 2 (2022), 1631–1652. https://doi.org/10.1007/s11277-022-09624-y
- [27] Xu Han, Zhengyan Zhang, Ning Ding, Yuxian Gu, Xiao Liu, Yuqi Huo, Jiezhong Qiu, Yuan Yao, Ao Zhang, Liang Zhang, et al. 2021. Pre-trained models: Past, present and future. AI Open 2 (2021), 225–250. https://doi.org/10.1016/j.aiopen.2021.08.002
- [28] Lucjan Hanzlik, Yang Zhang, Kathrin Grosse, Ahmed Salem, Maximilian Augustin, Michael Backes, and Mario Fritz. 2021. Mlcapsule: Guarded offline deployment of machine learning as a service. In Proceedings of the IEEE/CVF conference on computer vision and pattern recognition. 3300–3309.
- [29] Andrew Hard, Kanishka Rao, Rajiv Mathews, Françoise Beaufays, Sean Augenstein, Hubert Eichner, Chloé Kiddon, and Daniel Ramage. 2018. Federated learning for mobile keyboard prediction. arXiv preprint arXiv:1811.03604 (2018).
- [30] Chaoyang He, Songze Li, Jinhyun So, Xiao Zeng, Mi Zhang, Hongyi Wang, Xiaoyang Wang, Praneeth Vepakomma, Abhishek Singh, Hang Qiu, et al. 2020. FedML: A research library and benchmark for federated machine learning. In NeurIPS 2020 Workshop on Scalability, Privacy, and Security in Federated Learning.
- [31] Ehsan Hesamifard, Hassan Takabi, Mehdi Ghasemi, and Rebecca N Wright. 2018. Privacy-preserving machine learning as a service. Proc. Priv. Enhancing Technol. 2018, 3 (2018), 123–142. https://doi.org/10.1515/popets-2018-0024
- [32] Li Huang, Andrew L Shea, Huining Qian, Aditya Masurkar, Hao Deng, and Dianbo Liu. 2019. Patient clustering improves efficiency of federated machine learning to predict mortality and hospital stay time using distributed electronic medical records. Journal of biomedical

- informatics 99 (2019), 103291. https://doi.org/10.1016/j.jbi.2019.103291
- [33] Yangqing Jia, Evan Shelhamer, Jeff Donahue, Sergey Karayev, Jonathan Long, Ross Girshick, Sergio Guadarrama, and Trevor Darrell. 2014. Caffe: Convolutional architecture for fast feature embedding. In *Proceedings of the 22nd ACM international conference on Multimedia*. 675–678. https://doi.org/10.1145/2647868.2654889
- [34] Peter Kairouz, H Brendan McMahan, Brendan Avent, Aurélien Bellet, Mehdi Bennis, Arjun Nitin Bhagoji, Kallista Bonawitz, Zachary Charles, Graham Cormode, Rachel Cummings, et al. 2021. Advances and open problems in federated learning. Foundations and Trends® in Machine Learning 14, 1–2 (2021), 1–210. https://doi.org/10.1561/2200000083
- [35] Sai Praneeth Karimireddy, Satyen Kale, Mehryar Mohri, Sashank Reddi, Sebastian Stich, and Ananda Theertha Suresh. 2020. Scaffold: Stochastic controlled averaging for federated learning. In *International Conference on Machine Learning*. PMLR, 5132–5143.
- [36] Jakub Konečný, H Brendan McMahan, Felix X Yu, Peter Richtárik, Ananda Theertha Suresh, and Dave Bacon. 2016. Federated learning: Strategies for improving communication efficiency. arXiv preprint arXiv:1610.05492 (2016).
- [37] Nicolas Kourtellis, Kleomenis Katevas, and Diego Perino. 2020. FLaaS: Federated learning as a service. In *Proceedings of the 1st workshop on distributed machine learning*. 7–13. https://doi.org/10.1145/3426745.3431337
- [38] Viraj Kulkarni, Milind Kulkarni, and Aniruddha Pant. 2020. Survey of personalization techniques for federated learning. In 2020 Fourth World Conference on Smart Trends in Systems, Security and Sustainability (WorldS4). IEEE, 794–797. https://doi.org/10.1109/WorldS450073. 2020.9210355
- [39] Yann LeCun, Yoshua Bengio, and Geoffrey Hinton. 2015. Deep learning. nature 521, 7553 (2015), 436.
- [40] Li Li, Moming Duan, Duo Liu, Yu Zhang, Ao Ren, Xianzhang Chen, Yujuan Tan, and Chengliang Wang. 2021. FedSAE: A Novel Self-Adaptive Federated Learning Framework in Heterogeneous Systems. arXiv preprint arXiv:2104.07515 (2021).
- [41] Li Li, Duo Liu, Moming Duan, Yu Zhang, Ao Ren, Xianzhang Chen, Yujuan Tan, and Chengliang Wang. 2022. Federated learning with workload-aware client scheduling in heterogeneous systems. *Neural Networks* 154 (2022), 560–573. https://doi.org/10.1016/j.neunet. 2022.07.030
- [42] Li Erran Li, Eric Chen, Jeremy Hermann, Pusheng Zhang, and Luming Wang. 2017. Scaling machine learning as a service. In *International Conference on Predictive Applications and APIs*. PMLR, 14–29.
- [43] Qinbin Li, Yanzheng Cai, Yuxuan Han, Ching Man Yung, Tianyuan Fu, and Bingsheng He. 2022. FedTree: A Fast, Effective, and Secure Tree-based Federated Learning System. https://github.com/Xtra-Computing/FedTree/blob/main/FedTree\_draft\_paper.pdf.
- [44] Qinbin Li, Bingsheng He, and Dawn Song. 2021. Model-contrastive federated learning. In *Proceedings of the IEEE/CVF Conference on Computer Vision and Pattern Recognition*. 10713–10722.
- [45] Qinbin Li, Zeyi Wen, Zhaomin Wu, Sixu Hu, Naibo Wang, Yuan Li, Xu Liu, and Bingsheng He. 2021. A survey on federated learning systems: vision, hype and reality for data privacy and protection. *IEEE Transactions on Knowledge and Data Engineering (TKDE)* (2021). https://doi.org/10.1109/TKDE.2021.3124599
- [46] Tian Li, Anit Kumar Sahu, Ameet Talwalkar, and Virginia Smith. 2020. Federated learning: Challenges, methods, and future directions. *IEEE Signal Processing Magazine* 37, 3 (2020), 50–60.
- [47] Tian Li, Anit Kumar Sahu, Manzil Zaheer, Maziar Sanjabi, Ameet Talwalkar, and Virginia Smith. 2020. Federated optimization in heterogeneous networks. In *Proceedings of the 3rd SysML Conference*.
- [48] Wenqi Li, Fausto Milletari, Daguang Xu, Nicola Rieke, Jonny Hancox, Wentao Zhu, Maximilian Baust, Yan Cheng, Sébastien Ourselin, M Jorge Cardoso, et al. 2019. Privacy-preserving federated brain tumour segmentation. In Machine Learning in Medical Imaging: 10th International Workshop, MLMI 2019, Held in Conjunction with MICCAI 2019, Shenzhen, China, October 13, 2019, Proceedings 10. Springer, 133–141. https://doi.org/10.1007/978-3-030-32692-0\_16
- [49] Xiaoxiao Li, Yufeng Gu, Nicha Dvornek, Lawrence H Staib, Pamela Ventola, and James S Duncan. 2020. Multi-site fMRI analysis using privacy-preserving federated learning and domain adaptation: ABIDE results. *Medical Image Analysis* 65 (2020), 101765. https://doi.org/10.1016/j.media.2020.101765
- [50] Wei Yang Bryan Lim, Nguyen Cong Luong, Dinh Thai Hoang, Yutao Jiao, Ying-Chang Liang, Qiang Yang, Dusit Niyato, and Chunyan Miao. 2020. Federated learning in mobile edge networks: A comprehensive survey. IEEE Communications Surveys & Tutorials 22, 3 (2020), 2031–2063. https://doi.org/10.1109/COMST.2020.2986024
- [51] Hao Liu, Qian Gao, Jiang Li, Xiaochao Liao, Hao Xiong, Guangxing Chen, Wenlin Wang, Guobao Yang, Zhiwei Zha, Daxiang Dong, et al. 2021. Jizhi: A fast and cost-effective model-as-a-service system for web-scale online inference at baidu. In *Proceedings of the 27th ACM SIGKDD Conference on Knowledge Discovery & Data Mining*. Association for Computing Machinery, New York, NY, USA, 3289–3298. https://doi.org/10.1145/3447548.3467146
- [52] Yang Liu, Tao Fan, Tianjian Chen, Qian Xu, and Qiang Yang. 2021. FATE: An industrial grade platform for collaborative learning with data protection. *The Journal of Machine Learning Research* 22, 1 (2021), 10320–10325.
- [53] Ziyao Liu, Jiale Guo, Wenzhuo Yang, Jiani Fan, Kwok-Yan Lam, and Jun Zhao. 2022. Privacy-preserving aggregation in federated learning: A survey. *IEEE Transactions on Big Data (TBD)* (2022), 1–20. https://doi.org/10.1109/TBDATA.2022.3190835
- [54] Yihang Lou, Ling-Yu Duan, Yong Luo, Ziqian Chen, Tongliang Liu, Shiqi Wang, and Wen Gao. 2020. Towards efficient front-end visual sensing for digital retina: A model-centric paradigm. *IEEE Transactions on Multimedia* 22, 11 (2020), 3002–3013. https:

#### //doi.org/10.1109/TMM.2020.2966885

- [55] Heiko Ludwig, Nathalie Baracaldo, Gegi Thomas, Yi Zhou, Ali Anwar, Shashank Rajamoni, Yuya Ong, Jayaram Radhakrishnan, Ashish Verma, Mathieu Sinn, et al. 2020. IBM Federated Learning: an Enterprise Framework White Paper Vo. 1. arXiv preprint arXiv:2007.10987 (2020)
- [56] Lingjuan Lyu, Han Yu, and Qiang Yang. 2020. Threats to federated learning: A survey. arXiv preprint arXiv:2003.02133 (2020).
- [57] Xiaodong Ma, Jia Zhu, Zhihao Lin, Shanxuan Chen, and Yangjie Qin. 2022. A state-of-the-art survey on solving non-IID data in Federated Learning. Future Generation Computer Systems 135 (2022), 244–258. https://doi.org/10.1016/j.future.2022.05.003
- [58] Yanjun Ma, Dianhai Yu, Tian Wu, and Haifeng Wang. 2019. PaddlePaddle: An open-source deep learning platform from industrial practice. Frontiers of Data and Domputing 1, 1 (2019), 105–115. https://doi.org/10.11871/jfdc.issn.2096.742X.2019.01.011
- [59] Frank McKeen, Ilya Alexandrovich, Ittai Anati, Dror Caspi, Simon Johnson, Rebekah Leslie-Hurd, and Carlos Rozas. 2016. Intel® software guard extensions (Intel® SGX) support for dynamic memory management inside an enclave. In Proceedings of the Hardware and Architectural Support for Security and Privacy 2016. 1–9. https://doi.org/10.1145/2948618.2954331
- [60] Brendan McMahan, Eider Moore, Daniel Ramage, Seth Hampson, and Blaise Aguera y Arcas. 2017. Communication-Efficient Learning of Deep Networks from Decentralized Data. In Proceedings of the 20th International Conference on Artificial Intelligence and Statistics (AISTATS). 1273–1282.
- [61] Dinh C Nguyen, Ming Ding, Quoc-Viet Pham, Pubudu N Pathirana, Long Bao Le, Aruna Seneviratne, Jun Li, Dusit Niyato, and H Vincent Poor. 2021. Federated learning meets blockchain in edge computing: Opportunities and challenges. *IEEE Internet of Things Journal* 8, 16 (2021), 12806–12825. https://doi.org/10.1109/JIOT.2021.3072611
- [62] Bjarne Pfitzner, Nico Steckhan, and Bert Arnrich. 2021. Federated learning in a medical context: A systematic literature review. ACM Transactions on Internet Technology (TOIT) 21, 2 (2021), 1–31. https://doi.org/10.1145/3412357
- [63] Youyang Qu, Md Palash Uddin, Chenquan Gan, Yong Xiang, Longxiang Gao, and John Yearwood. 2022. Blockchain-enabled federated learning: A survey. ACM Computing Surveys (CSUR) 55, 4 (2022), 1–35. https://doi.org/10.1145/3524104
- [64] Swaroop Ramaswamy, Rajiv Mathews, Kanishka Rao, and Françoise Beaufays. 2019. Federated learning for emoji prediction in a mobile keyboard. arXiv preprint arXiv:1906.04329 (2019).
- [65] Swarna Priya Ramu, Parimala Boopalan, Quoc-Viet Pham, Praveen Kumar Reddy Maddikunta, Thien Huynh-The, Mamoun Alazab, Thanh Thi Nguyen, and Thippa Reddy Gadekallu. 2022. Federated learning enabled digital twins for smart cities: Concepts, recent advances, and future directions. Sustainable Cities and Society 79 (2022), 103663. https://doi.org/10.1016/j.scs.2021.103663
- [66] Mauro Ribeiro, Katarina Grolinger, and Miriam AM Capretz. 2015. MLaaS: Machine learning as a service. In 2015 IEEE 14th international conference on machine learning and applications (ICMLA). IEEE, 896–902. https://doi.org/10.1109/ICMLA.2015.152
- [67] Nicola Rieke, Jonny Hancox, Wenqi Li, Fausto Milletari, Holger R Roth, Shadi Albarqouni, Spyridon Bakas, Mathieu N Galtier, Bennett A Landman, Klaus Maier-Hein, et al. 2020. The future of digital health with federated learning. NPJ digital medicine 3, 1 (2020), 119. https://doi.org/10.1038/s41746-020-00323-1
- [68] Dumitru Roman, Sven Schade, Arne-Jørgen Berre, Nils Rune Bodsberg, and J Langlois. 2009. Model as a Service (MaaS). In AGILE Workshop-Grid Technologies for Geospatial Applications.
- [69] Holger R Roth, Yan Cheng, Yuhong Wen, Isaac Yang, Ziyue Xu, Yuan-Ting Hsieh, Kristopher Kersten, Ahmed Harouni, Can Zhao, Kevin Lu, et al. 2022. NVIDIA FLARE: Federated Learning from Simulation to Real-World. (2022).
- [70] Felix Sattler, Klaus-Robert Müller, Thomas Wiegand, and Wojciech Samek. 2020. On the Byzantine Robustness of Clustered Federated Learning. In *Proceedings of the IEEE International Conference on Acoustics, Speech and Signal Processing (ICASSP).* IEEE, 8861–8865.
- [71] Felix Sattler, Simon Wiedemann, Klaus-Robert Müller, and Wojciech Samek. 2019. Robust and communication-efficient federated learning from non-iid data. IEEE Transactions on Neural Networks and Learning Systems (TNNLS) 31, 9 (2019), 3400–3413. https://doi.org/10.1109/TNNLS.2019.2944481
- [72] Jonas Scherer, Marco Nolden, Jens Kleesiek, Jasmin Metzger, Klaus Kades, Verena Schneider, Michael Bach, Oliver Sedlaczek, Andreas M Bucher, Thomas J Vogl, et al. 2020. Joint imaging platform for federated clinical data analytics. JCO clinical cancer informatics 4 (2020), 1027–1038. https://doi.org/10.1200/CCI.20.00045
- [73] Shuo Shao, Wenyuan Yang, Hanlin Gu, Jian Lou, Zhan Qin, Lixin Fan, Qiang Yang, and Kui Ren. 2022. FedTracker: Furnishing Ownership Verification and Traceability for Federated Learning Model. arXiv preprint arXiv:2211.07160 (2022).
- [74] IEEE Computer Society. 2021. IEEE Guide for Architectural Framework and Application of Federated Machine Learning. IEEE Std 3652.1-2020 (2021), 1–69. https://doi.org/10.1109/IEEESTD.2021.9382202
- [75] Tianxiang Sun, Yunfan Shao, Hong Qian, Xuanjing Huang, and Xipeng Qiu. 2022. Black-box tuning for language-model-as-a-service. In Proceedings of the 39th International Conference on Machine Learning (ICML). PMLR, 20841–20855.
- [76] Vivienne Sze, Yu-Hsin Chen, Tien-Ju Yang, and Joel S Emer. 2017. Efficient processing of deep neural networks: A tutorial and survey. Proc. IEEE 105, 12 (2017), 2295–2329. https://doi.org/10.1109/JPROC.2017.2761740
- [77] Alysa Ziying Tan, Han Yu, Lizhen Cui, and Qiang Yang. 2022. Towards personalized federated learning. *IEEE Transactions on Neural Networks and Learning Systems (TNNLS)* (2022), 1–17. https://doi.org/10.1109/TNNLS.2022.3160699

- [78] Buse GA Tekgul, Yuxi Xia, Samuel Marchal, and N Asokan. 2021. WAFFLE: Watermarking in federated learning. In 2021 40th International Symposium on Reliable Distributed Systems (SRDS). IEEE, 310-320. https://doi.org/10.1109/SRDS53918.2021.00038
- [79] Omer Tene. 2011. Privacy: The new generations. International data privacy law 1, 1 (2011), 15-27. https://doi.org/10.1093/idpl/ipq003
- [80] Nguyen Truong, Kai Sun, Siyao Wang, Florian Guitton, and YiKe Guo. 2021. Privacy preservation in federated learning: An insightful survey from the GDPR perspective. Computers & Security 110 (2021), 102402. https://doi.org/10.1016/j.cose.2021.10240
- [81] Paul Voigt and Axel Von dem Bussche. 2017. The EU general data protection regulation (GDPR): A Practical Guide. Springer International Publishing (2017). https://doi.org/10.1007/978-3-319-57959-7
- [82] Steven Euijong Whang, Yuji Roh, Hwanjun Song, and Jae-Gil Lee. 2023. Data collection and quality challenges in deep learning: A data-centric ai perspective. The VLDB Journal (2023), 1-23. https://doi.org/10.1007/s00778-022-00775-9
- [83] Zhaomin Wu, Qinbin Li, and Bingsheng He. 2022. Practical vertical federated learning with unsupervised representation learning. IEEE Transactions on Big Data (2022). https://doi.org/10.1109/TBDATA.2022.3180117
- [84] Chenhao Xu, Youyang Qu, Yong Xiang, and Longxiang Gao. 2021. Asynchronous federated learning on heterogeneous devices: A survey. arXiv preprint arXiv:2109.04269 (2021).
- [85] Jie Xu, Benjamin S Glicksberg, Chang Su, Peter Walker, Jiang Bian, and Fei Wang. 2021. Federated learning for healthcare informatics. Journal of Healthcare Informatics Research 5 (2021), 1-19. https://doi.org/10.1007/s41666-020-00082-4
- [86] Qiang Yang, Lixin Fan, Richard Tong, and Angelica Lv. 2021. IEEE Federated Machine Learning. IEEE Federated Machine Learning White Paper (2021), 1-18.
- [87] Qiang Yang, Yang Liu, Tianjian Chen, and Yongxin Tong. 2019. Federated machine learning: Concept and applications. ACM Transactions on Intelligent Systems and Technology (TIST) 10, 2 (2019), 1-19. https://doi.org/10.1145/3298981
- [88] Timothy Yang, Galen Andrew, Hubert Eichner, Haicheng Sun, Wei Li, Nicholas Kong, Daniel Ramage, and Françoise Beaufays. 2018. Applied federated learning: Improving google keyboard query suggestions. arXiv preprint arXiv:1812.02903 (2018).
- [89] Xuefei Yin, Yanming Zhu, and Jiankun Hu. 2021. A comprehensive survey of privacy-preserving federated learning: A taxonomy, review, and future directions. ACM Computing Surveys (CSUR) 54, 6 (2021), 1-36. https://doi.org/10.1145/3460427
- [90] Han Yu, Zelei Liu, Yang Liu, Tianjian Chen, Mingshu Cong, Xi Weng, Dusit Niyato, and Qiang Yang. 2020. A fairness-aware incentive scheme for federated learning. In Proceedings of the AAAI/ACM Conference on AI, Ethics, and Society. 393-399. https://doi.org/10.1145/
- [91] Dun Zeng, Siqi Liang, Xiangjing Hu, Hui Wang, and Zenglin Xu. 2021. Fedlab: A flexible federated learning framework. arXiv preprint arXiv:2107.11621 (2021).
- [92] Chen Zhang, Yu Xie, Hang Bai, Bin Yu, Weihong Li, and Yuan Gao. 2021. A survey on federated learning. Knowledge-Based Systems (KBS) 216 (2021), 106775. https://doi.org/10.1016/j.knosys.2021.106775
- [93] Qi Zhang, Tiancheng Wu, Peichen Zhou, Shan Zhou, Yuan Yang, and Xiulang Jin. 2022. Felicitas: Federated Learning in Distributed Cross Device Collaborative Frameworks. In Proceedings of the 28th ACM SIGKDD Conference on Knowledge Discovery and Data Mining. 4502-4509. https://doi.org/10.1145/3534678.3539039
- [94] Tuo Zhang, Lei Gao, Chaoyang He, Mi Zhang, Bhaskar Krishnamachari, and A Salman Avestimehr. 2022. Federated learning for the internet of things: applications, challenges, and opportunities. IEEE Internet of Things Magazine 5, 1 (2022), 24-29. https: //doi.org/10.1109/IOTM.004.2100182
- [95] Lingchen Zhao, Qian Wang, Cong Wang, Qi Li, Chao Shen, and Bo Feng. 2021. Veriml: Enabling integrity assurances and fair payments for machine learning as a service. IEEE Transactions on Parallel and Distributed Systems 32, 10 (2021), 2524-2540. https: //doi.org/10.1109/TPDS.2021.3068195
- [96] Hangyu Zhu, Jinjin Xu, Shiqing Liu, and Yaochu Jin. 2021. Federated learning on non-IID data: A survey. Neurocomputing 465 (2021), 371-390. https://doi.org/10.1016/j.neucom.2021.07.098
- [97] Juncen Zhu, Jiannong Cao, Divya Saxena, Shan Jiang, and Houda Ferradi. 2022. Blockchain-empowered federated learning: Challenges, solutions, and future directions. ACM Computing Surveys (CSUR) (2022). https://doi.org/10.1145/3570953
- [98] Alexander Ziller, Andrew Trask, Antonio Lopardo, Benjamin Szymkow, Bobby Wagner, Emma Bluemke, Jean-Mickael Nounahon, Jonathan Passerat-Palmbach, Kritika Prakash, Nick Rose, et al. 2021. PySyft: A library for easy federated learning. Federated Learning Systems: Towards Next-Generation AI (2021), 111-139. https://doi.org/10.1007/978-3-030-70604-3\_5
- [99] Guobing Zou, Bofeng Zhang, Jianxing Zheng, Yinsheng Li, and Jianhua Ma. 2012. MaaS: Model as a service in cloud computing and Cyber-I space. In 2012 IEEE 12th International Conference on Computer and Information Technology. IEEE, 1125-1130. https://doi.org/10.1130/journal.com/puter/and/information/files/fil //doi.org/10.1109/CIT.2012.228

Received 20 February 2007; revised 12 March 2009; accepted 5 June 2009