

micio

imprimir arbol();

- Carrer Moron;

Inicio arboll);

VAR: Migenencion[27[2]:Currecter

Pudnes[2][2]: curucter

Abrelos [27[27: caracter Bisubulus[27[27: caracter Tutambulos[27[27: cureter

VAR; Films; Entero

VAR: columnus: Entero

Imprimir for (Filus=1); Filus+1) { For (Columnus=95; Columnus=-1; Files++) {

Imprimir "0/05", Migeneneion[2][2];

Imprimir "\n";

Sin 3 // Repetir en las dans Strings.

Chur Bisubueles [2] [9] - { Rabe-Abado, Made-Amado, Padre-Arado, Madre-abado, Madre-arado, Madre-arado, Madre-abado, Madre # includestdio.h> Ainchdez conio. h> Int main(){ int films, columnus; Sor (films: 0); film=2; filmst) of

Sor (columnus: 0); columnus = 2; Columnus) {

Printf ("%s", Milioneruciot Films) [columnus]);

Printf ("1);

Printf ("1); void arbol()? getchl);
netvrn;0; for (films=0); films (=2), films +) { 0 for (cdomnus=0; columnus-2; columnus++){

Printf("905", Padnes[Filus][cdumnus]);

printf("\n");} void artal () Chur Mi Generacion [2][2] { Yo, Herman}, for (filus= p; filus=2; films+1) { for (columns=\$); columnus (=4; columnus+1)}
printf("%s", Abulus [Films][columnus]);}
printf("\n");} Chur Packres [2] [2] = { { Pache, Muchely, 1/ Repet w con army Bisabules Salvmon, Glorin, NOC, ?).