


1

1

Drill Drawing View



2

2

Drill Table

Symbol	Count	Hole Size	Plated
□	32	0.762	Plated
○	132	0.300	Plated

Layer Stack Legend

	Material	Layer	Thickness	Dielectric Material	Type	Gerber
		Top Overlay			Legend	GTO
	Surface Material	Top Solder	0.010mm	Solder Resist	Solder Mask	GTS
	Copper	Top Layer	0.036mm		Signal	GTL
			0.320mm	FR-4	Dielectric	
	Copper	Bottom Layer	0.036mm		Signal	GBL
	Surface Material	Bottom Solder	0.010mm	Solder Resist	Solder Mask	GBS
		Bottom Overlay			Legend	GBO

Total thickness: 0.411mm

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF Mircod. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF Mircod IS PROHIBITED.

PROPRIETARY AND CONFIDENTIAL

		UNLESS OTHERWISE SPECIFIED:		NAME	DATE	Mircod		
		DIMENSIONS ARE IN INCHES	DRAWN	Morozov	13.10.2021	GNNS evaluation board PCB Specification		
		TOLERANCES:	CHECKED					
		FRACTIONAL±	ENG APPR.					
		ANGULAR: MACH± BEND ±	MFG APPR.					
		TWO PLACE DECIMAL ±	Q.A.					
		THREE PLACE DECIMAL ±	COMMENTS:			SIZE	DWG. NO. 1	
		INTERPRET GEOMETRIC TOLERANCING PER:						
		MATERIAL						
		FINISH						
NEXT ASSY	USED ON							
APPLICATION		DO NOT SCALE DRAWING				SCALE: 1:1	WEIGHT:	SHEET 1 OF 1

A

B

C

D