Supplement to "Student Teachers' Practice Self-Efficacy Prior to Their First Field Practice in Schools: Interrelatedness of Subconstructs Within Three Domains of Practice"

Tine Nielsen, Morten Pettersson & Line Toft (2025), MDPI Psychology International

In the below tables variables are named by capital letters as follows:

A = Planning and preparation subscale
B = Teaching in itself subscale
C = Differentiation subscale
D = Class management subscale
E = Pupils subscale
F = Adult collaborators subscale
G = Evaluation and development subscale
H = Major
K = Admission track
L = Previous teaching experience
O = Gender

Hypotheses tested are read as follows. Hypothesis 1:A&B|CD = A is conditionally independent of B given C and D

Table S1. Testing the necessity of the associations in the final chain graph model.

Testing 24 Separation hypotheses related to existing edges

			p-values			p-values (1-sided)		
Hypothesis	X^2	df	asymp	exact	Gamma	asymp	exact	95% CI for Gamma
1:A&B|CD	808.0	635	0.000	0.004	0.47	0.000	0.000	[0.35 - 0.59]
2:A&B|CF	724.9	584	0.000	0.044	0.55	0.000	0.000	[0.45 - 0.64]
3:A&B|DG	733.4	577	0.000	0.018	0.38	0.000	0.000	[0.25 - 0.50]
4:A&B|DL	1049.8	872	0.000	0.000	0.52	0.000	0.000	[0.44 - 0.60]
5:A&B|FG	724.2	566	0.000	0.024	0.47	0.000	0.000	[0.37 - 0.57]
6:A&F|D	920.6	719	0.000	0.001	0.26	0.000	0.000	[0.16 - 0.35]
7:A&G|C	987.6	784	0.000	0.000	0.41	0.000	0.000	[0.31 - 0.51]
*8:B&D|ACE	179.0	113	0.000	0.125	0.19	0.033	0.073	[-0.01 - 0.40]
*9:B&D|AEL	423.7	309	0.000	0.087	0.26	0.000	0.000	[0.13 - 0.39]
10:B&D|CEF	214.1	132	0.000	0.224	0.31	0.000	0.001	[0.16 - 0.46]
11:B&E|D	556.3	434	0.000	0.007	0.37	0.000	0.000	[0.26 - 0.47]
12:B&H|L	93.8	60	0.003	0.001				
13:B&L|CH	152.3	123	0.038	0.064	0.36	0.000	0.000	[0.21 - 0.51]
14:C&D|AB	379.0	304	0.002	0.717	0.27	0.000	0.001	[0.13 - 0.41]
15:C&D|AL	558.6	505	0.049	0.407	0.39	0.000	0.000	[0.29 - 0.49]
16:C&D|BF	467.7	351	0.000	0.043	0.34	0.000	0.000	[0.21 - 0.48]
17:C&D|BG	410.4	321	0.001	0.168	0.26	0.001	0.000	[0.10 - 0.42]
18:C&D|GL	718.1	589	0.000	0.004	0.41	0.000	0.000	[0.29 - 0.52]
19:C&G|A	764.3	589	0.000	0.000	0.27	0.000	0.000	[0.15 - 0.39]
20:C&L|B	79.3	71	0.233	0.318	-0.29	0.000	0.001	[-0.45 - -0.13]
21:D&E|B	419.2	364	0.024	0.088	0.34	0.000	0.000	[0.23 - 0.45]
22:D&F|A	677.9	572	0.001	0.011	0.17	0.001	0.000	[0.06 - 0.27]
23:H&O	27.9	2	0.000	0.000				
24:K&O	12.0	1	0.001	0.001	0.36	0.000	0.001	[0.16 - 0.56]

Benjamini Hochberg rejects if p < 0.037 for FDR = 0.05 and p < 0.007 for FDR = 0.01

* B&D should not be eliminated from the model, as the partial gamma coefficient is 0.26 and significant

Table S2- part 1. Testing the adequacy of the associations in the final chain graph model.

Testing 80 separation hypotheses relating to missing edges

Hypothesis	X^2	df	p-values asymp	p-values exact	Gamma	p-values (1-sided) asymp	p-values (1-sided) exact	95% CI for Gamma
*1:A&C|BDG	166.8	109	0.000	0.760	0.16	0.081	0.112	[-0.06 - 0.38]
*2:A&C|BFG	96.8	58	0.001	1.000	-0.04	0.336	0.476	[-0.20 - 0.13]
*3:A&C|DGL	418.5	330	0.001	0.784	0.29	0.000	0.000	[0.16 - 0.42]
4:A&D|BCF	119.8	71	0.000	0.092	-0.03	0.296	0.427	[-0.14 - 0.08]
5:A&D|BFG	116.1	70	0.000	0.857	-0.02	0.414	0.571	[-0.15 - 0.12]
6:A&E|BD	598.8	492	0.001	0.235	0.04	0.302	0.265	[-0.11 - 0.18]
7:A&H|BC	231.0	211	0.164	0.977				
8:A&H|BL	261.4	261	0.481	0.878				
9:A&K|BC	185.1	140	0.006	0.258	-0.05	0.315	0.290	[-0.23 - 0.14]
10:A&K|BL	167.9	150	0.151	0.362	-0.11	0.070	0.064	[-0.25 - 0.04]
11:A&K|HL	94.0	84	0.213	0.137	-0.03	0.358	0.335	[-0.16 - 0.11]
12:A&L|BC	161.3	132	0.042	0.521	-0.13	0.104	0.149	[-0.33 - 0.07]
13:A&O|BC	175.5	138	0.017	0.237	-0.00	0.492	0.632	[-0.22 - 0.21]
14:A&O|BL	175.0	150	0.080	0.135	-0.06	0.232	0.229	[-0.21 - 0.10]
15:A&O|HL	89.0	84	0.334	0.366	0.11	0.075	0.089	[-0.04 - 0.25]
16:B&C|ADL	376.4	284	0.000	0.469	0.12	0.061	0.072	[-0.03 - 0.27]
17:B&C|DGL	428.4	325	0.000	0.259	0.22	0.003	0.005	[0.06 - 0.37]
18:B&F|AD	686.1	557	0.000	0.126	0.13	0.016	0.030	[0.01 - 0.25]
19:B&G|AC	504.9	409	0.001	0.324	0.18	0.007	0.006	[0.04 - 0.33]
20:B&K|HL	63.4	69	0.668	0.619	0.02	0.372	0.476	[-0.12 - 0.16]
21:B&O|HL	82.5	69	0.127	0.099	0.14	0.028	0.034	[-0.00 - 0.29]
22:C&E|BD	475.8	388	0.002	0.206	0.15	0.046	0.028	[-0.02 - 0.32]
23:C&F|AD	561.3	467	0.002	0.417	0.09	0.110	0.117	[-0.05 - 0.23]
24:C&H|BL	204.9	187	0.176	0.416				
25:C&K|BL	93.9	106	0.794	0.986	0.10	0.128	0.126	[-0.07 - 0.26]
26:C&K|HL	58.6	51	0.216	0.194	0.06	0.204	0.181	[-0.09 - 0.21]
27:C&O|BL	120.5	106	0.158	0.314	-0.19	0.010	0.009	[-0.35 - -0.03]
28:C&O|HL	43.5	51	0.763	0.810	-0.05	0.252	0.333	[-0.22 - 0.11]
29:D&G|AC	448.1	358	0.001	0.284	0.13	0.049	0.050	[-0.03 - 0.29]
30:D&H|BC	189.7	168	0.121	0.857				
31:D&H|BL	168.4	187	0.832	0.987				
32:D&K|BC	143.2	118	0.057	0.696	-0.10	0.164	0.304	[-0.30 - 0.10]
33:D&K|BL	134.0	112	0.077	0.269	0.01	0.453	0.538	[-0.14 - 0.16]
34:D&K|HL	70.1	57	0.113	0.102	0.09	0.093	0.109	[-0.05 - 0.24]
35:D&L|BC	124.1	108	0.138	0.804	-0.10	0.161	0.123	[-0.31 - 0.10]
36:D&O|BC	136.1	109	0.040	0.476	-0.02	0.417	0.381	[-0.23 - 0.19]
37:D&O|BL	117.5	110	0.294	0.714	-0.02	0.405	0.524	[-0.19 - 0.14]
38:D&O|HL	51.3	56	0.653	0.708	0.11	0.073	0.077	[-0.04 - 0.26]
39:E&F|AD	571.4	483	0.003	0.597	0.11	0.052	0.064	[-0.02 - 0.25]
40:E&F|BD	574.6	481	0.002	0.333	-0.04	0.281	0.381	[-0.19 - 0.10]
41:E&G|AC	448.1	348	0.000	0.060	0.22	0.001	0.003	[0.08 - 0.36]
42:E&G|BD	575.6	470	0.001	0.173	0.02	0.370	0.321	[-0.12 - 0.17]
43:E&H|BC	187.8	167	0.129	0.848				
44:E&H|BD	276.0	217	0.004	0.200				
45:E&H|BL	186.7	176	0.277	0.622				
46:E&K|BC	137.0	112	0.054	0.667	0.12	0.128	0.149	[-0.09 - 0.32]
47:E&K|BD	156.5	122	0.019	0.231	0.10	0.157	0.154	[-0.09 - 0.28]
48:E&K|BL	114.1	103	0.214	0.438	0.12	0.073	0.068	[-0.04 - 0.28]
49:E&K|HL	62.4	46	0.054	0.031	0.14	0.029	0.040	[-0.01 - 0.29]
50:E&L|BC	132.1	105	0.038	0.316	0.17	0.045	0.063	[-0.03 - 0.38]
51:E&L|BD	127.3	117	0.243	1.000	0.04	0.335	0.333	[-0.15 - 0.24]
52:E&O|BC	130.0	103	0.037	0.286	0.22	0.013	0.031	[0.03 - 0.41]
53:E&O|BD	163.6	121	0.006	0.078	0.01	0.468	0.466	[-0.18 - 0.20]
54:E&O|BL	132.2	104	0.032	0.063	0.08	0.176	0.173	[-0.08 - 0.24]
55:E&O|HL	54.3	46	0.186	0.188	0.16	0.022	0.022	[0.00 - 0.31]
56:F&G|AC	545.6	454	0.002	0.564	0.13	0.030	0.034	[-0.01 - 0.27]
57:F&G|AD	759.6	620	0.000	0.093	0.16	0.006	0.006	[0.03 - 0.28]
58:F&K|AD	198.4	168	0.055	0.714	-0.05	0.306	0.333	[-0.23 - 0.13]
59:F&K|BC	191.2	151	0.015	0.269	0.08	0.174	0.269	[-0.09 - 0.25]
60:F&K|BL	149.3	134	0.174	0.381	-0.05	0.257	0.333	[-0.19 - 0.10]
61:F&K|HL	72.8	60	0.123	0.143	0.01	0.440	0.398	[-0.13 - 0.15]
62:F&L|AD	186.9	163	0.097	0.857	0.05	0.306	0.286	[-0.13 - 0.23]
63:F&L|BC	163.7	139	0.075	0.381	-0.01	0.456	0.476	[-0.21 - 0.18]
64:G&H|AC	251.9	190	0.002	0.092				
65:G&H|BC	225.2	191	0.046	0.750				
66:G&H|BL	273.6	245	0.101	0.274				
67:G&K|AC	154.2	118	0.014	0.281	-0.10	0.149	0.250	[-0.28 - 0.09]

68:G&K|BC	161.8	130	0.031	0.857	-0.07	0.228	0.381	[-0.26 - 0.12]
69:G&K|BL	153.6	143	0.257	0.576	-0.10	0.104	0.092	[-0.24 - 0.05]
70:G&K|HL	83.5	66	0.072	0.057	-0.03	0.363	0.356	[-0.16 - 0.11]
71:G&L|AC	134.7	119	0.154	1.000	-0.03	0.378	0.476	[-0.22 - 0.16]
72:G&L|BC	141.4	121	0.099	0.740	-0.12	0.117	0.115	[-0.31 - 0.08]
73:G&O|AC	150.5	118	0.023	0.464	-0.08	0.228	0.250	[-0.30 - 0.14]
74:G&O|BC	149.8	123	0.050	0.571	-0.03	0.384	0.619	[-0.24 - 0.17]
75:G&O|BL	144.8	142	0.419	0.809	-0.10	0.100	0.097	[-0.26 - 0.05]
76:G&O|HL	67.5	64	0.357	0.242	0.02	0.412	0.394	[-0.13 - 0.17]
77:H&K|O	11.3	4	0.024	0.029				
78:H&L|O	8.9	4	0.064	0.062				
79:K&L	0.0	1	0.866	0.810	-0.02	0.433	0.524	[-0.22 - 0.18]
80:L&O	3.5	1	0.061	0.052	0.19	0.030	0.035	[-0.01 - 0.39]

Notes. Benjamini Hochberg rejects if p < 0.000 for FDR = 0.05 and p < 0.000 for FDR = 0.01
* AC should not be included in the model, as the partial gamma coefficient is only 0.14

Table S2- part 2. Testing the adequacy of the associations in the final chain graph model.

Testing 7 separation hypotheses related to inadmissible edges

			p-values			p-values (1-sided)		
Hypothesis	X^2	df	asymp	exact	Gamma	asymp	exact	95% CI for Gamma
1:F&H|AD	320.2	264	0.010	0.538				
2:F&H|BC	285.4	229	0.007	0.201				
3:F&H|BL	282.7	232	0.013	0.041				
4:F&O|AD	184.0	153	0.044	0.381	0.05	0.300	0.381	[-0.13 - 0.23]
5:F&O|BC	177.7	144	0.030	0.330	0.17	0.026	0.046	[-0.00 - 0.34]
6:F&O|BL	145.0	133	0.224	0.413	0.08	0.159	0.217	[-0.07 - 0.22]
7:F&O|HL	51.9	60	0.763	0.840	0.08	0.147	0.173	[-0.07 - 0.23]

Notes. Benjamini Hochberg rejects if p < 0.005 for FDR = 0.05 and p < 0.001 for FDR = 0.01