


Sex Drupal & Rock n Roll



putting the ümloud into Drüpal

morten.dk

- web-geek/designer/coder/html/css/dude since 1995
- 100+ websites designed & coded
- geek Röyale
- 2 years of love/hate drupal relationship
- I know drupal - I dont know drupal!

schedule

- garage days: principles & setup
- control? .css or .html or
- phptemplate - the backstage pass
- real world: menu sweetnes & a bitchin' login
- no ideal world: prepping for panic solutions & save your sanity

garage days

- Theming understanding.
- Where did that came from?
- file structure.

a ménage à trois



<html> from modules, core & .tpl

a ménage à trois




css -from modules, core & you

a ménage à trois




php & Drupal functions & overwrites
manipulating the output

a ménage à trois



The secret lover: javascript (jQuery)

so where did all that crap came from?



theme files

- /style.css
- /style_drupal.css
- foo.tpl
- /template.php
- /template_inc/functionX.php

Before we dwelve futher
down this setup lets take
a look at the file
struktures

take the power back!

- Cleaning up the css & html and remain some of your sanity.
- style overwrite: style_drupal.css
- build a css / html “framework”
- remove unwanted elements

page.tpl.php

```
...
<title><?php print $head_title ?></title>
<?php print $head ?>
<?php print $styles ?>
<!-- [if IE]>
    <style type="text/css"
media="screen">@import "<?php print
base_path() . path_to_theme() ?>/
style_ie.css";</style>
<![endif]-->
<?php print $scripts ?>
.....
```

style overwrites

style overwrites

- Remove \$styles ?

style overwrites

- Remove \$styles ?
- Do remove the \$styles if you dont need drupal built in stuff (autocomplete etc)

style overwrites

- Remove \$styles ?
- Do remove the \$styles if you dont need drupal built in stuff (autocomplete etc)
- Dont remove \$styles if you will use drupal stuff in you frontend / backend

style overwrites

- Remove \$styles ?
- Do remove the \$styles if you dont need drupal built in stuff (autocomplete etc)
- Dont remove \$styles if you will use drupal stuff in you frontend / backend
- <http://blamcast.net/articles/override-default-system-css-drupal>

style.css

```
/* version: 0.9.3 date: 2007-02-28 */
@import "style_base.css";
@import "style_drupal.css";

/*generel styles*/
body{ }
p{margin:0 0 5px 0}
ul{padding: 0 0 5px 0; margin: 0px; list-
style-position: outside; display: block; }
li{margin: 0 0 0 5px; list-style-type:
none; }

....
```

style_base.css

```
div{  
    min-height: 1%;  
    background-color: transparent;  
}  
div.row{  
    overflow: visible; display:block; float: none; clear: both;  
}  
div.blockElm{  
    float:left; overflow: hidden; display:inline;  
}  
.block{  
    float: left; overflow: hidden; display:inline;  
}  
.minHeight{  
    min-height:250px; height:250px; height:auto !important;  
}
```



style_drupal.css

- collection of css stuff from drupal & common used modules
- 150 overwrites and counting ...
- copy & paste

CSS framework

- Namespacing - use generic words that make sence to you!
- “header” “footer” “body” “page”
“block1” “block2” “block42” “column
2”
- blue menu, awesome field, badass
header...

page.tpl.php

```
...
<div id="page" class="pageWidth">
  <div id="page-inner">


    <div id="pageHeader" class="pageWidth">
      <div id="pageHeader-inner">

        <div id="menu" class="blockRow">
          <div id="menu-inner">
            ...
            ...

        <div id="pageBody" class="pageWidth minHeight clearfix">
          <div id="pageBody-inner" class="minHeight">

            <div id="pageBlock_1" class="pageBlock_1_Width blockElm">
              <div id="pageBlock_1-inner">
```

no pain width control!



```
<div id="foo" class="Width">
  <div id="foo_inner" class="margin_padding">
    .... STUFF ...
  </div>
</div>
```

```
.width{overflow:hidden; width:666px}
.margin_padding{margin:200px; padding:300px}
```

Remove the garbage

```
<?php if ($title) { ?>
  <h1 class="title"><?php print $title?></h1>
<?php } ?>

<?php if ($help OR $messages OR $tabs) { ?>
  <div class="drupal_messages blockRow">
    <?php print $help ?>
    <?php print $messages ?>
    <?php print $tabs ?>
  </div>
<?php } ?>
```

the backstage pass

- Regions - Easy flexible setup.
- phptemplate_variables()
- Über html control!
Function overwrites are cool.
- Working with Drupal -not against it.
- templates - node, page, blok ...

Drupal Danmark

Den danske Drupal brugergruppe

\$header

[Home](#)[News](#)[Forum](#)[Guide](#)[Users](#)

Generelle spørgsmål

Moduler

\$left

Drupal til Dansk

Foobar submenu

Block thingie

Drupal danmark er en
næringsret forening af
medlemmer og openSource!
\$left_bottom

Region: \$content_top

Lore ipsum dolor sit amet, consectetuer adipiscing elit. Morbi commodo, ipsum sed pharetra gravida, orci magna rhoncus neque, id pulvinar odio lorem non turpis. Nullam sit amet enim. Suspendisse id velit vitae ligula volutpat condimentum. Aliquam erat volutpat. Sed quis velit. Nulla facilisi. Nulla libero. Vivamus pharetra posuere sapien. Nam consectetuer. Sed aliquam, nunc eget euismod ullamcorper, lectus nunc ullamcorper orci, fermentum bibendum enim nibh eget ipsum. Donec porttitor ligula eu dolor. Maecenas vitae nulla consequat libero cursus venenatis. Nam magna enim, accumsan eu, blandit sed, blandit a, eros.

\$content



Nullam sit amet enim

Lore ipsum dolor sit amet, consectetuer adipiscing elit. Morbi commodo, ipsum sed pharetra gravida, orci magna rhoncus neque, id pulvinar odio lorem non turpis. Nullam sit amet enim. Suspendisse id velit vitae ligula volutpat condimentum. Aliquam erat volutpat. Sed quis velit. Nulla facilisi. Nulla libero. Vivamus pharetra posuere sapien. Nam consectetuer. Sed aliquam, nunc eget euismod ullamcorper, lectus nunc ullamcorper orci, fermentum bibendum enim nibh eget ipsum. Donec porttitor ligula eu dolor. Maecenas vitae nulla consequat libero cursus venenatis. Nam magna enim, accumsan eu, blandit sed, blandit a, eros.

\$content_bottom

Lore ipsum dolor sit amet, consectetuer adipiscing elit. Morbi commodo, ipsum sed pharetra gravida, orci magna rhoncus neque, id pulvinar odio lorem non turpis.

Nullam sit amet enim. Suspendisse id velit vitae ligula volutpat condimentum.

Aliquam erat volutpat. Sed quis velit. Nulla facilisi. Nulla libero. Vivamus pharetra

\$footer

Download Drupal 5.3

\$right

More drupal baby:

www.drupal.org

groups.drupal.org

planet.drupal.org

Block thingie

\$right_bottom

\$closure

template.php

```
function THEMENAME_regions() {  
    return array(  
        'header' => t('header'),  
        'footer' => t('footer'),  
        'left' => t('left sidebar'),  
        'right' => t('right sidebar'),  
        'content_top' => t('content top'),  
        'content_bottom' => t('content bottom'),  
    );  
}
```

übercontrol

```
function _phptemplate_variables($hook,  
$vars = array()) {  
    //die("screw you evil koder");  
    switch ($hook) {  
        case 'page':  
            -----PAGE CODE-----  
            break;  
        case 'node':  
            -----NODE CODE-----  
            break;  
  
    $hook = hey there we are  
    $vars = All the crap from drupal
```

wohooo - new variables!

```
function _phptemplate_variables($hook,  
$vars = array()) {  
  switch ($hook) {  
    case 'page':  
      $vars['VARNAME'] = "fooBAR";  
  
    case 'node':  
    ...
```

give brain to page

template.php:

```
case 'node':  
if ($vars['node']->type) {  
  $body_classes[] = 'n$type-' . zen_id_safe($vars['node']->type);  
}  
}
```

page.tpl.php:

```
<body class="<?php print $body_classes; ?>">
```

```
<body class="n$type-story">
```

```
function THEMENAME_regions() {
  return array(
    'header' => t('header'),
    'footer' => t('footer'),
    'left' => t('left sidebar'),
    'right' => t('right sidebar'),
    'content_top' => t('content top'),
    'content_bottom' => t('content bottom'),
    'node_top' => t('node top'),
    'node_bottom' => t('node bottom'),
  );
}

_phptemplate_variables() {
  case 'node':
    if ($vars['page'] == TRUE) {
      $vars['node_top'] = theme('blocks', 'node_top');
      $vars['node_bottom'] = theme('blocks', 'node_bottom');
    }
}
```

Drupal Danmark

Den danske Drupal brugergruppe

\$header

[Home](#)[News](#)[Forum](#)[Guide](#)[Users](#)

Generelle spørgsmål

Moduler

\$left

Drupal til Dansk

Foobar submenu

Block thingie

\$left_bottom

Region: \$content_top

Nullam sit amet enim. Suspendisse id velit vitae ligula volutpat condimentum. Aliquam erat volutpat. Sed quis velit. Nulla facilisi. Nulla libero. Vivamus pharetra posuere sapien. Nam consequat. Sed aliquam, nunc eget euismod ullamcorper, lectus nunc ullamcorper orci. Nulla sed semper, blandit enim. Nibh eget ipsum. Donec porttitor ligula eu dolor. Maecenas vitae nulla consequat libero cursus venenatis. Nam magna enim, accumsan eu, blandit sed, blandit a, eros.

\$content

\$node_bottom

\$content_bottom

\$footer

Download
Drupal

\$right

More drupal baby:

[www.drupal.org](#)[groups.drupal.org](#)[planet.drupal.org](#)

Block thingie

\$right_bottom

\$closure

crappedicrap.tpl.php

- node-**contenttype**.tpl.php
- page-**front**.tpl.php
- page-**contenttype**.tpl.php
- block-**region**.tpl.php
- block-**modulname**.tpl.php

function overwrite

- search for “function theme_” in the module
- add the code to template.php
- after 1200 lines of overwrites...
- template_inc/foo.php
- naming inheritance

her skal vi lige have lavet
en tegning der viser at vi
i hovedet bruger
phptemplate_ som navn
og nede i et submodul vi
bruge NAME_

template.php

```
function phptemplate_breadcrumb($breadcrumb) {  
  $home = variable_get('site_name', 'drupal');  
  $sep = ' / ';  
  if (count($breadcrumb) > 0) {  
    $breadcrumb[0] = l(t($home), '');  
    return implode($sep, $breadcrumb) . $sep;  
  } elseif (drupal_get_title() !== '') {  
    return l(t($home), '') . $sep;  
  } else {  
    return t($home);  
  }  
}
```

```
function THEME_NAME_breadcrumb($breadcrumb) {  
  ...  
}
```

using the phptemplate as name
so it will be easier to add changes in a
specific theme

but it will be easy to

template.php

```
//includes
include_once 'template_inc/helpers.php';
include_once 'template_inc/menu.php';
include_once 'template_inc/comments.php';
include_once 'template_inc/user.php';
include_once 'template_inc/views.php';
include_once 'template_inc/form.php';
include_once 'template_inc/table.php';

function THEMENAME_regions() {
    return array(
        'header' => t('header'),
        ...
    )
}
```

overwrites on the fly

```
function mybadasstheme_pager(  
$tags = array(), $limit = 10, $element = 0, $parameters = array(), $quantity = 9)  
{  
  
// bla bla bla code stuff  
  
    return theme('listofstuff', $items, NULL, 'ul', array('class' => 'pager'));  
}  
  
  
function theme_listofstuff($items = array(),  
$title = NULL, $type = 'ul', $attributes = NULL)  
{  
$output="";  
  
//do stuff with the $items  
  
return $output;  
}
```

splitting up

- \$content is for suckers!
- print_r(\$node);
- krumo(\$node)
- \$node->FIELD[0]['view'];
- Devel module & mighty firebug!

hey lets hack core!

- todd (four kitchens)
- <http://morten.dk/blog/oooh-it-was-theme-function>

who's your daddy?

```
in 'includes/theme.inc'

if ($functions[$function]) {
  if ($functions[$function] == 'phptemplate_page') {
    return call_user_func_array($functions[$function], $args);
  } else{
    return '<!-- begin ' . $functions[$function] . ' -->' .
    call_user_func_array($functions[$function], $args) .
    '<!-- end ' . $functions[$function] . ' -->';
  }
}
```

```
<!-- begin phptemplate_node -->



▶ <div class="node-meta row clearfix">
  ▶ <div class="node-content row clearfix">
    ▶ <div class="links">
      <!-- begin phptemplate_links -->
        ▶ <ul class="links inline">
          ▶ <li class="first statistics_counter">
            ▶ <li class="bio">
              <a class="bio" title="View admin's Biography." href="/drupal5-svn/nod
                <span class="bio seperator"> </span>
              </li>
          ▶ <li class="fasttoggle_status">
          ▶ <li class="fasttoggle_sticky">
          ▶ <li class="last fasttoggle_promote">
            </ul>
          <!-- end phptemplate_links -->
        </div>
      </div>
    <!-- end phptemplate_node -->
    <!-- begin theme_comment_wrapper -->
    ▶ <div id="comments">
      <!-- end theme_comment_wrapper -->
    /div>
    div class="content_bottom row"> </div>
  >


```

this is my kingdom

- drupal 5:
use zen's inheritance
- drupal 6:
uuuh **sweatness** !
subtheming

drupal5 zen goodies



menu pimping

Drupal Danmark

Den danske Drupal brugergruppe



```
print theme('menu_icon', $primary_links);
```

```
<li>
```

```
<span class="menu-icon forum"/>
```



the gooooooal...

```
<ul class="links-menu">
  <li class="title-forum">
    <span class="menu-icon forum"/></span>
    <a href="/forum">
      <span class="link-icon menulink-icon forum">Forum</span>
    </a>
  </li>
  <li class="title-info last">
    <span class="menu-icon info"/></span>
    <a title="info" href="/drupal-danmark-info">
      <span class="link-icon menulink-icon info">Info</span>
    </a>
  </li>
</ul>
```

the gooooooal...

```
#menu {height:40px;display:block;background: url('images/bg-menu.gif') repeat-x left bottom;}  
#menu-inner{height:40px;background:transparent url('images/bg-menu-left.gif') no-repeat left bottom; display:block; }  
#menu ul{padding:0 0 0 10px; margin:0;}  
#menu li {padding:0 2px 0 0; margin:0; height:30px; background:url("images/tab_left.gif") no-repeat left top; list-style: none; float:left; position: relative;}  
#menu li.active {background:url("images/tab_left_on.gif") no-repeat left top; }  
#menu li a{margin:0; padding:8px 5px 0 5px; height:30px; display: block; float:left; background: url("images/tab_right.gif") no-repeat right top; text-decoration: none; color:#CC6600; font: 12px Georgia, serif; font-weight: bold;}  
#menu li.active a{background: url("images/tab_right_on.gif") no-repeat right top; color:#900;}  
#menu a:hover {text-decoration: underline;}  
#menu li .menu-icon{background: url('images/star_blue.png') no-repeat; width:24px; height:24px; display:block; float:left; margin:3px 0 0 5px; padding: 0 0 0 5px;}  
#menu li.active a.active {}  
#menu li.first{}  
#menu li.last{}  
  
#menu li .menu-icon.info{background: url('images/menu/info.png') no-repeat;}  
#menu li .menu-icon.forum{background: url('images/menu/forum.png') no-repeat;}
```

function overwrites

```
<?php print theme('menu_icon', $primary_links); ?>

phptemplate_menu_icon() {
  l_icon(...);
}

l_icon() {
  return '<a href="'. check_url(url($path, $query, $fragment
$absolute)) .'"'. drupal_attributes($attributes) . '>
<span class="link-icon '. zen_id_safe($css_class) .''
'. zen_id_safe($text) .'">
'. ($html ? $text : check_plain($text)) . '</span></a>';
}
```

back in the days..



image maps are not that dead ;)

the 2. gooooooal...

```
<li class="title-blog count-1 first">
  <a href="/blog" title="my cool blog">
    <span class="outer">
      <span class="inner">
        <span class="note">
          Blög
        </span>
      </span>
    </span>
  </a>
</li>
```

.....

the 2. goooooal...

```
/* image map */
#menu a {position: absolute; color: #000; text-decoration: none; border: 1px solid transparent; }
#menu a .outer {display: block; width: 98px; height: 118px; }
#menu a .inner {display: block; width: 96px; height: 116px; }
#menu a .note {
    position: absolute; height: 30px; width: 100px; bottom: 40px;
    padding: 10px; margin: 0px; border-right: 1px solid #555;
    color: #ccc;
    background: transparent url('images/bg-50.png');
left: -30000px;
}

#menu a:hover .note {left: -10px; }

#menu .count-1 a{
    top: 60px; left: 377px; width: 100px; height: 50px; }
#menu .count-2 a{
    top: 60px; left: 515px; width: 100px; height: 50px; }
```

more overwrites

```
<?php print theme('menu_imagemap', $primary_links); ?>

phptemplate_menu_imagemap() {
    $output .= l_imagemap(...);
    return $output;
}

function l_imagemap() {
    return '<a href="'. check_url(url($path, $query, $fragment,
    $absolute)) .'"'. drupal_attributes($attributes) . '>
<span class="outer"><span class="inner">
<span class="note">' . ($html ? $text : check_plain($text)) . '
</span></span></span></a>';
}

}
```

form hacking

```
function phptemplate_user_login_block($form) {  
  return _phptemplate_callback('block_login',  
    array('form'=>$form));  
}
```

rebuild a form

```
function THEMENAME_form_id($form){  
  $content .= "";  
  
  $form['FIELDNAME']['#theme'] = "My_Custom_theme_thingie";  
  
  $form['submit']['#attributes']['class'] = "newclassforthesubmitbutton";  
  
  $content .= "<fieldset>";  
  $content .= '<legend>' . t('do some stuff here') . '</legend>';  
  $content .= " ";  
  
  $content .= drupal_render($form);  
  $content .= "</fieldset>";  
  
  // krumo($form);  
  return $content;  
}
```

login form

- <?php print custom_login_bar(); ?>

node ref stuff

Drupal Danmark

Den danske Drupal brugergruppe



Home



News



Forum



Guide



Users



Generelle spørgsmål



Moduler



Theming



Drupal til Dansk



Foobar submenu

Block thingie

Drupal danmark er en uorganiseret forening af nørder der elsker drupal og openSource!

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Morbi



more



Drupals Rocks

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Morbi commodo, ipsum sed pharetra gravida, orci magna rhoncus neque, id pulvinar odio lorem non turpis. Nullam sit amet enim. Suspendisse id velit enim. Suspendisse id velit

more

another header

 Lorem ipsum dolor sit amet, consectetur adipiscing elit. Morbi commodo,

Lore ipsum dolor sit amet, consectetur adipiscing elit. Morbi commodo, ipsum sed pharetra gravida, orci magna rhoncus neque, id pulvinar


more

 Download
Drupal 5.3

More drupal baby:

-  www.drupal.org
-  groups.drupal.org
-  planet.drupal.org

Lore ipsum dolor sit amet, consectetur adipiscing elit. Morbi commodo, ipsum sed pharetra gravida, orci magna rhoncus neque, id pulvinar odio lorem non turpis. Nullam sit amet enim. Suspendisse id velit vitae ligula volutpat condimentum. Aliquam erat volutpat. Sed quis velit. Nulla facilisi. Nulla libero. Vivamus pharetra posuere sapien. Nam consectetur. Sed aliquam, nunc eget euismod ullamcorper, lectus nunc ullamcorper orci, fermentum bibendum enim nibh eget ipsum. Donec porttitor ligula eu dolor. Maecenas vitae nulla consequat libero cursus venenatis. Nam magna enim, accumsan eu, blandit sed, blandit a, eros.



Nullam sit amet enim

Lore ipsum dolor sit amet, consectetur adipiscing elit. Morbi commodo, ipsum sed pharetra gravida, orci magna rhoncus neque, id pulvinar odio lorem non turpis. Nullam sit amet enim. Suspendisse id velit vitae ligula volutpat condimentum.


node-FOO.tpl.php



Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Morbi



[more](#)



Drupals Rocks

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Morbi commodo, ipsum sed pharetra gravida, orci magna rhoncus neque, id pulvinar odio lorem non turpis. Nullam sit amet enim. Suspendisse id velit

[more](#)

another header



Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Morbi commodo,

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Morbi commodo, ipsum sed pharetra gravida, orci magna rhoncus neque, id pulvinar

[more](#)

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Morbi commodo, ipsum sed pharetra gravida, orci magna rhoncus neque, id pulvinar odio lorem non turpis. Nullam sit amet enim. Suspendisse id velit vitae ligula volutpat condimentum. Aliquam erat volutpat. Sed quis velit. Nulla facilisi. Nulla libero. Vivamus pharetra posuere sapien. Nam consectetuer. Sed aliquam, nunc eget euismod ullamcorper, lectus nunc ullamcorper orci, fermentum bibendum enim nibh eget ipsum. Donec porttitor ligula eu dolor. Maecenas vitae nulla consequat libero cursus venenatis. Nam magna enim, accumsan eu, blandit sed, blandit a, eros.



 **Download**
Drupal 5.3

More drupal baby:

-  www.drupal.org
-  groups.drupal.org
-  planet.drupal.org

referenced /“imported” nodes

node x

node y

node z

content

whats going on

- create a cck nodetype
- nodereference module.
- change the template files for the referenced nodes through phptemplate_variables
- instead of node.tpl.php we uses “whatever”.tpl.php for the referenced nodes -when they are displayed inside the cck nodetype
- the referenced node is still using

create the nodetype



cck manage fields

Manage fields				
Label	Name	Type	Weight	Group
title	title	title	-5	
center-area	field_center_area	Node Reference	0	N
left-area	field_left_area	Node Reference	0	N
right-area	field_right_area	Node Reference	0	N
body	body_filter	body_filter	0	

[Update](#)

create the node reference
fields

cck display fields

Configure how this content type's fields and field labels should be displayed when it's

Edit Manage fields

Field	Type	Label	Teaser	Full
center-area	Node Reference	Above	Title (link)	Full node
left-area	Node Reference	Above	Title (link)	Full node
right-area	Node Reference	Above	Title (link)	Full node

Submit



set the display to full

cck display fields

View Dev load Dev render Edit Clone

Title: *

Rocking node ref test

center-area:

I

left-area:

I

min nye blog entry

Body:

yeah Drüpal rocks



easy for the administrator
aaaah the power of
Drupal :)

node--foo.tpl.php

```
<div class="node-content blockRow clearfix">
  <?php // print $content ?>
  <div class="blockElm">
    <?php print $node->field_left_area[0]['view']; ?>
  </div>
  <div class="blockElm">
    <?php print $node->field_center_area[0]['view']; ?>
  </div>
  <div class="blockElm">
    <?php print $node->field_right_area[0]['view']; ?>
  </div>
</div>
```

cck manage fields

[Edit](#)[Manage fields](#)

Label	Name	Type	Weight	Gr
title	title	title	-5	
center-area	field_center_area	Node Reference	0	N
left-area	field_left_area	Node Reference	0	N
right-area	field_right_area	Node Reference	0	N
body	body_filter	body_filter	0	


[Update](#)

[Delete](#)

template.php

```
function _phptemplate_variables($hook, $vars = array()) {  
  switch ($hook) {  
    case 'node':  
      if ($vars['node']->referencing_field['field_name'] ==  
          field_left_area) {  
        $vars['template_files'][] = 'node-area-left';  
      }  
      elseif ($vars['node']->referencing_field['field_name'] ==  
              field_center_area) {  
        $vars['template_files'][] = 'node-area-center';  
      }  
      elseif ($vars['node']->referencing_field['field_name'] ==  
              field_right_area) {  
        $vars['template_files'][] = 'node-area-right';  
      } else {  
        $vars['template_files'][] = "";  
      }  
  }  
}
```

template files



node-area-center

node-area-right

node-area-left

node-mdk

node-area-left.tpl.php

```
<div class="node-area-left">
  <?php print $node->field_image[0]['view']; ?>
  <?php print $node->content[body]['#value']; ?>
</div>
```

filter output if its from
anonymous source

bare jaspens lille theme
ting

node-area-center.tpl.php

```
<div class="node-area-center">
<?php print $node->field_image[0]['view']; ?>
  <h2><?php print $title ?></h2>
  <?php print $node->content[body]['#value']; ?>
</div>
```

node-area-right.tpl.php

```
<div class="node-area-right">
  <h2><?php print $title ?></h2>
  <?php print $node->field_image[0]['view']; ?>
  <?php print $node->content[body]['#value']; ?>
</div>
```



I Lorem ipsum dolor sit amet, consectetuer adipisci-
ng elit. Morbi



more

node-area-left.tpl.php

Consectetuer adipiscing elit. Morbi commodo, ipsum sed pharetra gravida, orci magna rhoncus neque, id pulvinar odio lorem non turpis. Nullam sit amet enim. Suspendisse id velit vitae ligula volutpat condimentum. Aliquam erat volutpat. Sed quis velit. Nulla facilisi. Nulla libero. Vivamus pharetra posuere sapien. Nam consectetur. Sed aliquam, nunc eget euismod ullamcorper, lectus nunc ullamcorper orci, fermentum bibendum enim nibh eget ipsum. Donec porttitor ligula eu dolor. Maecenas vitae nulla consequat libero cursus venenatis. Nam magna enim, accumsan eu, blandit sed, blandit a, eros.



Accessible, modular, usable & free
http://gutenberg.org
estd & reg in 2001

Drupals Rocks

Consectetuer adipiscing elit. Morbi commodo, ipsum sed pharetra gravida, orci magna rhoncus neque, id pulvinar odio lorem non turpis. Nullam sit amet enim. Suspendisse id velit

more

node-area-center.tpl.php

Inner header



Text
Lorem ipsum dolor
sit amet, consec-
etuer adipiscing el t.
Morbi commodo,

Text
Lorem ipsum dolor sit amet,
consectetuer adipiscing elit.
Morbi commodo, ipsum sed
pharetra gravida, orci magna
rhoncus neque, id pulvinar

more

node-area-right.tpl.php



More drupal baby:

-  www.drupal.org
 -  groups.drupal.org
 -  planet.drupal.org

go dug a geek



resources

- <http://drupal.org/project/devel>
- <http://krumo.sourceforge.net/>
- <http://api.drupal.org>
- <http://drupal.org/theme-guide>
- <http://drupal.org/project/zen>
- <http://getfirebug.com>
- [http://morten.dk ;\)](http://morten.dk ;))