
Panasonic remote





Nr 1



Symbols:

Bytes:

 $02,20,\!E0,\!04,\!00,\!00,\!00,\!06,\!02,\!20,\!E0,\!04,\!00,\!09,\!2A,\!80,\!AF,\!0D,\!00,\!0E,\!E0,\!00,\!00,\!81,\!00,\!00,\!E4$

Timings (in us):

PAUSE SPACE: 10540

HEADER MARK: 3620

HEADER SPACE: 1700

BIT MARK: 440

ZERO SPACE: 340

ONE SPACE: 1250

Decoding known protocols...

Unknown protocol

No 2



Number of symbols: 222

Symbols:

Bytes:

 $02,20,\!E0,\!04,\!00,\!00,\!00,\!06,\!02,\!20,\!E0,\!04,\!00,\!08,\!2A,\!80,\!AF,\!0D,\!00,\!0E,\!E0,\!00,\!00,\!81,\!00,\!00,\!E3$

Timings (in us):

PAUSE SPACE: 10560

HEADER MARK: 3610

HEADER SPACE: 1710

BIT MARK: 440

ZERO SPACE: 340

ONE SPACE: 1244

Decoding known protocols...

Unknown protocol



Symbols:

Bytes:

 $02,20,\!E0,\!04,\!00,\!00,\!00,\!06,\!02,\!20,\!E0,\!04,\!00,\!09,\!28,\!80,\!AF,\!0D,\!00,\!0E,\!E0,\!00,\!00,\!81,\!00,\!00,\!E2$

Timings (in us):

PAUSE SPACE: 10600

HEADER MARK: 3570

HEADER SPACE: 1750

BIT MARK: 400

ZERO SPACE: 380

ONE SPACE: 1288

Decoding known protocols...

Unknown protocol

No 4



Number of symbols: 222

Symbols:

Bytes:

02,20,E0,04,00,00,00,06,02,20,E0,04,00,09,26,80,AF,0D,00,0E,E0,00,00,81,00,00,E0

Timings (in us):

PAUSE SPACE: 10600

HEADER MARK: 3570

HEADER SPACE: 1730

BIT MARK: 400

ZERO SPACE: 380

ONE SPACE: 1280

Decoding known protocols...

Unknown protocol



Symbols:

Bytes:

02,20,E0,04,00,00,00,06,02,20,E0,04,00,09,20,80,AF,0D,00,0E,E0,00,00,81,00,00,DA

Timings (in us):

PAUSE SPACE: 10540

HEADER MARK: 3600

HEADER SPACE: 1720

BIT MARK: 400

ZERO SPACE: 360

ONE SPACE: 1275

Decoding known protocols...

Unknown protocol

No 6



Number of symbols: 222

Symbols:

Bytes:

02,20,E0,04,00,00,00,06,02,20,E0,04,00,09,3C,80,AF,0D,00,0E,E0,00,00,81,00,00,F6

Timings (in us):

PAUSE SPACE: 10580

HEADER MARK: 3580

HEADER SPACE: 1740

BIT MARK: 400

ZERO SPACE: 380

ONE SPACE: 1282

Decoding known protocols...

Unknown protocol



Symbols:

Bytes:

02,20,E0,04,00,00,00,06,02,20,E0,04,00,09,34,80,AF,0D,00,0E,E0,00,00,81,00,00,EE

Timings (in us):

PAUSE SPACE: 10580

HEADER MARK: 3600

HEADER SPACE: 1720

BIT MARK: 400

ZERO SPACE: 380

ONE SPACE: 1280

Decoding known protocols...

Unknown protocol

N08



Symbols:

Bytes:

02,20,E0,04,00,00,00,06,02,20,E0,04,00,49,14,80,7F,0D,00,0E,E0,00,00,81,00,00,DE

Timings (in us):

PAUSE SPACE: 10600

HEADER MARK: 3570

HEADER SPACE: 1740

BIT MARK: 390

ZERO SPACE: 372

ONE SPACE: 1279

Decoding known protocols...

Unknown protocol

No 9



Number of symbols: 222

Symbols:

Bytes:

02,20,E0,04,00,00,00,06,02,20,E0,04,00,49,10,80,7F,0D,00,0E,E0,00,00,81,00,00,DA

Timings (in us):

PAUSE SPACE: 10600

HEADER MARK: 3580

HEADER SPACE: 1730

BIT MARK: 399

ZERO SPACE: 380

ONE SPACE: 1280

Decoding known protocols...

Unknown protocol

NO 10



Symbols:

Bytes:

02,20,E0,04,00,00,00,06,02,20,E0,04,00,49,2A,80,AF,0D,00,0E,E0,00,00,81,00,00,24

Timings (in us):

PAUSE SPACE: 10600

HEADER MARK: 3600

HEADER SPACE: 1710

BIT MARK: 399

ZERO SPACE: 380

ONE SPACE: 1280

Decoding known protocols...

Unknown protocol

NO 11



Symbols:

Bytes:

02,20,E0,04,00,00,00,06,02,20,E0,04,00,39,2A,80,AF,0D,00,0E,E0,00,00,81,00,00,14

Timings (in us):

PAUSE SPACE: 10600

HEADER MARK: 3580

HEADER SPACE: 1740

BIT MARK: 400

ZERO SPACE: 380

ONE SPACE: 1287

Decoding known protocols...

Unknown protocol

No 12



Number of symbols: 222

Symbols:

Bytes:

02,20,E0,04,00,00,00,06,02,20,E0,04,00,69,36,80,AF,0D,00,0E,E0,00,00,81,00,00,50

Timings (in us):

PAUSE SPACE: 10600

HEADER MARK: 3580

HEADER SPACE: 1730


BIT MARK: 400

ZERO SPACE: 380

ONE SPACE: 1280

Decoding known protocols...

Unknown protocol



Symbols:

Bytes:

 $02,20,\!E0,\!04,\!00,\!00,\!00,\!06,\!02,\!20,\!E0,\!04,\!00,\!69,\!36,\!80,\!3F,\!0D,\!00,\!0E,\!E0,\!00,\!00,\!81,\!00,\!00,\!E0$

Timings (in us):

PAUSE SPACE: 10580

HEADER MARK: 3580

HEADER SPACE: 1730

BIT MARK: 400

ZERO SPACE: 380

ONE SPACE: 1280

Decoding known protocols...

Unknown protocol



Symbols:

Bytes:

02,20,E0,04,00,00,00,06,02,20,E0,04,00,69,36,80,4F,0D,00,0E,E0,00,00,81,00,00,F0

Timings (in us):

PAUSE SPACE: 10600

HEADER MARK: 3570

HEADER SPACE: 1740

BIT MARK: 400


ZERO SPACE: 380

ONE SPACE: 1280

Decoding known protocols...

Unknown protocol

No 15



Number of symbols: 222

Symbols:

Bytes:

 $02,20,\!E0,\!04,\!00,\!00,\!00,\!06,\!02,\!20,\!E0,\!04,\!00,\!69,\!36,\!80,\!5F,\!0D,\!00,\!0E,\!E0,\!00,\!00,\!81,\!00,\!00,\!00$

Timings (in us):

PAUSE SPACE: 10580

HEADER MARK: 3580

HEADER SPACE: 1740

BIT MARK: 400

ZERO SPACE: 380

ONE SPACE: 1283

Decoding known protocols...

Unknown protocol



Symbols:

Bytes:

 $02,20,\!E0,\!04,\!00,\!00,\!00,\!06,\!02,\!20,\!E0,\!04,\!00,\!69,\!36,\!80,\!6F,\!0D,\!00,\!0E,\!E0,\!00,\!00,\!81,\!00,\!00,\!10$

Timings (in us):

PAUSE SPACE: 10600

HEADER MARK: 3570

HEADER SPACE: 1730

BIT MARK: 400


ZERO SPACE: 380

ONE SPACE: 1281

Decoding known protocols...

Unknown protocol

NO 17



Symbols:

Bytes:

02,20,E0,04,00,00,00,06,02,20,E0,04,00,69,36,80,7F,0D,00,0E,E0,00,00,81,00,00,20

Timings (in us):

PAUSE SPACE: 10600

HEADER MARK: 3560

HEADER SPACE: 1740

BIT MARK: 400

ZERO SPACE: 380

ONE SPACE: 1284

Decoding known protocols...

Unknown protocol

No 18



Number of symbols: 222

Symbols:

Bytes:

02,20,E0,04,00,00,00,06,02,20,E0,04,00,09,2A,80,3F,0D,00,0E,E0,20,00,81,00,00,94

Timings (in us):

PAUSE SPACE: 10580

HEADER MARK: 3570

HEADER SPACE: 1740

BIT MARK: 400

ZERO SPACE: 380

ONE SPACE: 1283

Decoding known protocols...

Unknown protocol



Symbols:

Bytes:

02,20,E0,04,00,00,00,06,02,20,E0,04,00,09,2A,80,AF,0D,00,0E,E0,01,00,81,00,00,E5

Timings (in us):

PAUSE SPACE: 10560

HEADER MARK: 3610

HEADER SPACE: 1710

BIT MARK: 439

ZERO SPACE: 353

ONE SPACE: 1245

Decoding known protocols...

Unknown protocol





Symbols:

Bytes:

02,20,E0,04,00,00,00,06,02,20,E0,04,00,09,2A,80,AF,06,00,0E,E0,00,00,81,00,00,DD

Timings (in us):

PAUSE SPACE: 10600

HEADER MARK: 3570

HEADER SPACE: 1740

BIT MARK: 398

ZERO SPACE: 379

ONE SPACE: 1280

Decoding known protocols...

Unknown protocol

No 21



Number of symbols: 222

Symbols:

Bytes:

02,20,E0,04,00,00,00,06,02,20,E0,04,00,09,2A,80,AF,09,00,0E,E0,00,00,81,00,00,E0

Timings (in us):

PAUSE SPACE: 10580

HEADER MARK: 3570

HEADER SPACE: 1750

BIT MARK: 400

ZERO SPACE: 380

ONE SPACE: 1281

Decoding known protocols...

Unknown protocol

No 22



Number of symbols: 222

Symbols:

Bytes:

02,20,E0,04,00,00,00,06,02,20,E0,04,00,09,2A,80,AF,0A,00,0E,E0,00,00,81,00,00,E1

Timings (in us):

PAUSE SPACE: 10600

HEADER MARK: 3580

HEADER SPACE: 1730

BIT MARK: 400

ZERO SPACE: 380

ONE SPACE: 1282

Decoding known protocols...

Unknown protocol



Symbols:

Bytes:

02,20,E0,04,00,00,00,06,02,20,E0,04,00,09,2A,80,AF,0B,00,0E,E0,00,00,81,00,00,E2

Timings (in us):

PAUSE SPACE: 10600

HEADER MARK: 3580

HEADER SPACE: 1740

BIT MARK: 400

ZERO SPACE: 380

ONE SPACE: 1285

Decoding known protocols...

Unknown protocol

No 24



Number of symbols: 222

Symbols:

Bytes:

02,20,E0,04,00,00,00,06,02,20,E0,04,00,09,2A,80,AF,0C,00,0E,E0,00,00,81,00,00,E3

Timings (in us):

PAUSE SPACE: 10600

HEADER MARK: 3570

HEADER SPACE: 1730

BIT MARK: 399

ZERO SPACE: 380

ONE SPACE: 1284

Decoding known protocols...

Unknown protocol



Symbols:

Bytes:

 $02,20,\!E0,\!04,\!00,\!00,\!00,\!06,\!02,\!20,\!E0,\!04,\!00,\!09,\!2A,\!80,\!A1,\!0D,\!00,\!0E,\!E0,\!00,\!00,\!81,\!00,\!00,\!D6$

Timings (in us):

PAUSE SPACE: 10600

HEADER MARK: 3570

HEADER SPACE: 1740

BIT MARK: 400

ZERO SPACE: 380

ONE SPACE: 1280

Decoding known protocols...

Unknown protocol



Symbols:

Bytes:

02,20,E0,04,00,00,00,06,02,20,E0,04,00,09,2A,80,A2,0D,00,0E,E0,00,00,81,00,00,D7

Timings (in us):

PAUSE SPACE: 10600

HEADER MARK: 3580

HEADER SPACE: 1740

BIT MARK: 400

ZERO SPACE: 380

ONE SPACE: 1284

Decoding known protocols...

Unknown protocol

No 27



Number of symbols: 222

Symbols:

Bytes:

$02,20,\!E0,\!04,\!00,\!00,\!00,\!06,\!02,\!20,\!E0,\!04,\!00,\!09,\!2A,\!80,\!A3,\!0D,\!00,\!0E,\!E0,\!00,\!00,\!81,\!00,\!00,\!D8$

Timings (in us):

PAUSE SPACE: 10600

HEADER MARK: 3560

HEADER SPACE: 1750

BIT MARK: 400

ZERO SPACE: 380

ONE SPACE: 1283

Decoding known protocols...

Unknown protocol



Symbols:

Bytes:

02,20,E0,04,00,00,00,06,02,20,E0,04,00,09,2A,80,A4,0D,00,0E,E0,00,00,81,00,00,D9

Timings (in us):

PAUSE SPACE: 10580

HEADER MARK: 3580

HEADER SPACE: 1730

BIT MARK: 400

ZERO SPACE: 380

ONE SPACE: 1284

Decoding known protocols...

Unknown protocol



Symbols:

Bytes:

02,20,E0,04,00,00,00,06,02,20,E0,04,00,09,2A,80,A5,0D,00,0E,E0,00,00,81,00,00,DA

Timings (in us):

PAUSE SPACE: 10600

HEADER MARK: 3580

HEADER SPACE: 1740

BIT MARK: 400

ZERO SPACE: 380

ONE SPACE: 1284

Decoding known protocols...

Unknown protocol