Getting started Components

About
Population
Constructor
Ajax
Animation
Loops
Visibility
Effects
Subtree functions
Attributes
Html, text and value
Css and classes
Position and size
Manipulation
DataSet

Utils
Base
Containers
Grid system
Typography
Tables

Events

Forms
Buttons
Images
Figures
Lists

Checkbox

File input
Input
Input material
Keypad
Rating
Radio
Select
Slider
Double Slider
Spinner
Switch
Tag input

Textarea
Menus
App bar
Bottom navigation
Bottom sheet
Menu
Ribbon Menu
Side bar
Side navigation

Accordion
Badge
Carousel
Cards
Cube
Counter
Charms
Chat
Donut
Image compare
Image magnifier
Gravatar

List
ListView
Master
NavView
Panels
Progress & Activity
Streamer
Stepper
Splitter
Tabs
Tabs material

TreeView Wizard Information Dialogs

Info box

Table Tiles

Hints
Notify system
Popovers
Toasts
Windows
Date & time
Calendar
Calendar picker

Date picker Time picker Countdown Formatting date

Tables The HTML ta

metr**@**2

The HTML table model allows authors to arrange data: text, preformatted text, images, links, forms, form fields, other tables, etc. into rows and columns of cells. With Metro 4 you can create an original tables simple and easy.

Create table

Just add the base class _table_ to any _table> , then extend with custom styles or our various included modifier classes. All table styles are inherited in Metro 4, meaning any nested tables will be styled in the same manner as the parent.

ŧ	First Name	Last Name	Username	
	Bill	Gates	@billy	
2	Steve	Jobs	@stevy	
3	Larry	Page	@larry	
able	class="table">			
<th< td=""><td>ead></td><td></td><td></td><td></td></th<>	ead>			
<tr< td=""><td></td><td></td><td></td><td></td></tr<>				
	#			
	First Name			
	Last Name			
	Username			
<td></td> <td></td> <td></td> <td></td>				
	head>			
<tb:< td=""><td>ody></td><td></td><td></td><td></td></tb:<>	ody>			
<tr.< td=""><td>> 1</td><td></td><td></td><td></td></tr.<>	> 1			
	>td>I(/td>			
	Stars / td>			
	%td>@billy			
<td></td> <td></td> <td></td> <td></td>				
<tr< td=""><td>></td><td></td><td></td><td></td></tr<>	>			
	2			
	Steve			
	Jobs			
	@stevy			
<td>r></td> <td></td> <td></td> <td></td>	r>			
<tr< td=""><td></td><td></td><td></td><td></td></tr<>				
	3			
	Larry			
	Page			
	@larry			
<td></td> <td></td> <td></td> <td></td>				
<td>body></td> <td></td> <td></td> <td></td>	body>			

Sortable columns

You can mark column as sortable. To create sortable column add class sortable-column to head cell and mark column with need sortable direction class sort-asc or sort-desc.

#	N First Name	ն Last Name	↑ Username
1	Bill	Gates	@billy
2	Steve	Jobs	@stevy
3	Larry	Page	@larry
table c			
<the< td=""><td></td><td></td><td></td></the<>			
<the< td=""><td>ad></td><td>-asc">Last Name</td><td></td></the<>	ad>	-asc">Last Name	
<the< td=""><td>ad> #<</td><td>-asc">Last Name</td><td></td></the<>	ad> #<	-asc">Last Name	
<the<< td=""><td>ad> #<</td><td>-asc">Last Name</td><td></td></the<<>	ad> #<	-asc">Last Name	

If you need to place sortable marker on the left, add class <code>.sortable-markers-on-left</code> to table

Striped rows

Use class striped to add zebra-striping to any table row within the .

#	First Name	Last Name	Username
1	Bill	Gates	@billy

Table of contents

(B)

Tables
Create table
Sortable columns
Striped rows
Hoverable rows
Bordered table
Compact table
Colored table

Media
Video player
Audio player
Tools
Collapse
Color module
Draggable
Dropdown
Form validator
Hotkeys
Micro templates
Ripple
Storage
Session storage
Sorter

Utilities Animations Additional

Touch and swipe

```
# First Name Last Name Username

2 Steve Jobs @stevy

3 Larry Page @larry

...
```

Hoverable rows

Use class <code>.row-hover</code> and <code>.cell-hover</code> to to enable a hover state on table rows within a <code></code> .

	over			
#	First Name	Last Name	Username	
1	Bill	Gates	@billy	
2	Steve	Jobs	@stevy	
3	Larry	Page	@larry	
		Last Name	Username	
#	First Name			
	First Name Bill	Gates	@billy	
1	Bill	Gates	@billy	
1			@billy @stevy	
1	Bill	Gates	·	
# 1 2 3	Bill Steve	Gates	@stevy	

Bordered table

To create border for table, row or cell use subclasses: .table-border , .row-border , .cell-border . You can combine classes to achieve the desired effect.

	First Name	Last Name	Username
	Bill	Gates	@billy
!	Steve	Jobs	@stevy
3	Larry	Page	@larry
w-bo	order		
!	First Name	Last Name	Username
	Bill	Gates	@billy
	Steve	Jobs	@stevy
	Larry	Page	@larry
ell-bo	rder		
ŧ	First Name	Last Name	Username
	Bill	Gates	@billy
	Steve	Jobs	@stevy
	Larry	Page	@larry

Compact table


 $\begin{tabular}{ll} Add & .compact \\ \hline \end{tabular} \begin{tabular}{ll} to make tables more compact by cutting cell padding in half. \\ \hline \end{tabular}$

#	First Name	Last Name	Username
1	Bill	Gates	@billy

#	First Name	Last Name	Username
2	Steve	Jobs	@stevy
3	Larry	Page	@larry
<table class<="" th=""><th>="table compact"></th><th></th><th>Q</th></table>	="table compact">		Q
<pre></pre>			

Subcompact table

Add .subcompact to make tables more compact.



Colored table

Use contextual classes to color table rows or individual cells. Available classes: _primary , _secondary , _success , _waring , _yellow , _info , _alert , _dark , _light . You can combine classes to achieve the desired effect.



```
4
 <thead>
  #
  First Name
  Last Name
  Username
 </thead>
 11class="info">Bill
  Gates
  @billy

>2

  Steve
  Jobs
  @stevy
 3
  Larry
  Page
  @larry
```