Resource Reallocation with Carbon Emission Policies

Seyyed Morteza Aghajanzadeh

May 21, 2024

Abstract

Governments worldwide are implementing policies to mitigate carbon emissions, necessitating significant economic resource reallocation. This study investigates the economic consequences of these shifts, focusing on quantifying reallocation costs and delineating conditions for optimal resource distribution. Utilizing a model of a closed economy characterized by monopolistic competition and firm heterogeneity, the study distinguishes between 'green' (eco-friendly) and 'brown' (fossil fuel-dependent) capital in the production function. The emission function has been extended to incorporate variable parameters that reflect the environmental impacts of these resources. This analysis aims to provide critical insights into the dynamics of resource allocation under environmental policy constraints, underscoring the trade-offs between economic output and environmental sustainability. The results are intended to guide policymaking by clarifying the economic costs associated with transitioning to a low-carbon economy and outlining strategies to balance environmental and economic objectives optimally.

Environment and Technology

• Total real output is:

$$Y = \Pi_1^S Y_s^{\lambda_s}, \quad \text{where} \quad \sum_s \lambda_s = 1$$
 (1)

• The real output in each sector s is:

$$Y_s = \left(\sum_{i=1}^{I} Y_{si}^{\frac{\sigma_s - 1}{\sigma_s}}\right)^{\frac{\sigma_s}{\sigma_s - 1}} \tag{2}$$

• The real output for firms i in sector s is:

$$Y_{si} = \hat{A}_{si} \hat{K}_{si}^{\beta_s} L_{si}^{1-\beta_s} \quad , \qquad \hat{K} = (\alpha_s G_{si}^{\frac{\gamma_s - 1}{\gamma_s}} + (1 - \alpha_s) B_{si}^{\frac{\gamma_s - 1}{\gamma_s}})^{\frac{\gamma_s}{\gamma_s - 1}}$$
(3)

• The firm's emission is:

$$E_{si} = \tilde{A}_{si} B_{si} \tag{4}$$

• The nominal profit for firms:

$$\pi_{si} = (1 + \tau_s^p) P_s Y_s - \left(\left[(1 + \tau_{G_s}) r_{si}^G G_{si} + (1 + \tau_{B_s}) r_{si}^B B_{si} + (1 + \tau_{l_s}) w_{si} l_{si} \right] + \tau_E E_{si} \right)$$
(5)

Optimal Allocation

• To maximize profit, the firm follows a two-step process. First, it determines the optimal combination of capital and labor. Then, it selects the appropriate price level.

$$\max_{G_{si}, B_{si}, L_{si}} -Cost \quad \text{s.t.} \qquad \hat{A}_{si} \hat{K}_{si}^{\beta_s} L_{si}^{1-\beta_s} = \bar{Y}_{si}$$

$$\frac{G_{si}}{B_{si}} = z_{si}^{k} = \left(\frac{\alpha_{s}}{1 - \alpha_{s}} \frac{(1 + \tau_{s}^{B})r_{s} + \tau_{s}^{E}\tilde{A}}{(1 + \tau_{s}^{G})r_{s}}\right)^{\frac{1}{\gamma_{s}}}$$
(6)

$$\frac{L_{si}}{\hat{K}_{si}} = z_{si}^{l} = \frac{1 - \beta}{\beta} \frac{1}{\alpha_s} \left(\alpha_s + (1 - \alpha_s) z_{si}^{k^{1 - \gamma_s}} \right)^{\frac{1}{1 - \gamma_s}} \frac{(1 + \tau_s^G) r_s}{(1 + \tau_s^W) w_{si}}$$
(7)

- Let's define the use the optimal ratios $(z_{si}^k \equiv (\frac{G_{si}}{B_{si}})*$ and $z_{si}^l \equiv (\frac{L_{si}}{\hat{K}_{si}})^*$)
- Optimal capital level for given output is (see appendix 1.1 for proof):

$$G_{si}^{*} = \frac{\bar{Y}_{si}}{\hat{A}_{si}} \left(\alpha_{s} + (1 - \alpha_{s}) z_{si}^{k} \right)^{\frac{\gamma_{s}}{1 - \gamma_{s}}} z_{si}^{l} (1 - \beta_{s})$$

$$B_{si}^{*} = \frac{\bar{Y}_{si}}{\hat{A}_{si}} \left(\alpha_{s} z_{si}^{k} \right)^{(\gamma_{s} - 1)} + (1 - \alpha_{s})^{\frac{\gamma_{s}}{1 - \gamma_{s}}} z_{si}^{l} (1 - \beta_{s})$$

$$L_{si}^{*} = \frac{\bar{Y}_{si}}{\hat{A}_{si}} z_{si}^{l} \beta_{s}$$

• The emission level for given output is (see appendix 1.2 for proof):

$$E_{si} = \frac{\tilde{A}_{si}}{\hat{A}_{si}} \left(\alpha_s z_{si}^{k \gamma_s - 1} + (1 - \alpha_s) \right)^{\frac{\gamma_s}{1 - \gamma_s}} z_{si}^{l 1 - \beta} \bar{Y}_{si} = \psi_{si} \bar{Y}_{si}$$
(8)

• The cost of production is (see appendix 1.3 for details of the definition):

$$\Rightarrow C(\bar{F}_{si}) = \left[(1 + \tau_{G_{si}}) r_{si}^G G_{si} + (1 + \tau_{B_{si}}) r_{si}^K B_{si} + (1 + \tau_{l_{si}}) w_{si} l_{si} \right] + \tau_E E_{si}$$

$$= C_{si} \bar{F}_{si}$$

• The optimal price level is (see appendix 1.5 for proof):

$$P_{si} = \frac{1}{1 + \tau_{si}^p} \frac{\sigma_s}{\sigma_s - 1} C_{si} \tag{9}$$

Technology

We need to find an expression for the technologies $(\hat{A}_{si} \text{ and } \tilde{A}_{si})$ based on observable variables. (see appendix 1.6 and 1.7 for proof)

$$\hat{A}_{si} = \nu_s \frac{(P_{si}Y_{si})^{\frac{\sigma_s}{\sigma_s - 1}}}{\hat{K}_{si}^{\beta_s} L_{si}^{1 - \beta_s}}, \quad \text{where} \quad \nu_s = \frac{1}{P_s(P_s Y_s)^{\frac{1}{\sigma_s - 1}}}$$

$$\tilde{A}_{si} = \frac{E_{si}}{B_{si}}$$

Wedges

• The marginal nominal product of each input should be equal to the marginal cost of that for the maximizing firm (see appendix 1.9 for proof).

$$\alpha_s \beta_s \frac{\sigma_s - 1}{\sigma_s} \frac{P_{si} Y_{si}}{\hat{K}_{si}} (\frac{\hat{K}_{si}}{G_{si}})^{\frac{1}{\gamma_s}} = \frac{\partial Cost_{si}}{\partial G_{si}}$$

$$(1 - \alpha_s)\beta_s \frac{\sigma_s - 1}{\sigma_s} \frac{P_{si}Y_{si}}{\hat{K}_{si}} (\frac{\hat{K}_{si}}{B_{si}})^{\frac{1}{\gamma_s}} = \frac{\partial Cost_{si}}{\partial B_{si}}$$

$$(1 - \beta_s) \frac{\sigma_s - 1}{\sigma_s} \frac{P_{si} Y_{si}}{L_{si}} = \frac{\partial Cost_{si}}{\partial L_{si}}$$

Estimation

I will follow the Kmenta (1967) to estimate the parameters of the model. The production function is:

$$Y_{it} = \hat{A}_{it} (\alpha G_{it}^{\frac{\gamma - 1}{\gamma}} + (1 - \alpha) B_{it}^{\frac{\gamma - 1}{\gamma}})^{\frac{\beta \gamma}{\gamma - 1}} L_{it}^{1 - \beta}$$

$$\ln Y_{it} = \ln \hat{A}_{it} + \frac{\beta \gamma}{\gamma - 1} \ln(\alpha G_{it}^{\frac{\gamma - 1}{\gamma}} + (1 - \alpha) B_{it}^{\frac{\gamma - 1}{\gamma}}) + (1 - \beta) \ln L_{it}$$

I assume that the $\hat{A}_{it} \equiv e^a e^{u_{it}}$, where a is the common component of productivity and u_{it} is the unpredictable component. We can rewrite the production function as:

$$\ln Y_{it} = a + u_{it} + \frac{\beta \gamma}{\gamma - 1} \ln(\alpha G_{it}^{\frac{\gamma - 1}{\gamma}} + (1 - \alpha) B_{it}^{\frac{\gamma - 1}{\gamma}}) + (1 - \beta) \ln L_{it}$$

Following the Kmenta (1967), I take the first-order approximation of the production function around the $\gamma_s = 1$. This requires to take the limit of the third term in the production function as γ_s approaches 1. The limit is:

$$\lim_{\gamma_s \to 1} \frac{\beta \gamma}{\gamma - 1} \ln(\alpha G_{it}^{\frac{\gamma - 1}{\gamma}} + (1 - \alpha) B_{it}^{\frac{\gamma - 1}{\gamma}}) = \beta(\alpha \ln G_{it} + (1 - \alpha) \ln B_{it})$$

and the limit of the derivative of this same term

$$\lim_{\gamma_s \to 1} \frac{\partial}{\partial \gamma_s} \left(\frac{\beta \gamma}{\gamma - 1} \ln(\alpha G_{it}^{\frac{\gamma - 1}{\gamma}} + (1 - \alpha) B_{it}^{\frac{\gamma - 1}{\gamma}}) \right) = \beta \frac{\alpha (1 - \alpha)}{2} (\ln G_{it} - \ln B_{it})^2$$

The first-order approximation of the production function is:

$$\ln Y_{it} = a + u_{it} + \beta \alpha \ln G_{it} + \beta (1 - \alpha) \ln B_{it} + (1 - \beta) \ln L_{it} + \beta \frac{\alpha (1 - \alpha)(\gamma_s - 1)}{2} (\ln G_{it} - \ln B_{it})^2$$

To estimate this approximation, I assume that the error term can be decomposed as $u_{it} = f_i + \epsilon_{it}$ where f_i varies across firm. Then I can use OLS with firm fixed effects and appropriately defined coefficients:

$$\ln Y_{it} = \beta_0^Y + \beta_G^Y \ln G_{it} + \beta_B^Y \ln B_{it} + \beta_L^Y \ln L_{it} + \beta_{GB}^Y (\ln G_{it} - \ln B_{it})^2 + \epsilon_{it}$$

Alternatively, I can assume that the error term is $u_{it} = z_{it} + \epsilon_{it}$ where z_{it} is a predictable component that follows the AR(1) process $z_{it} = \rho z_{it-1} + \nu_{it}$. Then I follow the Blundell and Bond (2000) or Davis, Fisher, and Whited (2014) to obtain

$$\ln Y_{it} - \rho \ln Y_{it-1} = \beta_0^Y (1 - \rho) + \beta_G^Y (\ln G_{it} - \rho \ln G_{it-1})$$

$$+ \beta_B^Y (\ln B_{it} - \rho \ln B_{it-1}) + \beta_L^Y (\ln L_{it} - \rho \ln L_{it-1})$$

$$+ \beta_{GB}^Y [(\ln G_{it} - \ln B_{it})^2 - \rho (\ln G_{it-1} - \ln B_{it-1})^2]$$

$$+ (z_{it} - \rho z_{it-1}) + (\epsilon_{it} - \rho \epsilon_{it-1})$$

where $(z_{it} - \rho z_{it-1}) + (\epsilon_{it} - \rho \epsilon_{it-1}) = \nu_{it} + (\epsilon_{it} - \rho \epsilon_{it-1})$ is the zero mean error term. Then I can use GMM to estimate the four coefficients with five instruments, namely, $\ln G_{it-1}$, $\ln B_{it-1}$, $\ln L_{it-1}$, $(\ln G_{it-1} - \ln B_{it-1})^2$, and $\ln Y_{it-1}$.

Under either of these assumptions, I can estimate the parameters of the production function and then use the same approach to estimate the emission function¹. The estimates of the parameters are given in the Table 1.

Table 1: Parameters estimates of production and emission functions

Parameter	Value	Parameter	Value
eta_s	$1 - \beta_L^Y$	θ_s	$1 - \beta_L^E$
$lpha_s$	$1 - \frac{\beta_B^Y}{1 - \beta_L^Y}$	μ_s	$1 - \frac{\beta_B^E}{1 - \beta_L^E}$
γ_s	$1 + \frac{2\beta_{GB}^Y (1 - \beta_L^Y)}{\beta_G^Y \beta_B^Y}$	η_s	$1 + \frac{2\beta_{GB}^E (1 - \beta_L^E)}{\beta_G^E \beta_B^E}$

$$\ln E_{it} = \beta_0^E + \beta_G^E \ln G_{it} + \beta_B^E \ln B_{it} + \beta_L^E \ln L_{it} + \beta_{GB}^E (\ln G_{it} - \ln B_{it})^2 + \epsilon_{it}$$

¹The estimation model is:

1 Definitions and Proofs

1.1 Optimal level for given output

$$\bar{Y}_{si} = \hat{A}_{si} \hat{K}^{*\beta_s}_{si} L^{*1-\beta_s}_{si} = \hat{A}_{si} \hat{K}^{*}_{si} (\frac{L^*}{\hat{K}^*})^{(1-\beta_s)}_{si} = \hat{A}_{si} \hat{K}^{*}_{si} z^{l}_{si} (^{1-\beta_s)}$$

we can rewrite the optimal capital level as:

$$\hat{K}_{si} = B_{si} (\alpha_s z_{si}^{k}{}^{(\gamma_s - 1)} + (1 - \alpha_s))^{\frac{\gamma_s}{\gamma_s - 1}}$$
$$= G_{si} (\alpha_s + (1 - \alpha_s) z_{si}^{k}{}^{(1 - \gamma_s)})^{\frac{\gamma_s}{\gamma_s - 1}}$$

and then drive the optimal level of each type of capital:

$$G_{si}^* = \frac{\bar{Y}_{si}}{\hat{A}_{si}} \left(\alpha_s + (1 - \alpha_s) z_{si}^{k} z_{si}^{(1 - \gamma_s)} \right)^{\frac{\gamma_s}{1 - \gamma_s}} z_{si}^{l} z_{si}^{(1 - \beta_s)}$$

$$B_{si}^* = \frac{\bar{Y}_{si}}{\hat{A}_{si}} \left(\alpha_s z_{si}^{k} z_{si}^{(\gamma_s - 1)} + (1 - \alpha_s) \right)^{\frac{\gamma_s}{1 - \gamma_s}} z_{si}^{l} z_{si}^{(1 - \beta_s)}$$

$$L_{si}^* = \frac{\bar{Y}_{si}}{\hat{A}_{si}} z_{si}^{l} z_{si}^{\beta_s}$$

1.2 Emission optimal level

First we need to convert the production capital (\hat{K}_{si}) to the emission capital (\tilde{K}_{si}) :

$$\tilde{K} = (\mu_s G_{si}^{\frac{\eta_s - 1}{\eta_s}} + (1 - \mu_s) B_{si}^{\frac{\eta_s - 1}{\eta_s}})^{\frac{\eta_s}{\eta_s - 1}} = G_{si} (\mu_s + (1 - \mu_s) z_{si}^{k(1 - \eta_s)})^{\frac{\eta_s}{\eta_s - 1}}
\hat{K} = (\alpha_s G_{si}^{\frac{\gamma_s - 1}{\gamma_s}} + (1 - \alpha_s) B_{si}^{\frac{\gamma_s - 1}{\gamma_s}})^{\frac{\gamma_s}{\gamma_s - 1}} = G_{si} (\alpha_s + (1 - \alpha_s) z_{si}^{k(1 - \gamma_s)})^{\frac{\gamma_s}{\gamma_s - 1}}
\Rightarrow \phi_{si} \equiv \frac{\tilde{K}}{\hat{K}} = \frac{(\mu_s + (1 - \mu_s) z_{si}^{k(1 - \eta_s)})^{\frac{\eta_s}{\eta_s - 1}}}{(\alpha_s + (1 - \alpha_s) z_{si}^{k(1 - \gamma_s)})^{\frac{\gamma_s}{\gamma_s - 1}}} = \frac{(\mu_s z_{si}^{k(\eta_s - 1)} + (1 - \mu_s))^{\frac{\eta_s}{\eta_s - 1}}}{(\alpha_s z_{si}^{k(\gamma_s - 1)} + (1 - \alpha_s))^{\frac{\gamma_s}{\gamma_s - 1}}}$$

As we can see the ϕ_{si} is a function of z_{si}^k , μ_s , α_s and γ_s . Now we can calculate the optimal emission level (E_{si}) as follows:

$$E_{si} = \tilde{A}_{si} \tilde{K}_{si}^{\theta_s} L_{si}^{1-\theta_s} = \tilde{A}_{si} \tilde{K}_{si} (\frac{L_{si}}{\tilde{K}_{si}})^{1-\theta_s}$$

$$= \tilde{A}_{si} (\phi_{si} \hat{K}_{si}) (\frac{L_{si}}{\phi_{si} \hat{K}_{si}})^{1-\theta_s}$$

$$= \tilde{A}_{si} \phi_{si}^{\theta_s} \hat{K}_{si} z_{si}^{l}^{1-\theta_s}$$

$$= \tilde{A}_{si} \phi_{si}^{\theta_s} z_{si}^{l}^{\beta_s-\theta_s} \hat{K}_{si} z_{si}^{l}^{1-\beta_s}$$

$$= \frac{\tilde{A}_{si}}{\hat{A}_{si}} (\frac{\phi_{si}}{z_{si}^{l}})^{\theta_s} z_{si}^{l}^{\beta_s} \bar{Y}_{si}$$

1.3 Cost Minimization function

$$C(\bar{F}_{si}) = C_{si}\bar{F}_{si}$$
where $C_{si} = (1 + \tau_{G_{si}})r_{si}^{G} \frac{1}{\hat{A}_{si}} \left(\alpha_{s} z_{si}^{k}{}^{(\gamma_{s}-1)} + (1 - \alpha_{s})\right)^{\frac{\gamma_{s}}{1 - \gamma_{s}}} z_{si}^{l}{}^{(1 - \beta_{s})}$

$$+ (1 + \tau_{B_{si}})r_{si}^{B} \frac{1}{\hat{A}_{si}} \left(\alpha_{s} + (1 - \alpha_{s})z_{si}^{k}{}^{(1 - \gamma_{s})}\right)^{\frac{\gamma_{s}}{1 - \gamma_{s}}} z_{si}^{l}{}^{(1 - \beta_{s})}$$

$$+ (1 + \tau_{l_{si}})w_{si} \frac{1}{\hat{A}_{si}} z_{si}^{l}{}^{\beta_{s}}$$

$$+ \tau_{E} \frac{\tilde{A}_{si}}{\hat{A}_{si}} (\frac{\phi_{si}}{z_{si}^{l}})^{\theta_{s}} z_{si}^{l}{}^{\beta_{s}}$$

1.4 Sector Price

We need to solve the sector price P_s as function of firm price P_{si} , where P_s is defined as the price of acquiring a unit of the sector benefit:

$$\min_{F_{si}} \left\{ \sum_{i} P_{si} F_{si} \right\}$$
s.t.
$$\left(\sum_{i} F_{si}^{\frac{\sigma_{s}-1}{\sigma_{s}}} \right)^{\frac{\sigma_{s}}{\sigma_{s}-1}} = \bar{F}_{s}$$

$$F.O.C \Rightarrow P_{si}^{\sigma_{s}} F_{si} = P_{s}^{\sigma_{s}} F_{s}$$

1.5 Firm Price

We need to solve the firm price P_{si} as function of sector price P_s , where P_{si} is defined as the price of acquiring a unit of the firm benefit:

$$\max_{P_{si}} \pi_{si} = (1 + \tau_{si}^{p}) P_{si} F_{si} - C_{si} F_{si}$$

$$\max_{P_{si}} (1 + \tau_{si}^{p}) P_{si} (\frac{P_{s}}{P_{si}})^{\sigma_{s}} F_{s} - C_{si} (\frac{P_{s}}{P_{si}})^{\sigma_{s}} F_{s}$$

$$\max_{P_{si}} (1 + \tau_{si}^{p}) P_{si}^{1 - \sigma_{s}} P_{s}^{\sigma_{s}} F_{s} - C_{si} P_{si}^{-\sigma_{s}} P_{s}^{\sigma_{s}} F_{s}$$

$$\max_{P_{s}} P_{si}^{1 - \sigma_{s}} P_{si}^{1 - \sigma_{s}} - C_{si} P_{si}^{-\sigma_{s}} P_{si}^{-\sigma_{s}} P_{si}^{1 - \sigma_{s}} - C_{si} P_{si}^{-\sigma_{s}} P_{si}^{-\sigma_{s}} P_{si}^{1 - \sigma_{s}} P_{s$$

1.6 Production Technology

$$\begin{split} P_{si}^{\sigma_{s}} &= P_{s}^{\sigma_{s}} Y_{s} Y_{si}^{-1} \Rightarrow (P_{si} Y_{si})^{\sigma_{s}} = P_{s}^{\sigma_{s}} Y_{s} Y_{si}^{\sigma_{s}-1} \Rightarrow (P_{si} Y_{si})^{\sigma_{s}} = (P_{s} Y_{s}) (P_{s} Y_{si})^{\sigma_{s}-1} \\ &\Rightarrow (P_{si} Y_{si})^{\frac{\sigma_{s}}{\sigma_{s}-1}} = (P_{s} Y_{s})^{\frac{1}{\sigma_{s}-1}} P_{s} Y_{si} \\ &\Rightarrow Y_{si} = \frac{(P_{si} Y_{si})^{\frac{\sigma_{s}}{\sigma_{s}-1}}}{P_{s} (P_{s} Y_{s})^{\frac{1}{\sigma_{s}-1}}} \\ &\Rightarrow \hat{A}_{si} = \frac{1}{P_{s} (P_{s} Y_{s})^{\frac{1}{\sigma_{s}-1}}} \frac{(P_{si} Y_{si})^{\frac{\sigma_{s}}{\sigma_{s}-1}}}{\hat{K}_{si}^{\beta_{s}} L_{si}^{1-\beta_{s}}} = \nu_{s} \frac{(P_{si} Y_{si})^{\frac{\sigma_{s}}{\sigma_{s}-1}}}{\hat{K}_{si}^{\beta_{s}} L_{si}^{1-\beta_{s}}} \end{split}$$

1.7 Emission Technology

$$E_{si} = \tilde{A}_{si} \tilde{K}_{si}^{\theta_s} L_{si}^{1-\theta_s} \Rightarrow \tilde{A}_{si} = \frac{E_{si}}{\tilde{K}_{si}^{\theta_s} L_{si}^{1-\theta_s}}$$

1.8 Reallocation

It is the social planner's problem to reallocate resources, therefore there is no need to price the inputs. The social planner's problem is to maximize the total real output subject to the resource constraint. Firms in the economy will produce the optimal level of output given the zero cost of inputs. The social planner's problem is:

$$\max \qquad \left(\sum_{i} \hat{Y}_{si}^{\frac{\sigma-1}{\sigma}}\right)^{\frac{\sigma}{\sigma-1}}$$

$$s.t. \qquad \sum_{i} \hat{L}_{si} = L_{s}$$

$$\sum_{i} \hat{E}_{si} = E_{s}$$

$$\sum_{i} \hat{G}_{si} + \hat{B}_{si} = K_{s}$$

$$(10)$$

Now I will write the lagrangian for the social planner's problem. The social planner's problem is to maximize the total output in the economy subject to the resource constraint. The lagrangian is:

$$\mathcal{L}_s = \left(\sum_i \hat{Y}_{si}^{\frac{\sigma-1}{\sigma}}\right)^{\frac{\sigma}{\sigma-1}} + \lambda_L(L_s - \sum_i \hat{L}_{si}) + \lambda_E(E_s - \sum_i \hat{E}_{si}) + (K_s - \sum_i \hat{G}_{si} + \hat{B}_{si})$$

where λ_L , λ_E are the lagrange multipliers for the labor and emission constraints, respectively that are normalized by the capital lagrange multiplier. This results in the fact that the relative marginal cost of labor is λ_L and the relative marginal cost of acquiring one unit of capital is 1. Now I can use the results from the firm's problem and the optimal input ratios to derive the optimal output and emissions for the social planner. The optimal input ratios are:

$$z_s^k = \left(\frac{\alpha_s}{1 - \alpha_s}\right)^{\gamma_s} \tag{11}$$

$$z_s^l = \frac{1 - \beta_s}{\beta_s} \frac{1}{1 - \alpha_s} (\alpha_s z_s^{k(\gamma_s - 1)} + (1 - \alpha_s))^{\frac{1}{1 - \gamma_s}} \lambda_L$$
 (12)

Then I can rewrite the optimal output and emissions for firm under the social planner's problem as:

$$\hat{Y}_{si} = \hat{A}_{si} z_s^{l^{-\beta}} \hat{L}_{si}$$

$$\hat{E}_{si} = \frac{\tilde{A}_{si}}{\hat{A}_{si}} (\frac{\phi_s}{z_s^l})^{\theta_s} z_{si}^{l^{\beta_s}} \hat{Y}_{si} = \tilde{A}_{si} (\frac{\phi_s}{z_s^l})^{\theta_s} \hat{L}_{si}$$

$$(13)$$

and rewrite the lagrangian as:

$$\mathcal{L}_{s} = \left(\sum_{i} \hat{A}_{si} z_{s}^{l-\beta} \hat{L}_{si}^{\frac{\sigma-1}{\sigma}}\right)^{\frac{\sigma}{\sigma-1}} + \lambda_{L} (L_{s} - \sum_{i} \hat{L}_{si}) + \lambda_{E} (E_{s} - \sum_{i} \tilde{A}_{si} (\frac{\phi_{s}}{z_{s}^{l}})^{\theta_{s}} \hat{L}_{si})$$

$$\frac{\partial \mathcal{L}_{s}}{\partial \hat{L}_{si}} = \left(\sum_{i} \hat{A}_{sk} z_{s}^{l-\beta} \hat{L}_{sk}^{\frac{\sigma-1}{\sigma}}\right)^{\frac{1}{\sigma-1}} (\hat{A}_{si} z_{s}^{l-\beta})^{\frac{\sigma-1}{\sigma}} \hat{L}_{si}^{-\frac{1}{\sigma}} - \lambda_{L} - \lambda_{E} \tilde{A}_{si} (\frac{\phi_{s}}{z_{s}^{l}})^{\theta_{s}} = 0$$

$$\frac{\partial \mathcal{L}_{s}}{\partial \hat{L}_{sj}} = \left(\sum_{i} \hat{A}_{sk} z_{s}^{l-\beta} \hat{L}_{sk}^{\frac{\sigma-1}{\sigma}}\right)^{\frac{1}{\sigma-1}} (\hat{A}_{sj} z_{s}^{l-\beta})^{\frac{\sigma-1}{\sigma}} \hat{L}_{sj}^{-\frac{1}{\sigma}} - \lambda_{L} - \lambda_{E} \tilde{A}_{sj} (\frac{\phi_{s}}{z_{s}^{l}})^{\theta_{s}} = 0$$

There are two possible cases for the optimal allocation of resources. In the first case, the social planner only cares about maximizing total output and does not consider emissions, resulting in $\lambda_E = 0$. In this scenario, the social planner will allocate all available resources to the firm with the highest productivity:

$$\lambda_{L} = \left(\sum_{i} \hat{A}_{sk} z_{s}^{l-\beta} \hat{L}_{sk}^{\frac{\sigma-1}{\sigma}}\right)^{\frac{1}{\sigma-1}} (\hat{A}_{si} z_{s}^{l-\beta})^{\frac{\sigma-1}{\sigma}} \hat{L}_{si}^{-\frac{1}{\sigma}} = \left(\sum_{i} \hat{A}_{sk} z_{s}^{l-\beta} \hat{L}_{sk}^{\frac{\sigma-1}{\sigma}}\right)^{\frac{1}{\sigma-1}} (\hat{A}_{sj} z_{s}^{l-\beta})^{\frac{\sigma-1}{\sigma}} \hat{L}_{sj}^{-\frac{1}{\sigma}}$$

$$\Rightarrow (\frac{\hat{A}_{si}^{\sigma-1}}{\hat{L}_{si}})^{\frac{1}{\sigma}} = (\frac{\hat{A}_{sj}^{\sigma-1}}{\hat{L}_{sj}})^{\frac{1}{\sigma}} \Rightarrow \frac{\hat{L}_{si}}{\hat{L}_{sj}} = \left(\frac{\hat{A}_{si}}{\hat{A}_{sj}}\right)^{\sigma-1}$$

In the second case, the social planner cares about the emissions, and the social planner will allocate all available resources to the firm with the lowest emissions:

$$\lambda_{E} = \frac{\left(\sum_{i} \hat{A}_{sk} z_{s}^{l-\beta} \hat{L}_{sk}^{\frac{\sigma-1}{\sigma}}\right)^{\frac{1}{\sigma-1}} (\hat{A}_{si} z_{s}^{l-\beta})^{\frac{\sigma-1}{\sigma}} \hat{L}_{si}^{-\frac{1}{\sigma}}}{\tilde{A}_{si} (\frac{\phi_{s}}{z_{s}^{l}})^{\theta_{s}}} = \frac{\left(\sum_{i} \hat{A}_{sk} z_{s}^{l-\beta} \hat{L}_{sk}^{\frac{\sigma-1}{\sigma}}\right)^{\frac{1}{\sigma-1}} (\hat{A}_{sj} z_{s}^{l-\beta})^{\frac{\sigma-1}{\sigma}} \hat{L}_{sj}^{-\frac{1}{\sigma}}}{\tilde{A}_{sj} (\frac{\phi_{s}}{z_{s}^{l}})^{\theta_{s}}}$$

$$\Rightarrow \frac{\hat{A}_{si}^{\frac{\sigma-1}{\sigma}}}{\tilde{A}_{si} \tilde{L}_{si}^{\frac{1}{\sigma}}} = \frac{\hat{A}_{sj}^{\frac{\sigma-1}{\sigma}}}{\tilde{A}_{sj} \tilde{L}_{sj}^{\frac{1}{\sigma}}} \Rightarrow \frac{\tilde{L}_{si}}{\tilde{L}_{sj}} = \frac{\hat{A}_{si}^{\sigma-1} / \tilde{A}_{si}^{\sigma}}{\hat{A}_{sj}^{\sigma-1} / \tilde{A}_{sj}^{\sigma}}$$

as we know the optimal ratio, we can make sure that the allocation satisfies the budget constraint. The optimal allocation of resources is:

$$\hat{L}_{si} = \frac{\hat{A}_{si}^{\sigma-1}}{\sum_{j} \hat{A}_{sj}^{\sigma-1}} L_{s}$$

$$\tilde{L}_{si} = \frac{\hat{A}_{si}^{\sigma-1} / \tilde{A}_{si}^{\sigma}}{\sum_{j} \hat{A}_{sj}^{\sigma-1} / \tilde{A}_{sj}^{\sigma}} L_{s}$$

and we know that the social planner will decide about the green and brown capital allocation in the sector. The optimal allocation of green and brown capital is:

$$B_s = \frac{1}{1 + z_s^k} K_s$$
$$G_s = \frac{z_s^k}{1 + z_s^k} K_s$$

$$\hat{G}_{si} = \frac{\hat{A}_{si}^{\sigma-1}}{\sum_{j} \hat{A}_{sj}^{\sigma-1}} G_{s}$$

$$\tilde{G}_{si} = \frac{\hat{A}_{si}^{\sigma-1} / \tilde{A}_{si}^{\sigma}}{\sum_{j} \hat{A}_{sj}^{\sigma-1} / \tilde{A}_{sj}^{\sigma}} G_{s}$$

$$\hat{B}_{si} = \frac{\hat{A}_{si}^{\sigma-1}}{\sum_{j} \hat{A}_{sj}^{\sigma-1}} B_{s}$$

$$\tilde{B}_{si} = \frac{\hat{A}_{si}^{\sigma-1} / \tilde{A}_{si}^{\sigma}}{\sum_{j} \hat{A}_{sj}^{\sigma-1} / \tilde{A}_{sj}^{\sigma}} B_{s}$$

1.9 Wedges

From the 1.4 we know that $Y_{si} = (\frac{P_s}{P_{si}})^{\sigma_s} Y_s$ and then we can put it in the nominal output for firms:

$$\begin{split} P_{si}Y_{si} &= P_sY_s^{\frac{1}{\sigma_s}}Y_{si}^{\frac{\sigma_s-1}{\sigma_s}} \\ \frac{\partial P_{si}Y_{si}}{\partial G_{si}} &= \frac{\sigma_s-1}{\sigma_s}P_sY_s^{\frac{1}{\sigma_s}}Y_{si}^{\frac{-1}{\sigma_s}}\frac{\partial Y_{si}}{\partial G_{si}} \\ &= \frac{\sigma_s-1}{\sigma_s}P_sY_s^{\frac{1}{\sigma_s}}Y_{si}^{\frac{-1}{\sigma_s}}\beta_s\frac{Y_{si}}{\hat{K}_{si}}\frac{\partial \hat{K}_{si}}{\partial G_{si}} \\ &= \frac{\sigma_s-1}{\sigma_s}P_sY_s^{\frac{1}{\sigma_s}}Y_{si}^{\frac{-1}{\sigma_s}}\beta_s\frac{Y_{si}}{\hat{K}_{si}}\alpha_sG_{si}^{\frac{-1}{\gamma_s}}\hat{K}_{si}^{\frac{1}{\gamma_s}} \end{split}$$

From the 1.4 we know that $P_{si} = P_s^{\sigma_s} Y_s^{\frac{1}{\sigma_s}} Y_{si}^{\frac{-1}{\sigma_s}}$ and then we can use it and then

$$\begin{split} \frac{\partial P_{si}Y_{si}}{\partial G_{si}} &= \frac{\sigma_s - 1}{\sigma_s} P_{si}\beta_s \frac{Y_{si}}{\hat{K}_{si}} \alpha_s G_{si}^{\frac{-1}{\gamma_s}} \hat{K}_{si}^{\frac{1}{\gamma_s}} \\ &= \alpha_s \beta_s \frac{\sigma_s - 1}{\sigma_s} \frac{P_{si}Y_{si}}{\hat{K}_{si}} (\frac{\hat{K}_{si}}{G_{si}})^{\frac{1}{\gamma_s}} \end{split}$$

And then we can derive the marginal benefit of the brown capital:

$$\begin{split} \frac{\partial P_{si}Y_{si}}{\partial B_{si}} &= \frac{\sigma_s - 1}{\sigma_s} P_s Y_s^{\frac{1}{\sigma_s}} Y_{si}^{\frac{-1}{\sigma_s}} \frac{\partial Y_{si}}{\partial B_{si}} \\ &= \frac{\sigma_s - 1}{\sigma_s} P_s Y_s^{\frac{1}{\sigma_s}} Y_{si}^{\frac{-1}{\sigma_s}} \beta_s \frac{Y_{si}}{\hat{K}_{si}} \frac{\partial \hat{K}_{si}}{\partial B_{si}} \\ &= \frac{\sigma_s - 1}{\sigma_s} P_s Y_s^{\frac{1}{\sigma_s}} Y_{si}^{\frac{-1}{\sigma_s}} \beta_s \frac{Y_{si}}{\hat{K}_{si}} (1 - \alpha_s) B_{si}^{\frac{-1}{\gamma_s}} \hat{K}_{si}^{\frac{1}{\gamma_s}} \\ &= \frac{\sigma_s - 1}{\sigma_s} P_{si} \beta_s \frac{Y_{si}}{\hat{K}_{si}} (1 - \alpha_s) B_{si}^{\frac{-1}{\gamma_s}} \hat{K}_{si}^{\frac{1}{\gamma_s}} \\ &= (1 - \alpha_s) \beta_s \frac{\sigma_s - 1}{\sigma_s} \frac{P_{si}Y_{si}}{\hat{K}_{si}} (\frac{\hat{K}_{si}}{B_{si}})^{\frac{1}{\gamma_s}} \end{split}$$

And finally, we can derive the marginal benefit of labor:

$$\begin{split} \frac{\partial P_{si}Y_{si}}{\partial L_{si}} &= \frac{\sigma_s - 1}{\sigma_s} P_s Y_s^{\frac{1}{\sigma_s}} Y_{si}^{\frac{-1}{\sigma_s}} \frac{\partial Y_{si}}{\partial L_{si}} \\ &= \frac{\sigma_s - 1}{\sigma_s} P_s Y_s^{\frac{1}{\sigma_s}} Y_{si}^{\frac{-1}{\sigma_s}} (1 - \beta_s) \frac{Y_{si}}{L_{si}} \\ &= (1 - \beta_s) \frac{\sigma_s - 1}{\sigma_s} \frac{P_{si}Y_{si}}{L_{si}} \end{split}$$

References

Blundell, Richard, and Stephen Bond. 2000. "GMM estimation with persistent panel data: an application to production functions." *Econometric reviews*, 19(3): 321–340.

Davis, Morris A, Jonas DM Fisher, and Toni M Whited. 2014. "Macroeconomic implications of agglomeration." *Econometrica*, 82(2): 731–764.

Kmenta, Jan. 1967. "On estimation of the CES production function." *International Economic Review*, 8(2): 180–189.