


Breast Cancer Segmentation Report

Generated by MIAI System


Model Summary

Reported accuracy: 0.8640
Lesion 1: (x=33, y=23), size=20×13, area=203

Original vs Segmentation



Original Image



Segmentation Mask

GPT Analysis

Ultrasound Image Analysis Report

Overall Observations:

- The original ultrasound image displays varying shades of gray, indicating different tissue densities.
- A distinct, darker region is visible in the upper part of the image, suggesting a focal area of interest.

Mask Alignment/Coverage:

- The segmentation mask highlights a single, well-defined area in the upper portion.
- The mask appears to align with the darker region observed in the original image, suggesting accurate coverage of the area of interest.

Artifacts:

- No significant artifacts are visible in the segmentation mask.
- The original image shows typical ultrasound texture, with no apparent distortions affecting the area of interest.

****Ultrasound Image Analysis Report********Overall Observations:****

- The original ultrasound image displays varying shades of gray, indicating different tissue densities.
- A distinct, darker region is visible in the upper part of the image, suggesting a focal area of interest.

****Mask Alignment/Coverage:****

- The segmentation mask highlights a single, well-defined area in the upper portion.
- The mask appears to align with the darker region observed in the original image, suggesting accurate coverage of the area of interest.

****Artifacts:****

- No significant artifacts are visible in the segmentation mask.
- The original image shows typical ultrasound texture, with no apparent distortions affecting the area of interest.

****Summary:****

- The segmentation mask effectively isolates the focal area in the ultrasound image.
- Alignment between the mask and the original image is precise, with no evident misalignment.
- Overall, the segmentation appears to be accurate and free from artifacts, providing a clear delineation of the region of interest.