Breast Cancer Segmentation Report


Generated by MIAI System

Model Summary

Reported accuracy: 0.9010

Lesion 1: (x=31, y=35), size=22×14, area=232

Original vs Segmentation



Segmentation Mask

Original Image

GPT Analysis

- **Overall Observations:**
- The original ultrasound image displays a heterogeneous texture with varying echogenicity.
- A distinct, darker region is visible, suggesting a potential area of interest.
- **Mask Alignment/Coverage:**
- The segmentation mask highlights a specific region corresponding to the darker area in the original image.
- The mask appears to align well with the area of interest, providing focused coverage.
- **Artifacts:**
- No significant artifacts are observed in the segmentation mask.
- The original image shows typical ultrasound texture but no apparent artifacts that affect interpretation.
- **Summary:**
- The segmentation mask effectively isolates the area of interest in the ultrasound image.

^{**}Ultrasound Image Analysis Report**

- **Ultrasound Image Analysis Report**
- **Overall Observations:**
- The original ultrasound image displays a heterogeneous texture with varying echogenicity.
- A distinct, darker region is visible, suggesting a potential area of interest.
- **Mask Alignment/Coverage:**
- The segmentation mask highlights a specific region corresponding to the darker area in the original image.
- The mask appears to align well with the area of interest, providing focused coverage.
- **Artifacts:**
- No significant artifacts are observed in the segmentation mask.
- The original image shows typical ultrasound texture but no apparent artifacts that affect interpretation.
- **Summary:**
- The segmentation mask effectively isolates the area of interest in the ultrasound image.
- Alignment between the mask and the original image is precise, enhancing focus on the targeted region.
- Overall, the segmentation provides clear delineation without introducing artifacts.