Breast Cancer Segmentation Report


Generated by MIAI System

Model Summary

Reported accuracy: 0.8820

Lesion 1: (x=100, y=14), size=12x12, area=122

Original vs Segmentation



Segmentation Mask

Original Image

GPT Analysis

- **Overall Observations:**
- The original ultrasound image displays a range of grayscale intensities, indicating various tissue densities.
- A distinct circular structure is visible in the upper right quadrant of the image.
- **Mask Alignment and Coverage:**
- The segmentation mask accurately highlights the circular structure in the upper right quadrant.
- The mask does not cover any other areas, suggesting a focused segmentation on the circular feature.
- **Obvious Artifacts:**
- No significant artifacts are present in the segmentation mask.
- The original image appears free of major artifacts that could affect interpretation.
- **Summary:**
- The segmentation mask effectively isolates the circular structure observed in the original

^{**}Ultrasound Image Analysis Report**

- **Ultrasound Image Analysis Report**
- **Overall Observations:**
- The original ultrasound image displays a range of grayscale intensities, indicating various tissue densities.
- A distinct circular structure is visible in the upper right quadrant of the image.
- **Mask Alignment and Coverage:**
- The segmentation mask accurately highlights the circular structure in the upper right quadrant.
- The mask does not cover any other areas, suggesting a focused segmentation on the circular feature.
- **Obvious Artifacts:**
- No significant artifacts are present in the segmentation mask.
- The original image appears free of major artifacts that could affect interpretation.
- **Summary:**
- The segmentation mask effectively isolates the circular structure observed in the original ultrasound image.
- The alignment between the mask and the original image is precise, with no extraneous coverage.
- Overall, the segmentation appears accurate and well-executed for the targeted feature.