Breast Cancer Segmentation Report


Generated by MIAI System

Model Summary

Reported accuracy: 0.9410

Lesion 1: (x=24, y=24), size=24×21, area=369 Lesion 2: (x=44, y=53), size=4×4, area=11

Original vs Segmentation



Segmentation Mask

Original Image GPT Analysis

Ultrasound Image Analysis Report

- **Overall Observations:**
- The original ultrasound image displays a grayscale representation with varying textures and densities.
- A prominent dark area is visible in the upper left quadrant, suggesting a region of interest.
- **Segmentation Mask Alignment:**
- The segmentation mask highlights a specific area in white, corresponding to the dark region in the original image.
- The mask aligns well with the primary dark area, indicating accurate coverage of the region of interest.
- **Obvious Artifacts:**
- No significant artifacts are present in the segmentation mask.
- The mask appears clean and focused on the intended area without extraneous markings.

- **Ultrasound Image Analysis Report**
- **Overall Observations:**
- The original ultrasound image displays a grayscale representation with varying textures and densities.
- A prominent dark area is visible in the upper left quadrant, suggesting a region of interest.
- **Segmentation Mask Alignment:**
- The segmentation mask highlights a specific area in white, corresponding to the dark region in the original image.
- The mask aligns well with the primary dark area, indicating accurate coverage of the region of interest.
- **Obvious Artifacts:**
- No significant artifacts are present in the segmentation mask.
- The mask appears clean and focused on the intended area without extraneous markings.
- **Summary:**
- The segmentation mask effectively identifies and covers the key area of interest in the ultrasound image.
- Alignment between the mask and the original image is precise, enhancing the clarity of the targeted region.
- Overall, the segmentation provides a clear and accurate representation of the specified area.