

AzarFaith — Product Requirements Document (PRD)

Version: 1.0 **Date:** June 30, 2026 **Status:** Draft for Development Handoff

1. Executive Summary

AzarFaith is a faith-based crowdfunding web platform that connects donors to churches, missionaries, orphanages, and faith-based schools across Nigeria. The platform enables grassroots faith-based organizations — small churches, rural missions, community orphanages — to raise funds, collect items, recruit volunteers, and receive professional help through one-time campaigns and recurring giving programs.

Tagline: "Give to those doing God's work."

Target Market: Nigerian Christian community, both domestic diaspora and international supporters of Nigerian faith-based causes.

Currency: Nigerian Naira (NGN) exclusively.

2. Product Vision & Goals

2.1 Vision

To become the most trusted and accessible giving platform for the Nigerian faith-based community, empowering grassroots ministries to fund their missions through transparent, verifiable, and seamless digital giving.

2.2 Goals

Goal	Metric	Target
Launch MVP	Ship production-ready platform	Q3 2026
Organization Onboarding	Verified organizations on platform	50 within 6 months
Donor Activation	Registered donors	5,000 within 6 months
Transaction Volume	Monthly donation volume	₦10M within 6 months

Trust & Safety	Organization verification rate	80%+ verified
Retention	Recurring donor retention rate	60%+ at 3 months

2.3 Non-Goals (Explicitly Out of Scope for MVP)

- Mobile native apps (iOS/Android) — web-only for MVP
 - Multi-currency support — NGN only
 - Marketplace for physical goods
 - Social media integration beyond sharing links
 - Donor-organized group giving / pooling
 - Tax receipt generation (Nigerian context — not applicable)
-

3. Target Users & Personas

3.1 Persona: Donor — "Chidinma"

- **Age:** 25–45
- **Profile:** Working professional, active church member, wants to give to trusted causes
- **Needs:** Easy way to find legitimate causes, set up recurring giving, track her donations
- **Pain Points:** Skeptical of online giving (fear of fraud), wants transparency on how funds are used
- **Tech Comfort:** Moderate — uses mobile banking, WhatsApp, social media daily

3.2 Persona: Organization Admin — "Pastor Emeka"

- **Age:** 35–60
- **Profile:** Pastor or administrator of a small church/mission/orphanage
- **Needs:** Simple way to create campaigns, receive funds, share with congregation, provide updates
- **Pain Points:** Limited tech skills, needs something dead simple, wants to build trust with donors
- **Tech Comfort:** Low to moderate — uses smartphone, may not be comfortable with complex dashboards

3.3 Persona: Platform Admin — "Tunde"

- **Age:** 28–40
- **Profile:** AzarFaith team member responsible for verification, support, and operations


- **Needs:** Tools to verify organizations, monitor campaigns, handle disputes, manage platform health
- **Pain Points:** Needs efficient workflows, clear data visibility, automated fraud detection
- **Tech Comfort:** High

4. System Architecture Overview

4.1 Technology Stack

Layer	Technology	Rationale
Frontend	React 19 + TanStack Router + TanStack Start	SSR-capable, file-based routing, type-safe
Styling	Tailwind CSS v4 + shadcn/ui	Rapid UI development, consistent design system
State	Zustand (client) + TanStack Query (server)	Lightweight client state + server cache management
Backend	Node.js (serverless on Vercel)	Co-located with frontend, easy deployment
Database	PostgreSQL (via Supabase or Neon)	Relational data, ACID compliance for financial records
ORM	Prisma	Type-safe database access, migrations
Auth	Supabase Auth or custom JWT	Email/password + Google OAuth + phone OTP
Payments	Paystack	Nigerian payment leader, supports cards, bank transfers, recurring
File Storage	Cloudflare R2 or AWS S3	Campaign images, org photos, avatars
Hosting	Vercel	SSR support, edge functions, analytics
Email	Resend or SendGrid	Transactional emails (welcome, receipts, notifications)
SMS	Termii or Africa's Talking	OTP delivery for phone verification (Nigerian provider)

4.2 Architecture Diagram (Textual)



5. Information Architecture & Sitemap

```
Home (/)
├─ Discover (/discover)
│   ├── All Campaigns
│   ├── Ongoing Campaigns
│   ├── One-Time Campaigns
│   └─ Organizations
├─ Campaign Detail (/campaign/:id)
│   ├── Story Tab
│   ├── Gallery Tab
│   ├── Updates Tab
│   ├── Comments Tab
│   └─ Donate Widget
├─ Organization Profile (/org/:id)
│   ├── About
│   ├── Campaigns
│   ├── Gallery
│   └─ Support CTA
└─ Donate (/donate/:id)
```

```
| | └─ Amount Selection
| | └─ Payment Method
| | └─ Anonymous Toggle
| | └─ Tip (Optional)
| | └─ Review & Confirm
| └─ Create Campaign (/create) [Authenticated]
| | └─ Step 1: Mode (One-Time / Ongoing)
| | └─ Step 2: Type (Money / Items / Volunteer / Professional /
Emergency)
| | └─ Step 3: Story & Details
| | └─ Step 4: Media Upload
| | └─ Step 5: Frequencies (Ongoing only)
| | └─ Step 6: Preview & Publish
| └─ Register Organization (/register-org) [Authenticated]
| | └─ Step 1: Organization Details
| | └─ Step 2: Mission & Bio
| | └─ Step 3: Media Upload
| | └─ Step 4: Preview & Submit
| └─ Authentication
| | └─ Login (/login)
| | └─ Sign Up (/signup)
| | └─ Forgot Password (/forgot-password)
| └─ Dashboard [Authenticated]
| | └─ My Giving (/my-giving)
| | └─ Profile (/profile)
| └─ Admin Dashboard (/admin) [Platform Admin Only]
| | └─ Organization Verification
| | └─ Campaign Moderation
| | └─ User Management
| | └─ Platform Analytics
```

6. Data Models (Entity Definitions)

6.1 User

Field	Type	Constraints	Notes
id	UUID	PK	Auto-generated
email	String	Unique, required	Login identifier

passwordHash	String	Required	bcrypt hashed
firstName	String	Required	
lastName	String	Required	
phone	String	Unique, required	Nigerian format (+234...)
phoneVerified	Boolean	Default false	After OTP verification
emailVerified	Boolean	Default false	After email confirmation
avatar	String?	Nullable	URL to uploaded image
role	Enum	"donor" / "org_admin" / "platform_admin"	Default: "donor"
bvnVerified	Boolean	Default false	Bank Verification Number
createdAt	DateTime	Required	
updatedAt	DateTime	Required	

6.2 Organization

Field	Type	Constraints	Notes
id	UUID	PK	
name	String	Required, max 120 chars	
tagline	String	Required, max 200 chars	
category	Enum	"church" / "mission" / "orphanage" / "school" / "other"	
denomination	String?	Nullable	Christian denomination
location	String	Required	City, State, Nigeria
bio	Text	Required	Rich text / markdown
coverPhoto	String	Required	URL
photos	String[]	Required	Array of URLs, min 3
videos	String[]	Optional	YouTube/Vimeo URLs
founded	String	Required	Year or date
website	String?	Nullable	
socialLinks	JSON?	Optional	{ facebook, instagram, twitter }

verificationStatus	Enum	"unverified" / "pending" / "verified"	Default: "unverified"
verifiedAt	DateTime?	Nullable	When verification completed
verificationNotes	Text?	Nullable	Admin notes
totalReceived	Decimal	Default 0	Running sum of donations
supporters	Integer	Default 0	Unique donor count
createdBy	UUID	FK → User	The user who registered this org
createdAt	DateTime	Required	
updatedAt	DateTime	Required	

6.3 Campaign

Field	Type	Constraints	Notes
id	UUID	PK	
orgId	UUID?	FK → Organization, Nullable	null if individual raiser
raiserId	UUID	FK → User	The user who created it
mode	Enum	"one-time" / "ongoing"	
type	Enum	"money" / "item" / "volunteer" / "professional" / "emergency"	
title	String	Required, max 150 chars	
story	Text	Required	Detailed campaign story (markdown)
faithCategory	Enum	One of 8 categories (see 6.3a)	
cover	String	Required	Cover image URL
gallery	String[]	Required	Min 1 image
goal	Decimal?	Required if mode="one-time"	Fundraising target in NGN
raised	Decimal	Default 0	Running total donated
donors	Integer	Default 0	Unique donor count
currency	String	Default "NGN"	
location	String	Required	Campaign location

urgency	Enum	"low" / "medium" / "high" / "critical"	Default: "medium"
verificationStatus	Enum	"unverified" / "pending" / "verified"	
status	Enum	"draft" / "active" / "completed" / "cancelled" / "expired"	Default: "draft"
publishedAt	DateTime?	Nullable	When status became "active"
expiresAt	DateTime?	Nullable	Auto-expire for one-time
needs	String[]?	Optional	For non-money campaigns (items needed)
frequencies	Enum[]?	Required if mode="ongoing"	"weekly" / "monthly" / "quarterly"
createdAt	DateTime	Required	
updatedAt	DateTime	Required	

6.3a Faith Categories

1. Church Building
2. Missions & Outreach
3. Orphanage
4. Education
5. Food & Relief
6. Medical Mission
7. Emergency
8. Community Development

6.4 Donation

Field	Type	Constraints	Notes
id	UUID	PK	
campaignId	UUID	FK → Campaign	
donorId	UUID?	FK → User, Nullable	null if anonymous
amount	Decimal	Required, min ₦100	Donation amount in NGN
platformFee	Decimal	Required	2.5% of amount
paystackFee	Decimal	Required	Paystack's fee

netAmount	Decimal	Required	Amount after all fees
currency	String	Default "NGN"	
paymentMethod	Enum	"card" / "bank_transfer" / "ussd"	
paystackRef	String	Unique	Paystack transaction reference
paystackStatus	Enum	"pending" / "success" / "failed" / "abandoned"	
anonymous	Boolean	Default false	Hide donor name on campaign
tipAmount	Decimal	Default 0	Optional tip to AzarFaith
note	String?	Nullable	Donor's message
isRecurring	Boolean	Default false	
recurringDonationId	UUID?	FK → RecurringDonation, Nullable	
refundedAt	DateTime?	Nullable	If refunded
refundReason	String?	Nullable	
createdAt	DateTime	Required	
updatedAt	DateTime	Required	

6.5 RecurringDonation

Field	Type	Constraints	Notes
id	UUID	PK	
donorId	UUID	FK → User	
campaignId	UUID	FK → Campaign	
amount	Decimal	Required	Per-period amount
frequency	Enum	"weekly" / "monthly" / "quarterly"	
mode	Enum	"auto" / "pledge"	Auto = Paystack subscription, Pledge = reminder
paystackSubscriptionId	String?	Nullable	Paystack plan code
nextChargeDate	DateTime	Required	

lastChargeDate	DateTime?	Nullable	
status	Enum	"active" / "paused" / "cancelled" / "failed"	Default: "active"
failureCount	Integer	Default 0	Consecutive failures before auto-cancel
maxFailures	Integer	Default 3	Threshold to auto-cancel
totalDonated	Decimal	Default 0	Running total across all charges
cancelledAt	DateTime?	Nullable	
cancelReason	String?	Nullable	
createdAt	DateTime	Required	
updatedAt	DateTime	Required	

6.6 CampaignUpdate

Field	Type	Constraints	Notes
id	UUID	PK	
campaignId	UUID	FK → Campaign	
authorId	UUID	FK → User	Campaign creator
title	String	Required, max 200 chars	
body	Text	Required	Rich text update
images	String[]?	Optional	
createdAt	DateTime	Required	

6.7 CampaignComment

Field	Type	Constraints	Notes
id	UUID	PK	
campaignId	UUID	FK → Campaign	
authorId	UUID	FK → User	
body	Text	Required, max 1000 chars	
editedAt	DateTime?	Nullable	

deletedAt	DateTime?	Nullable	Soft delete
createdAt	DateTime	Required	

6.8 OTP

Field	Type	Constraints	Notes
id	UUID	PK	
phone	String	Required	
code	String	Required, 6 digits	
purpose	Enum	"signup" / "login" / "password_reset"	
attempts	Integer	Default 0	Max 5
expiresAt	DateTime	Required	10 min TTL
usedAt	DateTime?	Nullable	
createdAt	DateTime	Required	

6.9 PlatformSettings

Field	Type	Default	Notes
platformFeePercent	Decimal	2.5	% of donation
minDonation	Decimal	100	Minimum NGN
maxDonation	Decimal	5000000	Maximum NGN
maxTipAmount	Decimal	2500	Max tip per donation
autoVerifyThreshold	Integer	5	Donations before auto-verify prompt
campaignExpiryDays	Integer	90	Auto-expire one-time campaigns

7. Modules — Detailed Requirements

MODULE 1: Authentication & User Management

1.1 Overview

Secure, Nigerian-context-aware authentication supporting email/password, Google OAuth, and phone OTP verification. Phone verification is mandatory for all users to build platform trust.

1.2 User Stories

US-1.1: Email/Password Registration

As a new donor, I want to register with my email and password so that I can start giving to causes.

Acceptance Criteria:

- Registration form collects: first name, last name, email, phone (Nigerian format), password, confirm password
- Email must be unique in the system
- Phone must be unique and in Nigerian format (+234XXXXXXXXXX)
- Password must be minimum 8 characters, include at least 1 uppercase, 1 lowercase, 1 number
- Upon registration, a 6-digit OTP is sent via SMS to the provided phone number
- User must verify phone OTP before account is activated
- Account is created in "unverified" state until phone is confirmed
- Welcome email is sent upon successful registration
- Redirect to onboarding or home page after successful signup

US-1.2: Phone OTP Verification

As a registered user, I want to verify my phone number via OTP so that my identity is confirmed on the platform.

Acceptance Criteria:

- OTP is 6 digits, numeric only
- OTP expires after 10 minutes
- Maximum 5 incorrect attempts before OTP is invalidated
- User can request a new OTP after 60 seconds (cooldown)
- Maximum 3 OTP resend requests within 10 minutes
- On successful verification: user's `phoneVerified` is set to true, account becomes active
- On max failures: account is temporarily locked for 15 minutes

- OTP is delivered via SMS (Termii or Africa's Talking)

US-1.3: Email/Password Login

As a registered user, I want to log in with my email and password so that I can access my account.

Acceptance Criteria:

- Login form accepts email and password
- On success: JWT access token (15 min) + refresh token (7 days) issued
- Refresh token stored as httpOnly cookie; access token in memory
- On failure after 5 consecutive attempts: account locked for 15 minutes, email notification sent
- "Remember me" option extends refresh token to 30 days
- Redirect to previous page or home after login

US-1.4: Google OAuth Login/Registration

As a user, I want to sign in with my Google account so that I don't have to create another password.

Acceptance Criteria:

- "Continue with Google" button on login and signup pages
- On first Google login: account is created automatically from Google profile data
- Phone number is required after first Google login (cannot proceed without it)
- Google OAuth flow uses PKCE (Authorization Code flow with code verifier)
- On subsequent logins: existing account is linked and logged in
- Google profile picture is used as avatar
- Google email must not already exist with password-based auth (show conflict error)

US-1.5: Forgot/Reset Password

As a user who forgot my password, I want to reset it via email so that I can regain access to my account.

Acceptance Criteria:

- User enters email address on forgot password page

- If email exists: password reset link sent via email (valid for 1 hour)
- If email does not exist: same success message shown (do not reveal if email exists)
- Reset link contains a one-time-use JWT token
- New password must meet strength requirements (same as registration)
- Password history: cannot reuse last 3 passwords
- After successful reset: all existing sessions are invalidated
- Confirmation email sent after successful password change

US-1.6: Session Management

As a user, I want my session to be secure and manageable so that I feel safe using the platform.

Acceptance Criteria:

- Access tokens expire after 15 minutes; refresh tokens after 7 days
- Token refresh happens transparently in the background
- User can view active sessions (device, browser, last active)
- User can revoke individual sessions or all other sessions
- Sessions are invalidated on password change
- Logout clears all tokens and cookies

US-1.7: Profile Management

As a registered user, I want to view and edit my profile so that my information is accurate.

Acceptance Criteria:

- Profile page shows: name, email, phone, avatar, join date, total given, active recurring gifts
- User can edit: first name, last name, avatar
- User can change password (requires current password)
- User can view verification badges: BVN, Phone, Email
- Avatar upload: max 5MB, JPEG/PNG/WebP, cropped to square
- Profile updates are reflected immediately across the platform

MODULE 2: Organization Registration & Management

2.1 Overview

Faith-based organizations (churches, missions, orphanages, schools, ministries) register on the platform, undergo verification, and manage their campaigns and donor relationships.

2.2 User Stories

US-2.1: Register Organization

As a church leader, I want to register my church on AzarFaith so that people can find and support our work.

Acceptance Criteria:

- 4-step registration wizard:
 - **Step 1 — Details:** Organization name (max 120 chars), category (church/mission/orphanage/school/other), denomination (if applicable), location (city, state), founded year
 - **Step 2 — Mission:** Tagline (max 200 chars), full bio/rich text (min 100 words)
 - **Step 3 — Media:** Cover photo upload, minimum 3 photos (max 5MB each, JPEG/PNG/WebP), optional YouTube/Vimeo video URLs
 - **Step 4 — Review:** Preview all information, confirm and submit
- Only authenticated users can register an organization
- One user can register multiple organizations
- Organization is created in "unverified" status
- Submission triggers admin notification for verification review
- User can save as draft and return later
- Form validation at each step (can't proceed with errors)
- Progress indicator shows current step and completion

US-2.2: Organization Profile Page

As a visitor, I want to view an organization's full profile so that I can learn about their mission before giving.

Acceptance Criteria:

- Page displays: cover photo, name, tagline, category badge, location, verification badge
- Stats section: total received (NGN), number of supporters, number of campaigns, founded year

- About section: full bio, denomination
- Photo gallery with lightbox viewer
- Videos section (embedded YouTube/Vimeo)
- List of organization's active campaigns (both ongoing and one-time)
- Share buttons: WhatsApp, Twitter, Facebook, copy link
- "Support this organization" CTA button
- If unverified: prominent "Organization not yet verified" notice
- 404 page if organization not found

US-2.3: Edit Organization Profile

As an organization admin, I want to update my organization's information so that it stays current.

Acceptance Criteria:

- Only the organization creator (or platform admin) can edit
- All fields from registration are editable
- Changes to critical fields (name, category) trigger re-verification review
- Media changes: can add/remove photos, update cover
- Changes save as draft until explicitly published
- Edit history is maintained (for admin audit)

US-2.4: Organization Verification

As a platform admin, I want to verify organizations so that donors can trust the causes on the platform.

Acceptance Criteria:

- Verification review queue shows all "pending" organizations
- Admin can view: all registration details, submitted documents, contact info
- Admin can approve (status → "verified"), reject (with reason), or request more information
- Verification criteria: legitimate organization, real location, verifiable leadership, genuine mission
- Verification badge displayed on organization profile and all their campaigns
- Notification sent to organization admin on verification decision
- Rejected organizations can re-apply after 30 days

- Verified organizations can flag urgent campaigns for faster approval

US-2.5: Organization Dashboard

As an organization admin, I want a dashboard to manage my campaigns, view donations, and track supporter growth.

Acceptance Criteria:

- Overview cards: total raised, total supporters, active campaigns, pending campaigns
 - Campaign list with: title, status, raised/goal, donor count, last donation date
 - Donation feed: recent donations with donor info (unless anonymous), amount, date
 - Recurring donor count and projected monthly income
 - Ability to post campaign updates from dashboard
 - Export donations as CSV (for accounting)
 - Notification center for new donations
-

MODULE 3: Campaign Creation & Management

3.1 Overview

Users create fundraising campaigns (one-time or ongoing) with different types and goals. Campaigns go through a creation wizard, review, and publishing workflow.

3.2 User Stories

US-3.1: Create One-Time Campaign

As a church leader, I want to create a one-time fundraising campaign so that I can raise money for a specific need (e.g., build a hall, buy equipment).

Acceptance Criteria:

- 6-step creation wizard:
 - **Step 1 — Mode:** Select "One-Time" (vs. "Ongoing")
 - **Step 2 — Type:** Select type: Raise Funds / Request Items / Find Volunteers / Professional Help / Emergency
 - **Step 3 — Story:** Campaign title (max 150 chars), faith category dropdown, detailed story (rich text, min 100 words), urgency level (low/medium/high/critical)

- **Step 4 — Details & Media:** Fundraising goal in NGN (min ₦5,000), cover image upload, gallery images (min 1), location
 - **Step 5 — Preview:** Full preview of campaign as donors will see it
 - **Step 6 — Publish:** Confirm and publish (or save as draft)
- Link to organization profile (if registered org admin)
 - Progress bar shows campaign completion during creation
 - Campaign is created in "draft" status
 - Publish triggers admin moderation queue
 - Draft campaigns can be edited and published later

US-3.2: Create Ongoing Campaign

As a missionary, I want to set up an ongoing support campaign so that people can support my work monthly or quarterly.

Acceptance Criteria:

- Steps 1-3 identical to one-time campaign
- **Step 4 — Details:** No fundraising goal (or optional target), cover image, gallery, location
- **Step 5 — Frequencies:** Select available frequencies: weekly, monthly, quarterly (at least one required)
- **Step 6 — Preview & Publish:** Same as one-time
- Ongoing campaigns show frequency options on campaign page
- No expiration date for ongoing campaigns
- Ongoing campaigns show "Ongoing Support" badge

US-3.3: Campaign Types

As a platform, we need to support different types of campaigns so that organizations can ask for various forms of help.

Acceptance Criteria:

- **Raise Funds:** Standard monetary campaign with goal
- **Request Items:** Lists specific items needed (e.g., "50 bags of rice, 100 chairs"); donors see a needs checklist
- **Find Volunteers:** Lists volunteer roles needed; donors can express interest
- **Professional Help:** Asks for specific professional skills (e.g., "accountant, architect"); donors can offer help

- **Emergency:** Marked with high/critical urgency; highlighted in UI; fast-tracked in moderation

US-3.4: Campaign Detail Page

As a donor, I want to see all details about a campaign so that I can make an informed decision to give.

Acceptance Criteria:

- Hero section: cover image, title, organization/raiser info, location, urgency badge
- Progress bar: raised amount / goal (NGN), donor count, days remaining (one-time) or "Ongoing" badge
- Tabbed content:
 - **Story:** Full campaign story (rendered markdown)
 - **Gallery:** Photo grid with lightbox, embedded videos
 - **Updates:** Chronological list of campaign updates from creator
 - **Comments:** Donor comments, ability to post (if authenticated)
- Sidebar/sticky widget: Donate button, amount presets, share buttons
- Recent donations list (names, amounts, dates — unless anonymous)
- If ongoing: frequency selector and "Set up recurring giving" CTA
- If one-time: progress bar + countdown to expiry
- Organization link (if applicable)
- 404 page for non-existent campaigns
- SEO: Open Graph tags, Twitter cards, structured data for Google

US-3.5: Campaign Updates

As a campaign creator, I want to post updates so that donors know how their giving is making a difference.

Acceptance Criteria:

- Only campaign creator can post updates
- Update has: title (max 200 chars), body (rich text), optional images
- Updates appear in reverse chronological order on campaign page
- Email notification sent to all donors when an update is posted
- Updates are permanent (cannot be deleted, only edited with "edited" badge)

US-3.6: Campaign Comments

As a donor, I want to leave a comment on a campaign so that I can encourage the creator and other donors.

Acceptance Criteria:

- Only authenticated users can comment
- Comment body: max 1000 characters
- Comments appear in chronological order
- Campaign creator can reply (threaded, 1 level deep)
- Comment author can edit/delete their own comments
- Deleted comments show "[Comment removed]" placeholder
- No profanity filtering in MVP (manual moderation)

US-3.7: Campaign Moderation

As a platform admin, I want to moderate campaigns before they go live so that we maintain platform integrity.

Acceptance Criteria:

- All new campaigns enter moderation queue upon publish
- Admin review: content appropriateness, legitimacy, completeness
- Admin can approve, reject (with reason), or request changes
- Approved campaigns go live immediately
- Rejected campaigns: creator notified with reason, can edit and resubmit
- Emergency campaigns: fast-tracked (reviewed within 2 hours)
- Automated checks: minimum content length, image count, goal reasonableness

MODULE 4: Donation Flow & Payments

4.1 Overview

The core giving experience — donors give to campaigns via Paystack with support for one-time and recurring donations, anonymous giving, optional tips, and transparent fee breakdown.

4.2 User Stories

US-4.1: One-Time Donation

As a donor, I want to make a one-time donation to a campaign so that I can support a cause I believe in.

Acceptance Criteria:

- Donation entry from campaign page or donate page
- Step 1 — Amount: Preset amounts (~~₦~~2,000 / ~~₦~~5,000 / ~~₦~~10,000 / ~~₦~~25,000 / ~~₦~~50,000) + custom amount field
- Minimum donation: ~~₦~~100; Maximum: ~~₦~~5,000,000
- Custom amount input validates: numeric, within range, no decimals
- Step 2 — Payment Method: Card, Bank Transfer, USSD (via Paystack)
- Step 3 — Options: Anonymous toggle, optional tip to AzarFaith (~~₦~~0 – ~~₦~~2,500), personal note (max 200 chars)
- Step 4 — Review: Amount, fee breakdown (platform fee 2.5% + Paystack fee), net amount to cause, tip amount, total charge
- Paystack inline popup for card payment
- On success: confirmation screen with receipt details, confetti animation, share buttons
- On failure: clear error message, option to retry, no charge
- Donation record created with status "pending" → "success" or "failed"
- Campaign's `raised` and `donors` counts updated atomically on success
- Organization's `totalReceived` and `supporters` updated atomically
- Email receipt sent to donor
- Push notification to campaign creator: "You received a donation of ~~₦~~X from [Donor Name]!"

US-4.2: Anonymous Donation

As a donor, I want to give anonymously so that my giving remains private.

Acceptance Criteria:

- Anonymous toggle on donation flow
- When enabled: donor name shows as "Anonymous Donor" on campaign page
- Donation record still tracks donor ID internally (for receipts and records)
- Campaign creator sees "Anonymous" in their donation feed
- Email receipt still shows donor's real name

- Statistics (donor count) still include anonymous donors

US-4.3: Donor Tip

As a donor, I want to leave an optional tip to AzarFaith so that I can support the platform.

Acceptance Criteria:

- Tip input appears after amount selection
- Preset tip amounts: ~~₦0~~ / ~~₦500~~ / ~~₦1,000~~ / ~~₦2,500~~ / Custom
- Tip is separate from donation amount
- Tip amount shown in review step
- Tip is charged in the same Paystack transaction
- Tip revenue goes to AzarFaith's Paystack account
- Donor can choose ~~₦0~~ (no tip) without any pressure or guilt-inducing UI

US-4.4: Recurring Donation — Automatic (Paystack Subscription)

As a donor, I want to set up automatic recurring giving so that I consistently support a cause without manual effort.

Acceptance Criteria:

- Available for ongoing campaigns only
- Donor selects frequency: weekly, monthly, or quarterly
- Donor selects amount (same validation as one-time)
- Paystack is configured with a subscription plan
- First charge is immediate; subsequent charges follow the frequency schedule
- Donor receives email confirmation: "Your ~~₦X~~ [monthly] gift to [Campaign] is set up!"
- Donor receives email reminder 3 days before each charge
- Each charge generates a new Donation record linked to the RecurringDonation
- If charge fails: retry after 3 days, up to 3 consecutive failures, then auto-cancel
- Donor notified on each failed charge
- Donor can pause, resume, or cancel from "My Giving" dashboard
- Campaign creator sees: "X recurring supporters, projected ~~₦Y~~/month"

US-4.5: Recurring Donation — Pledge (Reminder-Based)

As a donor, I want to set up a pledge where I'm reminded to give rather than auto-charged, so that I stay in control of my finances.

Acceptance Criteria:

- Donor selects "Pledge" mode during recurring setup
- Frequency and amount recorded
- Email/SMS reminder sent on each scheduled date
- Reminder includes direct link to donate page with pre-filled amount
- No automatic charge — donor must manually complete each donation
- If donor completes pledge: linked to the RecurringDonation record
- If donor misses 2 consecutive pledges: gentle reminder + option to cancel
- Pledge status tracked: on-track / missed / completed

US-4.6: Payment Failure Handling

As a platform, we need to gracefully handle payment failures so that donors aren't frustrated and campaigns aren't disrupted.

Acceptance Criteria:

- Clear error messages from Paystack are surfaced to donor
- Failed donations are logged but not counted in campaign totals
- Donor is offered retry option immediately
- For recurring: exponential backoff retry schedule (3 days, 7 days, 14 days)
- After 3 consecutive failures: recurring donation auto-cancelled, donor notified
- Campaign creator is NOT notified of individual failures (only aggregate stats affected)
- Stuck pending transactions are auto-resolved after 30 minutes (webhook-based)

US-4.7: Donation Receipts & Notifications

As a donor, I want to receive a receipt for my donation so that I have a record of my giving.

Acceptance Criteria:

- Email receipt sent immediately on successful donation
- Receipt includes: donor name, amount, campaign name, organization, date, transaction reference, fee breakdown
- Receipt is PDF-attached (or HTML email with print option)

- Donation history accessible from donor's profile
 - Campaign creator receives notification (name, amount, date — not financial details)
 - Monthly giving summary email sent to donors (total given, campaigns supported)
-

MODULE 5: Discovery & Search

5.1 Overview

Users browse, search, and filter campaigns and organizations to find causes they care about.

5.2 User Stories

US-5.1: Browse Campaigns

As a visitor, I want to browse campaigns so that I can discover causes to support.

Acceptance Criteria:

- Discover page shows campaigns in a responsive grid
- Tabs: All Campaigns / Ongoing / One-Time / Organizations
- Default sort: newest first
- Each card shows: cover image, title, organization/raiser, location, category badge, urgency badge (if high/critical), progress bar (one-time), frequency badge (ongoing)
- Infinite scroll or pagination (20 items per page)
- Loading skeletons during fetch
- Empty state: "No campaigns found" with CTA to create one

US-5.2: Search

As a donor, I want to search for campaigns by keyword so that I can find specific causes.

Acceptance Criteria:

- Search bar prominently placed on discover page
- Searches campaign titles, stories, organization names
- Real-time search with debounce (300ms)
- Search results highlight matching terms
- Recent searches saved locally (for logged-in users)
- Clear search option

- Minimum 3 characters to trigger search

US-5.3: Filter & Sort

As a donor, I want to filter campaigns by category, urgency, and type so that I can narrow down to what matters to me.

Acceptance Criteria:

- Filter by: faith category (8 options), urgency (4 levels), campaign type (5 options), location (state)
- Filters are composable (multiple can be active)
- Active filters shown as removable chips
- Sort by: newest, most funded, ending soon, most popular (donor count)
- Filter state persists in URL (shareable links)
- Clear all filters option
- Filter count badges show number of results per filter

US-5.4: Featured & Trending

As a donor, I want to see featured and trending campaigns on the home page so that I can quickly find impactful causes.

Acceptance Criteria:

- Home page hero section with featured campaign (admin-curated or algorithmically selected)
- "Featured Organizations" carousel (verified orgs with most supporters)
- "Ongoing Campaigns" section showing active recurring campaigns
- "One-Time Campaigns" section showing campaigns closest to goal
- Trending: campaigns with most donations in last 7 days
- Featured content refreshes daily

MODULE 6: Donor Dashboard & Giving History

6.1 Overview

Donors manage their giving activity, track recurring donations, and view their impact.

6.2 User Stories

US-6.1: My Giving Dashboard

As a donor, I want a dashboard showing all my giving activity so that I can track my generosity.

Acceptance Criteria:

- Two sections: Active Recurring / Completed One-Time
- Active Recurring list: campaign name, amount, frequency, next date, status (active/paused), cancel button
- Completed list: campaign name, amount, date, receipt link
- Total given: lifetime and current month
- Number of campaigns supported
- Impact summary: "You've supported X causes, impacting Y lives" (placeholder for future metrics)

US-6.2: Manage Recurring Donations

As a donor, I want to pause, resume, or cancel my recurring donations so that I can manage my giving based on my financial situation.

Acceptance Criteria:

- Pause: temporarily stops charges, preserves schedule, resume anytime
- Resume: reactivates with next scheduled charge
- Cancel: permanently stops recurring, asks for reason (optional), confirmation modal
- All changes take effect immediately
- Email confirmation for each action
- Campaign creator notified: "A recurring supporter has [paused/cancelled] their gift" (no donor identity in notification)

US-6.3: Donation Impact

As a donor, I want to see the impact of my donations so that I feel my giving matters.

Acceptance Criteria:

- On campaign detail page: "You've given ~~N~~X to this campaign" (if authenticated and donated)

- Campaign updates section: see how funds are being used
 - Monthly email digest: "Your giving this month: ~~N~~X across Y campaigns"
 - Future: impact metrics (lives touched, meals served, etc.) — not MVP
-

MODULE 7: Platform Admin Dashboard

7.1 Overview

Internal tools for AzarFaith team to manage organizations, campaigns, users, and platform health.

7.2 User Stories

US-7.1: Admin Authentication & Access

As a platform admin, I want secure access to the admin dashboard so that I can manage the platform.

Acceptance Criteria:

- Admin access restricted to users with `platform_admin` role
- Admin route guard: unauthorized users redirected to home
- Admin role assigned manually (no self-registration for admin)
- Admin session has shorter expiry (1 hour) for security
- All admin actions are audit-logged

US-7.2: Organization Verification Queue

As a platform admin, I want to review and verify organizations so that only legitimate causes are on the platform.

Acceptance Criteria:

- Queue shows all organizations with status "pending"
- Each entry shows: name, category, location, submitted date, contact info
- Detail view: all registration data, photos, bio
- Actions: Approve / Reject (with reason) / Request More Info
- Batch actions for bulk approval
- SLA tracking: organizations reviewed within 48 hours
- Notification to org admin on decision

US-7.3: Campaign Moderation Queue

As a platform admin, I want to review campaigns before they go live so that platform quality is maintained.

Acceptance Criteria:

- Queue shows all campaigns with status "pending"
- Each entry: title, type, mode, raiser, organization, submitted date
- Detail view: full campaign preview as donor would see it
- Actions: Approve / Reject (with reason) / Request Changes
- Emergency campaigns highlighted and prioritized
- Auto-approve option for verified organizations (configurable)
- Bulk moderation for high volume

US-7.4: User Management

As a platform admin, I want to manage users so that I can handle reports and maintain trust.

Acceptance Criteria:

- User list with search and filters (role, verification status, join date)
- User detail view: profile info, donations, campaigns, activity log
- Actions: Suspend (with reason), reactivate, change role
- Suspended users cannot login or make donations
- Suspension notification sent to user
- Appeal process: user can request review via email

US-7.5: Platform Analytics

As a platform admin, I want to see key metrics so that I can track platform health and growth.

Acceptance Criteria:

- Dashboard with cards: Total Users, Total Organizations, Total Campaigns, Total Raised (MTD, YTD)
- Charts: Donations over time, New users over time, Campaign creation rate
- Top campaigns by donation volume
- Top organizations by supporter count

- Geographic distribution of donations
- Recurring donation metrics: MRR, churn rate, avg. recurring amount
- Export data as CSV for reporting

US-7.6: Content Moderation

As a platform admin, I want to moderate comments and updates so that platform content remains appropriate.

Acceptance Criteria:

- Flagged content queue (auto-flagged or user-reported)
- Comment moderation: hide, delete, warn user
- Campaign update moderation: edit request, hide, remove
- User warning system: 3 warnings → account review → suspension
- No auto-moderation in MVP (manual review only)

MODULE 8: Notifications & Communications

8.1 Overview

Transactional emails, SMS, and in-app notifications to keep users engaged and informed.

8.2 User Stories

US-8.1: Transactional Emails

As a user, I want to receive relevant email notifications so that I stay informed about my giving activity.

Acceptance Criteria:

Trigger	Recipient	Email
Registration	New user	Welcome email with verification link
Password reset	User	Reset link (1 hour expiry)
Donation success	Donor	Receipt with details
Donation received	Campaign creator	Notification (amount, donor name or "Anonymous")

Campaign update	All donors of campaign	Update notification with link
Recurring charge	Donor	Upcoming charge reminder (3 days before)
Recurring failed	Donor	Failure notice with retry info
Recurring cancelled	Donor + Creator	Cancellation confirmation
Org verification	Org admin	Decision notification
Campaign approved	Campaign creator	Approval notification
Campaign rejected	Campaign creator	Rejection with reason
Monthly digest	Donor	Monthly giving summary

US-8.2: SMS Notifications

As a user, I want critical notifications via SMS so that I don't miss important updates.

Acceptance Criteria:

- OTP delivery (signup, login, password reset)
- Large donation alert (donations > ₦100,000): SMS to campaign creator
- Recurring payment failure: SMS to donor
- SMS is sent via Termii or Africa's Talking (Nigerian provider)

US-8.3: In-App Notifications

As a user, I want in-app notifications so that I see updates when I'm on the platform.

Acceptance Criteria:

- Notification bell icon in navbar with unread count badge
- Notification types: donations received, campaign updates, comments, system messages
- Mark as read / mark all as read
- Notification preferences: user can opt out of specific types
- Notifications stored in database, paginated loading
- Real-time not required for MVP (poll on page load)

MODULE 9: SEO, Sharing & Social

9.1 Overview

Optimize for organic discovery and social sharing to drive platform growth.

9.2 User Stories

US-9.1: SEO Optimization

As a platform, we want campaign and org pages to be SEO-optimized so that we rank in Google search results.

Acceptance Criteria:

- Server-side rendering (SSR) for all public pages
- Dynamic meta tags: title, description, OG tags, Twitter cards per page
- Open Graph image: campaign cover or org cover photo
- Structured data (JSON-LD): Organization, Event, or Product schema
- Sitemap.xml generated automatically
- robots.txt configured for crawling
- Canonical URLs to prevent duplicate content
- Page speed: Lighthouse score > 90

US-9.2: Social Sharing

As a donor, I want to share campaigns on social media so that I can help spread the word.

Acceptance Criteria:

- Share buttons on campaign detail page: WhatsApp, Twitter/X, Facebook, Copy Link
- Share link includes campaign title and preview image (via OG tags)
- WhatsApp share includes pre-filled message: "Support [Campaign Title] on AzarFaith: [link]"
- Twitter share includes campaign title and link
- Copy link with toast confirmation
- Share count displayed (optional, future)

US-9.3: Referral Tracking

As a platform, we want to track referral sources so that we understand our growth channels.

Acceptance Criteria:

- Share links include referral parameter (e.g., `?ref=user_abc`)
 - Referral stored with donation record
 - Referral source tracked: direct, social, email, search
 - Monthly report: top referrers, conversion rates by channel
-

MODULE 10: Security, Compliance & Trust

10.1 Overview

Ensure platform security, data protection, and trust mechanisms are robust.

10.2 User Stories

US-10.1: Input Validation & Sanitization

As a platform, we need to validate and sanitize all user inputs so that we prevent injection attacks and data corruption.

Acceptance Criteria:

- All inputs validated with Zod schemas on both client and server
- Rich text (stories, comments) sanitized against XSS (use DOMPurify)
- File uploads: validate type, size, and scan for malware (basic: extension + MIME type check)
- Rate limiting on all API endpoints: 100 requests/minute per user, 10 requests/minute for auth endpoints
- CSRF protection on all state-changing requests
- SQL injection prevented by Prisma parameterized queries

US-10.2: Data Privacy

As a user, I want my personal data to be protected so that I trust the platform.

Acceptance Criteria:

- Passwords hashed with bcrypt (12 rounds)
- Sensitive data encrypted at rest (phone numbers, BVN)
- HTTPS enforced on all pages

- No sensitive data in logs
- User data export available (GDPR-adjacent, good practice)
- Account deletion: user can request; PII anonymized within 30 days
- Privacy policy and terms of service pages

US-10.3: Trust Score System

As a donor, I want to see trust indicators so that I can evaluate the credibility of campaigns and organizations.

Acceptance Criteria:

- Verification badges: Verified (green), Pending (yellow), Unverified (gray)
- Organization verification requires: legitimate registration, real location, verifiable leadership
- Campaign trust signals: progress percentage, donor count, update frequency, creator verification
- Donor verification levels: Email verified, Phone verified, BVN verified
- Trust score displayed on profiles (internal metric, not exposed as number)

US-10.4: Fraud Prevention

As a platform, we need to detect and prevent fraudulent activity so that donors are protected.

Acceptance Criteria:

- Automated flags: duplicate campaigns, unusual donation patterns, rapid campaign creation
- Manual review queue for flagged items
- IP-based rate limiting for account creation
- Device fingerprinting for suspicious activity detection
- Campaign creation requires phone-verified account
- Donations over ₦500,000 trigger manual review
- Admin alert system for high-risk activity

8. Non-Functional Requirements

8.1 Performance

Metric	Target
First Contentful Paint (FCP)	< 1.5s
Largest Contentful Paint (LCP)	< 2.5s
Time to Interactive (TTI)	< 3.5s
Cumulative Layout Shift (CLS)	< 0.1
API Response Time (p95)	< 500ms
Database Query Time (p95)	< 100ms
Lighthouse Score	> 90

8.2 Scalability

- Target: 10,000 concurrent users at launch
- Database: connection pooling, read replicas if needed
- File storage: CDN-backed (Cloudflare R2)
- Stateless API: horizontal scaling via serverless
- Caching: TanStack Query client-side, Redis for hot data (future)

8.3 Availability

- Target uptime: 99.9% (8.76 hours downtime/year max)
- Health check endpoint for monitoring
- Graceful degradation: cached pages served if API is down
- Error boundaries on all page components

8.4 Accessibility

- WCAG 2.1 AA compliance
- Keyboard navigation on all interactive elements
- Screen reader compatible (semantic HTML, ARIA labels)
- Color contrast ratio: 4.5:1 minimum
- Focus indicators visible
- Alt text required on all images

8.5 Browser Support

- Chrome (last 2 versions)

- Firefox (last 2 versions)
- Safari (last 2 versions)
- Edge (last 2 versions)
- Mobile Safari (iOS 15+)
- Chrome for Android

9. Design System & Brand Guidelines

9.1 Color Palette

Color	Usage	Value
Primary	CTA buttons, links, accents	Amber/Gold (#F59E0B family)
Secondary	Supporting elements	Warm cream/tan
Background	Page background	White / Off-white
Text Primary	Headings, body	Dark charcoal/black
Text Secondary	Captions, labels	Gray
Success	Verified badges, success states	Green
Warning	Pending states	Yellow
Error	Errors, urgency	Red
Surface	Cards, modals	White with subtle shadow

9.2 Typography

Role	Font	Weight
Display	Fraunces	600-900
Heading	Fraunces	600-700
Body	Plus Jakarta Sans	400-600
Caption	Plus Jakarta Sans	400
Mono	JetBrains Mono	400

9.3 Component Library

- Build with shadcn/ui as base
 - Custom components: Campaign Card, Org Card, Donation Widget, Progress Bar, OTP Input, Multi-step Wizard, File Upload
 - Responsive: mobile-first, breakpoints at sm(640), md(768), lg(1024), xl(1280)
-

10. API Endpoints (Summary)

Authentication

- `POST /api/auth/register` — Register new user
- `POST /api/auth/login` — Login
- `POST /api/auth/logout` — Logout
- `POST /api/auth/refresh` — Refresh token
- `POST /api/auth/forgot-password` — Send reset email
- `POST /api/auth/reset-password` — Reset password
- `POST /api/auth/verify-otp` — Verify phone OTP
- `POST /api/auth/resend-otp` — Resend OTP
- `GET /api/auth/google` — Google OAuth redirect
- `GET /api/auth/google/callback` — Google OAuth callback

Users

- `GET /api/users/me` — Get current user
- `PATCH /api/users/me` — Update profile
- `POST /api/users/me/avatar` — Upload avatar
- `PATCH /api/users/me/password` — Change password
- `GET /api/users/me/sessions` — List active sessions
- `DELETE /api/users/me/sessions/:id` — Revoke session

Organizations

- `POST /api/orgs` — Create organization
- `GET /api/orgs` — List organizations (with filters)
- `GET /api/orgs/:id` — Get organization detail

- `PATCH /api/orgs/:id` — Update organization
- `GET /api/orgs/:id/campaigns` — List org's campaigns
- `GET /api/orgs/:id/donations` — List org's donations

Campaigns

- `POST /api/campaigns` — Create campaign
- `GET /api/campaigns` — List campaigns (with filters, search, sort)
- `GET /api/campaigns/:id` — Get campaign detail
- `PATCH /api/campaigns/:id` — Update campaign
- `DELETE /api/campaigns/:id` — Delete campaign (soft delete)
- `POST /api/campaigns/:id/publish` — Publish draft
- `GET /api/campaigns/:id/updates` — List updates
- `POST /api/campaigns/:id/updates` — Post update
- `GET /api/campaigns/:id/comments` — List comments
- `POST /api/campaigns/:id/comments` — Post comment
- `DELETE /api/campaigns/:id/comments/:commentId` — Delete comment

Donations

- `POST /api/donations` — Initiate donation (returns Paystack authorization URL)
- `GET /api/donations/:id` — Get donation detail
- `GET /api/donations` — List user's donations
- `POST /api/donations/webhook` — Paystack webhook handler

Recurring Donations

- `POST /api/recurring` — Set up recurring donation
- `GET /api/recurring` — List user's recurring donations
- `PATCH /api/recurring/:id/pause` — Pause recurring
- `PATCH /api/recurring/:id/resume` — Resume recurring
- `DELETE /api/recurring/:id` — Cancel recurring

Admin

- `GET /api/admin/orgs/pending` — Pending organizations
 - `PATCH /api/admin/orgs/:id/verify` — Approve/reject org
 - `GET /api/admin/campaigns/pending` — Pending campaigns
 - `PATCH /api/admin/campaigns/:id/moderate` — Approve/reject campaign
 - `GET /api/admin/users` — List users
 - `PATCH /api/admin/users/:id/suspend` — Suspend user
 - `GET /api/admin/analytics` — Platform metrics
-

11. Deployment & DevOps

11.1 Environments

Environment	Purpose	URL
Development	Local dev	localhost:3000
Staging	Pre-production testing	staging.azarfaith.com
Production	Live platform	azarfaith.com

11.2 CI/CD Pipeline

1. Push to `main` → triggers staging deployment
2. Staging tests pass → manual promotion to production
3. Pull requests → preview deployments on Vercel
4. All PRs require: lint pass, type check, test pass, code review

11.3 Monitoring & Observability

- Vercel Analytics for web vitals
- Sentry for error tracking (client + server)
- Database monitoring via Supabase/Neon dashboard
- Paystack dashboard for payment reconciliation
- Uptime monitoring (BetterStack or UptimeRobot)

- Log aggregation (Vercel Logs or Axiom)

11.4 Backups

- Database: daily automated backups, 30-day retention
- File storage: versioning enabled on R2/S3
- Restore procedure documented and tested quarterly

12. Success Metrics & KPIs

Category	Metric	Target (6 months)
Growth	Registered donors	5,000
Growth	Verified organizations	50
Growth	Active campaigns	200
Revenue	Monthly donation volume	₦10M
Revenue	Platform fee revenue	₦250K/month
Engagement	Recurring donor rate	30% of donors
Engagement	Campaign completion rate	60%+
Trust	Org verification rate	80%+
Trust	Fraud incidents	< 0.1% of transactions
Performance	Lighthouse score	> 90
Retention	Monthly active donors	60% of registered

13. Milestones & Phasing

Phase 1: Foundation (Weeks 1-4)

- ☐ Project setup (TanStack Start, Tailwind, shadcn/ui, Prisma, Supabase)
- ☐ Database schema and migrations
- ☐ Authentication system (email/password, OTP, Google OAuth)
- ☐ User profile management
- ☐ Basic layout and navigation

Phase 2: Core Platform (Weeks 5-8)

- ☐ Organization registration and profile pages
- ☐ Campaign creation wizard
- ☐ Campaign detail pages
- ☐ Discovery/search/browse
- ☐ File upload infrastructure

Phase 3: Payments & Giving (Weeks 9-12)

- ☐ Paystack integration (one-time donations)
- ☐ Recurring donation setup (Paystack subscriptions)
- ☐ Pledge-based recurring (reminder emails)
- ☐ Donation receipts and notifications
- ☐ Donor dashboard and giving history

Phase 4: Admin & Trust (Weeks 13-16)

- ☐ Platform admin dashboard
- ☐ Organization verification workflow
- ☐ Campaign moderation workflow
- ☐ User management
- ☐ Analytics dashboard
- ☐ Trust and verification system

Phase 5: Polish & Launch (Weeks 17-20)

- ☐ SEO optimization
 - ☐ Social sharing
 - ☐ Email templates and notifications
 - ☐ Performance optimization
 - ☐ Accessibility audit
 - ☐ Security audit
 - ☐ Load testing
 - ☐ Bug fixes and polish
 - ☐ Staging testing
 - ☐ Production deployment
-

14. Open Questions (For Stakeholder Alignment)

1. **Org Verification Fee:** Should organizations pay a verification fee (e.g., ₦5,000) to reduce spam registrations?
 2. **Campaign Expiry:** Should one-time campaigns auto-expire after 90 days, or should creators set custom expiry?
 3. **Platform Fee:** Is 2.5% the final fee structure? Should there be a minimum fee (e.g., ₦50)?
 4. **Emergency Campaigns:** Should emergency campaigns bypass moderation (auto-approved for verified orgs)?
 5. **Multi-currency:** Any near-term need for USD/GBP support for diaspora donors?
 6. **Mobile App:** Is a PWA sufficient, or is a native app planned for Phase 2?
 7. **Tax Deductions:** Are there plans for partnership with organizations that provide tax receipts?
 8. **Withdrawal:** How do organizations withdraw funds from the platform — direct Paystack transfer, manual disbursement?
-

15. Appendix

A. Glossary

Term	Definition
Campaign	A fundraising initiative (one-time or ongoing)
Organization	A verified faith-based entity on the platform
Raiser	The user who creates a campaign
Donor	A user who makes a donation
Recurring Donation	An automatic or pledge-based periodic donation
Platform Fee	AzarFaith's commission on donations (2.5%)
Paystack Fee	Payment processor's fee (varies by payment method)
Verification	Admin-reviewed process confirming an organization's legitimacy
Faith Category	Classification of a campaign's religious/charitable purpose

B. Competitive Landscape

Platform	Strength	Weakness
GoFundMe	Global reach, brand trust	Not NGN-native, no faith focus
Donorbox	Recurring giving, integrations	US-centric, no Nigerian payment methods
Pure Charity	Faith-based, church-focused	Limited Nigerian presence
Paystack Giving	Native payments	Not purpose-built for faith-based giving

AzarFaith's Differentiation: Nigeria-first, faith-focused, NGN-native, organization verification, recurring giving built-in.

End of PRD