Jupyter as Your Incident Management Tool

DevOps as Science

Moshe Zadka – https://cobordism.com

2021

Acknowledgement of Country

Belmont (in San Francisco Bay Area Peninsula)
Ancestral homeland of the Ramaytush Ohlone

Jupyter Notebooks

- Language agnostic console
- Saves inputs/outputs in JSON
- Can export to HTML, Markdown, etc.

Jupyter Kernels

- Language execution engine
- IPyKernel in a virtual environment

Data Science Origins

- Sharing work
- Executable format
- Exploration

Imaginary Stack

- Some vague "Service"
- Our team is in charge of its SLAs
- As luck would have it, a page comes in...

Symptom

- P90 latency is spiking
- Each server has different "typical behavior"
- Figure out which server is misbehaving and fix

Spoiler

- Not a detective story!
- Core file dumped resulting in some queries take too long

Spoiler

```
image = Image.open("prometheus.png")
width, height = image.size
image.resize((width//4, height//4))
```



Figure: png

Query Data

```
now = datetime.datetime.now()
five_minutes_agp = (
    now - datetime.timedelta(minutes=5))
data = httpx.get(
    f"http://localhost:9090/api/v1/query_range"
    "?query=level"
    f"&start={five_minutes_agp.timestamp()}"
    f"&end={now.timestamp()}&step=10s").json()


(data["data"]["result"][0]["metric"],
 data["data"]["result"][0]["values"][:2])


({'__name__': 'level',
  'instance': 'localhost:8080',
  'job': 'my_service',
  'which': 'object1'},
```

Analyze Data

```
amplitudes = {}
for result in data["data"]["result"]:
    which = result["metric"]["which"]
    values = [float(value)
              for when, value in result["values"]]
    amplitudes[which] = max(values) - min(values)
max(amplitudes.items(),
    key=operator.itemgetter(1))
```

```
('object4', 13.641418227003584)
```

We Know The Culprit

That dastardly object4!

We Know The Culprit

That dastardly object4!
Now let's find out what the problem is.

Boto3

```
with open("aws_params.json") as fpin:
    params = json.loads(fpin.read())

ec2 = boto3.client("ec2", **params)
```

```
instances = ec2.describe_instances()
for reservation in instances["Reservations"]:
    for instance in reservation["Instances"]:
        for tag in instance.get("Tags", []):
            if (tag["Key"] == "kind"
                and tag["Value"] == "object4"):
                object4_instance = instance
print(object4_instance["InstanceId"])
```

```
i-6e02ec9badfdcc9f5
```

We Know The Culprit

We Found the instance

We Know The Culprit

We Found the instance
i-something-or-other

We Know The Culprit

We Found the instance
i-something-or-other
Time to fix the issue

Connect to Host

```
client = paramiko.SSHClient()
client.set_missing_host_key_policy(
    paramiko.client.WarningPolicy)
client.connect(
    object4_instance["PrivateIpAddress"],
    username="root")
```

```
/home/moshez/.virtualenvs/jupyter-incident/lib/pyth
  warnings.warn(
```

Confirm the Problem

```
stdin, stdout, stderr = client.exec_command('ls')
stdin.close()
print(stdout.read().decode("utf-8"))
```

```
core
```

Fix the Problem

```
stdin, stdout, stderr = client.exec_command(
    'rm ~/core')
stdin.close()
stdin, stdout, stderr = client.exec_command('ls')
print("-------\n",
      stdout.read().decode("utf-8"),
      "\n-------")
```

Post-Incident

- Duplicate notebook

Post-Incident

- Duplicate notebook
- Add notes in Markdown

Post-Incident

- Duplicate notebook
- Add notes in Markdown
- Export to HTML
- Attach HTML + Notebook to incident ticket

Final Thoughts

- Incident resolution is exploratory

Final Thoughts

- Incident resolution is exploratory
- This is not an auditing tool!

Final Thoughts

- Incident resolution is exploratory
- This is not an auditing tool!
- Share knowledge

Final Thoughts

- Incident resolution is exploratory
- This is not an auditing tool!
- Share knowledge
- Be prepared for retrospective