

**QUESTIONS** 20 / 20 completed

Palindrome

## PALINDROME

Write a Java program to check if a given string is a palindrome or not.

### PROGRAM EDITOR

Java



Run

Save

```
1 import java.util.*;
2 public class Main {
3     public static void main(String[] args) {
4         Scanner sc = new Scanner(System.in);
5         String s = sc.nextLine();
6         String r = new StringBuilder(s).reverse().toString();
7         System.out.println(s.equals(r) ? "Palindrome" : "Not Palindrome");
8     }
9 }
```

### OUTPUT

Palindrome

### INPUT

elle

QUESTIONS 20 / 20 completed

Occurrence ▾

## OCCURRENCE

Write a Java program to count the number of occurrences of a given character in a string.

## PROGRAM EDITOR

Java ▾

Run

Save

```
1 import java.util.Scanner;
2 public class Main {
3     public static void main(String[] args) {
4         Scanner sc = new Scanner(System.in);
5         String str = sc.nextLine();
6         char ch = sc.nextLine().charAt(0);
7         int count = 0;
8         for (int i = 0; i < str.length(); i++) {
9             if (str.charAt(i) == ch) {
10                 count++;
11             }
12         }
13         System.out.println("Number of occurrences of '" + ch + "' = " + count);
14         sc.close();
15     }
16 }
```

## OUTPUT

```
Number of occurrences of 'l' = 3
```

## INPUT

```
hello world
l
```

QUESTIONS 20 / 20 completed

Check

## CHECK

Write a Java program to check if a given string contains only digits.

## PROGRAM EDITOR

Java



Run

Save

```
1 import java.util.*;
2 public class Main {
3     public static void main(String[] args) {
4         Scanner sc = new Scanner(System.in);
5         String s = sc.nextLine();
6         if (s != null && !s.isEmpty() && s.matches("\\d+")) {
7             System.out.println("The string contains only digits.");
8         } else {
9             System.out.println("The string does not contain only digits.");
10        }
11        sc.close();
12    }
13 }
```

## OUTPUT

```
The string contains only digits.
```

## INPUT

123

QUESTIONS 20 / 20 completed

Length ▾

## LENGTH

Write a Java program to find the length of the longest substring without repeating characters in a given string.

PROGRAM EDITOR

Java ▾

Run

Save

```
1 import java.util.Scanner;
2 import java.util.HashSet;
3 public class Main {
4     public static void main(String[] args) {
5         Scanner scanner = new Scanner(System.in);
6         if (scanner.hasNextLine()) {
7             String s = scanner.nextLine();
8             System.out.println(lengthOfLongestSubstring(s));
9         } else {
10            System.out.println(0);
11        }
12        scanner.close();
13    }
14    public static int lengthOfLongestSubstring(String s) {
15        int n = s.length();
16        int maxLength = 0;
17        int left = 0;
18        int right = 0;
19        HashSet<Character> set = new HashSet<>();
20        while (right < n) {
21            if (!set.contains(s.charAt(right))) {
```

INPUT

abcabcbb

OUTPUT

3



QUESTIONS 20 / 20 completed

Lower

## LOWER

Write a Java program to convert a given string to lowercase.

### PROGRAM EDITOR

Java



Run

Save

```
1 import java.util.Scanner;  
2 public class Main {  
3     public static void main(String[] args) {  
4         Scanner scanner = new Scanner(System.in);  
5         if (scanner.hasNextLine()) {  
6             String input = scanner.nextLine();  
7             String lowerCaseString = input.toLowerCase();  
8             System.out.println(lowerCaseString);  
9         }  
10        scanner.close();  
11    }  
12 }
```

### OUTPUT

```
hello world
```

### INPUT

HELLO WORLD

**QUESTIONS** 20 / 20 completed

Remove

**REMOVE**

Write a Java program to remove all white spaces from a given string.

**PROGRAM EDITOR**

Java



Run

Save

```
1 import java.util.Scanner;
2 public class Main {
3     public static void main(String[] args) {
4         Scanner sc = new Scanner(System.in);
5         if (sc.hasNextLine()) {
6             String input = sc.nextLine();
7             String result = input.replaceAll("\\s", "");
8             System.out.println(result);
9         }
10        sc.close();
11    }
12 }
```

**OUTPUT**

HelloWorld

**INPUT**

Hello World

**QUESTIONS** 20 / 20 completed

Reverse

## REVERSE

Write a Java program to reverse a given string.

### PROGRAM EDITOR

Java

Run

Save

```
1 import java.util.Scanner;  
2 public class Main {  
3     public static void main(String[] args) {  
4         Scanner sc = new Scanner(System.in);  
5         if (sc.hasNextLine()) {  
6             String input = sc.nextLine();  
7             StringBuilder sb = new StringBuilder(input);  
8             String reversed = sb.reverse().toString();  
9             System.out.println(reversed);  
10        }  
11        sc.close();  
12    }  
13 }
```

### OUTPUT

olleH

### INPUT

Hello

**QUESTIONS** 20 / 20 completed

Concatenate ▾

## CONCATINATE

Write a Java program to concatenate two given strings.

## PROGRAM EDITOR

Java ▾

Run

Save

```
1 import java.util.Scanner;
2 public class Main {
3     public static void main(String[] args) {
4         Scanner sc = new Scanner(System.in);
5         String str1 = sc.nextLine();
6         String str2 = sc.nextLine();
7         String result = str1 + str2;
8         System.out.println(result);
9         sc.close();
10    }
11 }
```

## OUTPUT

JavaProgramming

## INPUT

Java  
Programming



QUESTIONS 20 / 20 completed

Repeat

## REPEAT

Write a Java program to find the first non-repeated character in a given string.

## PROGRAM EDITOR

Java

Run

Save

```
1 import java.util.*;
2 public class Main {
3     public static void main(String[] args) {
4         Scanner sc = new Scanner(System.in);
5         String s = sc.nextLine();
6         int[] freq = new int[256];
7         for (int i = 0; i < s.length(); i++) {
8             freq[s.charAt(i)]++;
9         }
10        char ans = '\0';
11        for (int i = 0; i < s.length(); i++) {
12            if (freq[s.charAt(i)] == 1) {
13                ans = s.charAt(i);
14                break;
15            }
16        }
17        if (ans != '\0')
18            System.out.println("OUTPUT: " + ans);
19        else
20            System.out.println("OUTPUT: -1");
21    }
```

## OUTPUT

OUTPUT: w

## INPUT

swiss

QUESTIONS 20 / 20 completed

Frequent

## FREQUENT

Write a Java program to find the most frequent word in a given string.

## PROGRAM EDITOR

Java

Run

Save

```
1 import java.util.*;
2 public class Main {
3     public static void main(String[] args) {
4         Scanner sc = new Scanner(System.in);
5         String input = sc.nextLine();
6         input = input.toLowerCase();
7         String[] words = input.trim().split("\\W+");
8         Map<String, Integer> freq = new HashMap<>();
9         for (String w : words) {
10             if (!w.isEmpty()) {
11                 freq.put(w, freq.getOrDefault(w, 0) + 1);
12             }
13         }
14         String mostFrequentWord = "";
15         int maxCount = 0;
16         for (Map.Entry<String, Integer> entry : freq.entrySet()) {
17             if (entry.getValue() > maxCount) {
18                 maxCount = entry.getValue();
19                 mostFrequentWord = entry.getKey();
20             }
21         }
```

## OUTPUT

```
Most frequent word: hello
Frequency: 2
```

## INPUT

hello world hello