

```
1 import numpy as np
2 temperature_data = {
3     "Chennai": [30, 32, 31, 33, 34, 35, 36],
4     "Delhi": [20, 25, 30, 35, 40, 28, 22],
5     "Mumbai": [28, 29, 30, 31, 29, 30, 28],
6     "Bangalore": [24, 25, 26, 24, 25, 26, 25]
7 }
8 mean_temp = {}
9 std_temp = {}
10 temp_range = {}
11 for city, temps in temperature_data.items():
12     temps_array = np.array(temps)
13     mean_temp[city] = float(np.mean(temps_array))
14     std_temp[city] = float(np.std(temps_array))
15     temp_range[city] = int(np.max(temps_array) - np.min(temps_array))
16 highest_range_city = max(temp_range, key=temp_range.get)
17 consistent_city = min(std_temp, key=std_temp.get)
18 print("Mean Temperature:", mean_temp)
19 print("Standard Deviation:", std_temp)
20 print("Temperature Range:", temp_range)
21 print("City with Highest Temperature Range:", highest_range_city)
22 print("Most Consistent Temperature City:", consistent_city)
```

Mean Temperature: {'Chennai': 33.0, 'Delhi': 28.571428571428573, 'Mumbai': 29.285714285714285, 'Bangalore': 25.0}

Standard Deviation: {'Chennai': 2.0, 'Delhi': 6.586938219084859, 'Mumbai': 1.0301575072754254, 'Bangalore': 0.7559289460184544}

Temperature Range: {'Chennai': 6, 'Delhi': 20, 'Mumbai': 3, 'Bangalore': 2}

City with Highest Temperature Range: Delhi

Most Consistent Temperature City: Bangalore