

GC27-3270-04
File No. S370-30

Systems

3270BBS Terminal User's Guide: Users and Moderators

3270BBS Version 4.2.5

m o s h i x

Edition Notice

Fifth Edition (September 2026)

This edition applies to Version 4.2.5 of 3270BBS and to all subsequent versions and modifications until otherwise indicated in new editions. Changes are made periodically to the information herein; before using this publication in connection with the operation of a bulletin board system, consult the release notices distributed by your system operator.

Information in this publication is subject to change. Any such change will be reported in a new edition or in a technical newsletter posted in the **3270BBS** conference of the system to which this publication applies.

Screens reproduced in this publication were captured from a running 3270BBS system with a Model 2, Model 3 or Model 4 display station; 3270BBS supports all three. The exact contents of your screens depend on the options your system operator has enabled, on your access level, and on the activity of the community.

Requests for copies of this publication should be made to your system operator. A form for readers' comments is provided at the back of this publication; it may also be posted as a topic in the **3270BBS** conference.

Copyright 2025, 2026 by moshix. All rights reserved.

3270BBS is the community name of the TSU program product. Other product and company names mentioned herein, including IBM, MVS, z/OS, ISPF, SDSF and TSO, are used for descriptive purposes only.

Preface

About This Publication

This publication is a guide for *users* and *moderators* of 3270BBS. It describes every function that is available to you at a display station. Functions reserved for the system operator (the administrator of the system) are mentioned only where they explain something you can see, and are not described in detail.

Who Should Read This Publication

Read this publication if you hold an account on a 3270BBS system. No previous experience of mainframe systems is assumed, although if you have used TSO, ISPF or SDSF you will recognise a good deal of what follows. Chapter 21 is addressed to conference moderators; the rest of the book applies to everyone.

How This Publication Is Organized

- **Chapters 1 through 4** introduce the system, describe how to log on, and explain the two menus, the function keys and virtual sessions.
- **Chapters 5 through 11** describe the community functions: conferences and topics, the content editor, mail, notes, `bbs://` links, the user rolodex, one-liners, the summon function and live chat.
- **Chapters 12 through 15** describe your profile and preferences, printing and held output, the system displays, and the TSO command line.
- **Chapters 16 and 17** describe the BASIC and Assembler environments, including the full-screen ISPF-style editor and the file browser that both of them use.
- **Chapters 18 through 20** describe the games, the marketplace and the doors to other systems.
- **Chapter 21** describes the additional functions available to conference moderators.
- **Appendixes A through D** summarise the function keys, the text colour tags and the messages you may see, and define the terms used in this book.

Conventions Used in This Publication

- Keys are shown as **F3**, **ENTER**, **PA1**, **CLEAR**. On most 3270 emulators the keys **F13** through **F24** are produced by holding **Shift** while pressing **F1** through **F12**.
- Things you type are shown in THIS TYPEFACE. Text that the system displays is shown the same way when it is quoted in a sentence.
- Screens captured from a running system are shown as numbered figures. Each caption states whether the screen was taken on a Model 2 (24 x 80), a Model 3 (32 x 80) or a Model 4 (43 x 80) display station, and names the file in which the capture is kept.
- The abbreviation **PF** and the letter **F** are used interchangeably for the program function keys, as they are on the screens themselves.

Related Publications

- *Timesharing BASIC/3270BBS Language Manual* — the complete description of the BASIC language, at https://github.com/moshix/3270bbs/blob/main/basic_manual.md, and summarised by the HELP command at the BASIC command line.
- *Timesharing Assembler Manual* — the complete description of the System/360 assembler subset, at https://github.com/moshix/3270bbs/blob/main/assembler_manual.md, and summarised by the HELP command at the assembler command line.
- The program itself, and the rest of its documentation, at <https://github.com/moshix/3270bbs>.
- *Configuring 3270BBS* — for system operators.

Contents

Edition Notice	i
About This Publication	ii
Who Should Read This Publication	ii
How This Publication Is Organized	ii
Conventions Used in This Publication	ii
Related Publications	iii
Introduction to 3270BBS	1-1
Display Station Requirements	1-1
Ways to Reach the System	1-2
The Parts of a Screen	1-3
Logging On and Logging Off	2-1
The Logon Screen	2-1
Registering as a New User	2-2
Recovering a Lost Password	2-2
Logging Off	2-3
Using the Menus	3-1
The Main Menu	3-1
The Extended Menu	3-3
Shortcuts	3-6
Typed Commands	3-6
Function Keys That Work Almost Everywhere	3-7
F2 — What's New	3-9
F4 — Summoning Another User	3-9
F6 — System Information	3-10
F13 — Changing the Menu Colours	3-11
Virtual Sessions	4-1
Conferences, Topics and Posts	5-1
Listing the Conferences	5-1
Subscriptions	5-3
Listing the Topics in a Conference	5-3
Sorting a List	5-5
Reading a Topic	5-6
Starting a Topic	5-9
Replying	5-9

Changing or Removing Your Own Post	5-9
Searching the Whole System	5-9
Writing: the Content Editor	6-1
The Changed Indicator	6-2
Editor Commands	6-2
Editor Function Keys	6-3
The Editing Keys in Practice	6-5
Colour Tags	6-9
Signatures	6-10
Drawing Boxes	6-11
Mail	7-1
The Inbox	7-1
Reading a Message	7-2
Writing a Message	7-4
Mail To and From the Internet	7-4
Notes	8-1
The Reserved Subjects	8-3
Reaching Your Notes by FTP	8-4
Linking to Content: bbs:// Links	9-1
The Form of a Link	9-1
The Link Clipboard	9-1
Copying, Pasting and Following	9-1
Following a Link From the Command Line	9-3
Finding and Reaching People	10-1
The User Rolodex	10-1
The Wall of One-Liners	10-2
Summoning	10-3
Being Fingered From Outside	10-3
Live Chat	11-1
The Room Topic	11-3
Points to Remember	11-3
Your Profile and Preferences	12-1
Account Information	12-2
Preferences	12-3

Function Keys on the Profile Screen	12-5
Changing Your Password	12-5
Setting Your Time Zone	12-6
Your About Me Page	12-6
Closing Your Account	12-6
Printing, Held Output and Mail Limits	13-1
What You Can Print	13-1
Where It Goes: the Print to Held Preference	13-1
The Held Output Queue	13-1
Reading a Held Job	13-4
Nothing Is Cleaned Up For You	13-4
Limits on Outgoing Mail	13-4
System Displays	14-1
SDSF: System Activity	14-1
DELTAMON: Performance Monitor	14-2
User Performance: Who Is Using the Machine	14-4
DBMON: the Database Transaction Monitor	14-4
The MVS Console	14-5
The Clock	14-7
Market Data	14-8
DSLIS: the Data Set List	14-9
Other Displays	14-10
The TSO Command Line	15-1
Examples	15-3
Programming in BASIC	16-1
Writing and Running a Program	16-1
Commands	16-3
Keys at the BASIC Command Line	16-4
Your Files	16-4
Worked Examples	16-5
The File Browser	16-8
The Full-Screen Editor	16-9
The Language	16-12
Limits	16-13

Programming in Assembler	17-1
Commands	17-2
Assembling and Running	17-4
Checking and Listing a Program	17-4
The Machine	17-6
Macros	17-6
Limits	17-7
Games	18-1
Balloon	18-1
Blackjack	18-2
Space Invaders	18-2
Flappy Bird	18-3
Wordle	18-4
Checkers	18-5
The Marketplace	19-1
Posting an Item	19-2
Doors to Other Systems	20-1
Coming Back: the PA3 Key	20-1
Guide for Moderators	21-1
The Moderator's Options	21-1
Managing Topics	21-1
Managing Posts	21-2
Conferences	21-2
Chat	21-2
Practice	21-3
Summary of Function Keys	A-1
Everywhere	A-1
The Menus	A-1
Conferences, Topics and Posts	A-2
The Content Editor	A-3
The ISPF-Style Editor	A-3
Mail, Notes and the Rest	A-4
Games and Displays	A-5
Summary of Colour Tags	B-1

Messages	C-1
Logging On	C-1
Writing and Posting	C-1
Links	C-2
Printing and Mail	C-2
Programming	C-3
The Console	C-4
Glossary	D-1
A	D-1
B	D-1
C	D-1
D	D-2
E	D-2
F	D-2
H	D-2
I	D-2
J	D-3
L	D-3
M	D-3
N	D-3
O	D-4
P	D-4
R	D-4
S	D-5
T	D-5
V	D-6
W	D-6

Figures

Figure 1-1. Supported display stations	1-1
Figure 1-2. The main menu on a Model 3 display station	1-2
Figure 2-1. The logon screen	2-1
Figure 2-2. Function keys on the logon screen	2-1
Figure 2-3. Registration fields	2-2
Figure 3-1. The main menu on a Model 2 display station	3-1
Figure 3-2. The main menu information panel	3-1
Figure 3-3. Main menu options	3-2
Figure 3-4. The main menu on a Model 4 display station	3-3
Figure 3-5. The extended menu	3-4
Figure 3-6. Extended menu options	3-5
Figure 3-7. The COMMANDS overlay, listing typed commands	3-6
Figure 3-8. Typed commands available from either menu	3-7
Figure 3-9. The main help panel	3-8
Figure 3-10. Universal function keys	3-9
Figure 3-11. The SUMMON USER overlay	3-10
Figure 3-12. The System Information overlay	3-11
Figure 4-1. Virtual session keys	4-1
Figure 4-2. The Virtual Session Status overlay	4-2
Figure 5-1. The Available Conferences screen	5-2
Figure 5-2. Function keys on the conference list	5-2
Figure 5-3. Conference Subscription Management	5-3
Figure 5-4. The topic list for one conference	5-4
Figure 5-5. Function keys on the topic list	5-5
Figure 5-6. Reading a topic	5-6
Figure 5-7. The topic view function key panel	5-7
Figure 5-8. Function keys while reading a topic	5-8
Figure 5-9. The Search and Data Set List menu	5-10
Figure 6-1. The content editor, opened to reply to a topic	6-1
Figure 6-2. Text typed into the editor, with colour tags. The red asterisk at the right of the Command line says the text has been changed	6-2
Figure 6-3. Content editor commands	6-3
Figure 6-4. The content editor function key panel	6-3
Figure 6-5. Content editor function keys	6-4
Figure 6-6. A line copied with F16 and pasted below with F18	6-6

Figure 6-7. A line boxed with F11	6-7
Figure 6-8. F2 has found two misspelled words	6-8
Figure 6-9. A signature appended with F21	6-9
Figure 6-10. Text colour tags	6-10
Figure 7-1. The mail inbox	7-1
Figure 7-2. Function keys on the mail list	7-2
Figure 7-3. Reading a message	7-2
Figure 7-4. The message view function key panel	7-3
Figure 7-5. Function keys while reading a message	7-3
Figure 7-6. Choosing the recipients of a message	7-4
Figure 8-1. The notes list	8-1
Figure 8-2. Function keys on the notes list	8-2
Figure 8-3. Reading a note	8-2
Figure 8-4. Function keys while reading a note	8-3
Figure 8-5. The notes help panel, listing the reserved subjects	8-4
Figure 8-6. Reserved note subjects	8-4
Figure 9-1. Where F22 works, and what it does there	9-2
Figure 10-1. The user rolodex	10-1
Figure 10-2. Keys on the user rolodex	10-2
Figure 10-3. A user's About Me page, displayed with F5	10-2
Figure 10-4. The wall of one-liners	10-3
Figure 11-1. Local chat	11-1
Figure 11-2. The chat function key panel	11-2
Figure 11-3. Function keys in chat	11-2
Figure 12-1. The user profile screen	12-1
Figure 12-2. Account information on the profile screen	12-2
Figure 12-3. Preferences on the profile screen	12-3
Figure 12-4. The profile screen on a Model 4, showing statistics	12-4
Figure 12-5. Function keys on the profile screen	12-5
Figure 12-6. The change password screen	12-5
Figure 12-7. The time zone selection screen	12-6
Figure 13-1. What can be printed, and from where	13-1
Figure 13-2. The held output queue	13-2
Figure 13-3. Columns of the held output queue	13-3

Figure 13-4. Actions on the held output queue	13-3
Figure 13-5. Reading a job from held output	13-4
Figure 13-6. Limits on outgoing mail	13-5
Figure 14-1. The SDSF system activity display	14-1
Figure 14-2. Columns of the SDSF activity display	14-2
Figure 14-3. The DELTAMON performance monitor	14-3
Figure 14-4. Keys on the DELTAMON display	14-3
Figure 14-5. The per-user processor display	14-4
Figure 14-6. The database transaction monitor	14-5
Figure 14-7. The MVS operator console, after a D A,L command	14-6
Figure 14-8. Commands accepted by the MVS console	14-7
Figure 14-9. The wall clock	14-8
Figure 14-10. The Stock Quotron	14-9
Figure 14-11. Other displays	14-10
Figure 15-1. The TSO command line	15-1
Figure 15-2. The commands available on the TSO command line	15-2
Figure 15-3. Commands on the TSO command line	15-3
Figure 15-4. The WHO command	15-4
Figure 15-5. The TIME, UPTIME and CPU commands	15-4
Figure 15-6. The USER command	15-5
Figure 15-7. The CALC calculator	15-6
Figure 16-1. The BASIC command line	16-1
Figure 16-2. A program listed with the LIST command	16-2
Figure 16-3. The same program saved and run	16-2
Figure 16-4. Commands of the BASIC interpreter	16-3
Figure 16-5. Keys at the BASIC command line	16-4
Figure 16-6. What the first character of a file name means	16-4
Figure 16-7. Listing your files with FILES	16-5
Figure 16-8. LOAD, RUN and VARS	16-6
Figure 16-9. The CHECK command	16-6
Figure 16-10. VIEW of the listing produced by CHECK	16-7
Figure 16-11. EMAIL on a system with no outgoing mail configured	16-8
Figure 16-12. The file browser	16-8
Figure 16-13. The file browser	16-9

Figure 16-14. The ISPF-style editor	16-9
Figure 16-15. The editor function key and command panel	16-10
Figure 16-16. Function keys in the ISPF-style editor	16-10
Figure 16-17. Primary commands in the ISPF-style editor	16-11
Figure 16-18. Line commands in the ISPF-style editor	16-12
Figure 16-19. Limits of the BASIC interpreter	16-13
Figure 17-1. The assembler command line	17-1
Figure 17-2. Commands of the assembler	17-2
Figure 17-3. The community programs, listed with FILES /C	17-3
Figure 17-4. A community program loaded and listed	17-3
Figure 17-5. A program run, and the registers displayed afterwards	17-4
Figure 17-6. The CHECK command	17-5
Figure 17-7. EMAIL on a system with no outgoing mail configured	17-6
Figure 17-8. The simulated machine	17-6
Figure 17-9. Limits of the assembler	17-7
Figure 18-1. The Hot Air Balloon Challenge	18-1
Figure 18-2. Balloon controls	18-1
Figure 18-3. Blackjack	18-2
Figure 18-4. Space Invaders	18-3
Figure 18-5. Flappy Bird	18-3
Figure 18-6. Wordle, ready for the first guess	18-4
Figure 18-7. Wordle, after a guess has been entered	18-5
Figure 19-1. The marketplace	19-1
Figure 19-2. One marketplace item	19-2
Figure 19-3. The marketplace	19-2
Figure 20-1. The remote host selection screen	20-1
Figure 21-1. What a moderator has that a user does not	21-1
Figure 21-2. Actions on the topic management screen	21-2
Figure A-1. Keys that work on nearly every screen	A-1
Figure A-2. Keys on the main and extended menus	A-1
Figure A-3. Keys in the conferences	A-2
Figure A-4. Keys in the content editor	A-3
Figure A-5. Keys in the ISPF-style editor	A-3
Figure A-6. Keys in mail, notes and the profile	A-4

Figure A-7. Keys in the games and the system displays	A-5
Figure B-1. Colour tags	B-1
Figure C-1. Messages when logging on	C-1
Figure C-2. Messages while writing	C-1
Figure C-3. Messages about links	C-2
Figure C-4. Messages about printing and mail	C-2
Figure C-5. Messages from BASIC and the assembler	C-3
Figure C-6. Messages from the console	C-4

Chapter 1

Introduction to 3270BBS

3270BBS is a bulletin board system and productivity suite for 3270 display stations. It provides a set of related services that share one account and one screen:

- public discussion in **conferences**, which contain **topics**, which contain **posts**;
- private **mail** between users, and, where the operator has enabled it, mail to and from the Internet;
- personal **notes**, some of which have special meanings — your public profile, your signature and your finger reply;
- **live chat**, local, private and federated;
- a **marketplace** of items for sale and wanted;
- **programming** in Timesharing BASIC and in System/360 Assembler, with a full-screen ISPF-style editor;
- **games**, a wall clock, market data and other diversions;
- **doors** to other mainframe systems on the network;
- system displays modelled on SDSF, including **held output**, where your printed documents and program listings are kept.

Display Station Requirements

3270BBS accepts three screen sizes, and no others. Every screen in the system is laid out for whichever of them your emulator reports when it connects.

Model	Size	Notes
Model 2	24 x 80	The standard screen. Every function of the system is available on it, and this publication describes it unless it says otherwise.
Model 3	32 x 80	Eight more lines. Lists and topics show more before you have to page, and the last five lines carry the terms, message and function key lines.
Model 4	43 x 80	Nineteen more lines. Lists show many more entries per page, topics show more text per page, and the profile screen shows a statistics section for which the smaller screens have no room.

Figure 1-1. Supported display stations

Set your emulator to **3279-2**, **3279-3** or **3279-4** — the colour models — before connecting; the monochrome 3278 models work, but colour is used throughout 3270BBS to carry meaning, so a monochrome session loses information. If your emulator offers a screen smaller than 24 x 80, the system refuses the connection with **WARNING! Your terminal size is too small! followed by Minimum terminal size required: 24x80.**

Figure 1-2 shows the main menu on a Model 3, and Figure 3-4 in Chapter 3 shows the same menu on a Model 4. Compare either with Figure 3-1, which is the Model 2 screen, to see how the system uses the extra lines.

```

3270BBS - a 3270 BBS

Option ==>

1 Conferences      Organized community discussions   User ID . : bcooper
2 My Subscriptions Manage conference subscriptions  Time. . . : 10:45a
3 Search Content   Full text search                     Online . . : 1
4 Mail             Send and receive Mail                 In chat . : 0 : 0
L One Liners       Short messages to community          Unread Msg: No
R Chat             Local real-time chat                 Release . : 4.2.5
U User Rolodex     Look up users                       Terminal. : 3-310
N Notes            Personal notes
S SDSF             System activity
0 Edit Profile     Update your account information
M Extended Menu    More applications
X Logoff           Exit to TSO

                               September 2026
                               Su Mo Tu We Th Fr Sa
                               1  2  3  4  5
                               6  7  8  9 10 11 12
                               13 14 15 16 17 18 19
                               20 21 22 23 24 25 26
                               27 28 29 30
                               Day of year 253

Welcome to 3270BBS
F1=Help F2=WhatsNew F4=Summon F5=VirtualSess F6=SysInfo F10=Month- F11=Month+

```

Figure 1-2. The main menu on a Model 3 display station (Model 3, 32 x 80; capture screens/92-main-menu-model3.txt)

Widely used emulators are x3270, c3270 and wc3270 on UNIX-like systems and Windows, and any other emulator that speaks the TN3270 protocol.

You need not install any of them. 3270BBS comes with **web3270**, its own browser-based 3270 emulator: a complete display station that runs in an ordinary web browser, with the full 3270 keyboard, colour, the function keys, and file transfer. Where your operator has started it, you reach it by opening the system's web address and choosing the 3270 terminal page; no emulator, no installation and no configuration are needed. Everything in this publication works the same way there as at a dedicated emulator; the only differences are the ones your browser imposes, such as which key your browser reserves for itself.

Ways to Reach the System

Ask your operator which of these are enabled on your system, and on which port numbers:

- **TN3270** — the ordinary connection, in the clear.
- **TN3270 with TLS** — the same, encrypted. Prefer it when it is offered.
- **web3270** — the 3270 display station that comes with 3270BBS and runs in a web browser. See ["Display Station Requirements"](#).
- **SSH** — a terminal session for clients that have no 3270 emulator.
- **FTP** — not a display session, but a way to move the text of your notes between the system and your own machine. See ["Reaching Your Notes by FTP"](#) in Chapter 8.
- **FINGER** — a way for people outside the system to read the finger note you have written. See Chapter 10.

The Parts of a Screen

Nearly every screen in 3270BBS is laid out in the same way, and once you have learned one screen you have learned most of them:

- a **title line** at the top, naming the screen;
- an **input line** — on the menus it is `Option ==>`, in the editors it is `Command ==>`, in lists it is a search field or a column of one-character selector fields;
- the **body** of the screen;
- a **message line** near the bottom, where errors and confirmations appear, often in reverse video;
- a **function key line** at the very bottom, listing the keys that this screen accepts.


Read the function key line first: it names what that screen does with the keys. It is not always complete, though — several screens accept keys their legend has no room for, such as **F6** and **F22** on the conference list, **F1** on the topic list and **F20** on the message and note viewers. Where this publication lists a key that your screen does not name, the key nevertheless works; where it lists none, none is accepted.

Note

Screens are 79 columns wide by design. The eightieth column is left empty so that no character is lost on display stations that treat it specially.

Logging On and Logging Off

When you connect, the system displays the logon screen shown in Figure 2-1. The heading lines identify the host, your terminal address, the port and protocol you arrived on, the model of your display station, and the program level.



Key	Function
F1	Display help.
F2	Display information about this system. Shown only when the operator has enabled logon statistics.
F5	Register as a new user.
F9	Recover a lost password.
ENTER	Log on with the identifier and password typed.

If the identifier or the password is wrong, the system says `Invalid username or password`. Please try again, and does not say which of the two was wrong. Repeated failures from one address are rate-limited; if you are locked out, wait a few minutes and try again.

Chapter 2. Logging On and Logging Off 2-1

Registering as a New User

Press **F5** on the logon screen. The registration screen asks for the following. All fields are required; the screen says so in reverse video: ALL FIELDS REQUIRE INPUT FOR ACCOUNT CREATION.

Field	Rules
Username	Six or seven characters, letters and digits only, and it may not begin with a digit. The names <code>admin</code> and <code>noreply</code> are reserved. Choose carefully: you cannot change it afterwards.
Password	Six to twenty-two characters.
Confirm	Must match the password exactly.
Email	Must be a valid address. If your operator has enabled verification, a four-digit code is mailed to this address and you must type it on the next screen.
Home City	Required for password recovery. This is the only secret question the system keeps; remember exactly what you typed.
Country	Your country.
Units	<code>metric</code> or <code>imperial</code> . Governs how temperatures and distances are shown.

Figure 2-3. Registration fields

F3 abandons the registration. When the fields are accepted, the system shows the time zone selection screen described in ["Setting Your Time Zone"](#) in Chapter 12; your account is created when you complete it. The first time you reach the main menu, a welcome panel invites you to read your mail, write a **PUBLIC** note and greet the community on the wall of one-liners. **F3** closes it and takes you straight to the wall of one-liners; any other key leaves it on the screen.

Recovering a Lost Password

Press **F9** on the logon screen. The Password Reset screen asks for your user identifier, the electronic mail address recorded in your profile, and your home city. If all three agree with the records — the city is compared forgivingly, so a small spelling difference is tolerated — a new temporary password is generated and displayed on the next screen. Log on with it and change it at once as described in ["Changing Your Password"](#).

Whatever is wrong, the failure message is the same, so that no one can use this screen to discover which accounts exist. Administrative accounts cannot be recovered this way at all. If you have forgotten the electronic mail address or the city, only the operator can help you; there is no other way back into the account.

Logging Off

Select option X (Logoff) from the main menu. This does not disconnect you immediately: it places you on the TSO command line described in Chapter 15, where READY is displayed. Type LOGOFF to end the session, or MENU to return to the main menu.

If you simply close your emulator, the session is cleaned up by the system after a period of inactivity. Logging off properly is preferred; it releases your slot at once and records the end of the session correctly.

Note

If you sit at a menu without typing anything, the screen saver described in ["Preferences"](#) may start. Press any key to return.

Chapter 3

Using the Menus

Everything in 3270BBS is reached from one of two menus: the **main menu** and the **extended menu**. Both work the same way. Type a selection at the Option ==> prompt and press **ENTER**, or press one of the function keys named at the bottom of the screen.

The Main Menu

```
Option ==>          3270BBS - a 3270 BBS

1 Conferences       Organized community discussions   User ID . : bcooper
2 My Subscriptions  Manage conference subscriptions    Time. . . : 9:57a
3 Search Content   Full text search                  Online . : 1
4 Mail             Send and receive Mail              In chat . : 0 : 0
L One Liners       Short messages to community        Unread Msg: No
R Chat             Local real-time chat                Release . : 4.2.5
U User Rolodex     Look up users                      Terminal. : 2-310
N Notes            Personal notes
S SDSF             System activity
0 Edit Profile     Update your account information
M Extended Menu    More applications
X Logoff           Exit to TSO

                               September  2026
                               Su Mo Tu We Th Fr Sa
                               1  2  3  4  5
                               6  7  8  9 10 11 12
                               13 14 15 16 17 18 19
                               20 21 22 23 24 25 26
                               27 28 29 30
                               Day of year 253

                               Welcome to 3270BBS
                               F1=Help F2=WhatsNew F4=Summon F5=VirtualSess F6=SysInfo F10=Month- F11=Month+
```

Figure 3-1. The main menu on a Model 2 display station (Model 2, 24 x 80; capture screens/02-main-menu.txt)

The left of the screen lists the options. The right of the screen is an information panel and a calendar:

Field	Meaning
User ID	The account you are logged on to.
Time	The current time in your time zone.
Online	How many users are connected now.
In chat	Users in local chat, then users in federated chat.
Unread Msg	Yes in blinking red when mail is waiting for you, otherwise No.
Release	The level of the program.
Terminal	Your display station model and the character set in use, for example 2-310.

Figure 3-2. The main menu information panel

Below the panel is a month calendar with today's date highlighted, and the day of the year. **F10** and **F11** step the calendar back and forward one month; they do not change anything else.

A white asterisk in the last column of the title line means that you have a `bbs://` link on the clipboard, ready to be pasted into a post or a message. See Chapter 9.

Option	Name	Function
1	Conferences	Organized community discussions. See Chapter 5.
2	My Subscriptions	Choose which conferences you follow. See Chapter 5.
3	Search Content	Full text search across topics and posts.
4	Mail	Send and receive mail. See Chapter 7.
L	One Liners	The wall of short messages to the whole community. See Chapter 10.
R	Chat	Local real-time chat. See Chapter 11.
U	User Rolodex	Look up users. See Chapter 10.
N	Notes	Your personal notes. See Chapter 8.
S	SDSF	System activity, and your held output. See Chapters 13 and 14.
0	Edit Profile	Your account information and preferences. See Chapter 12.
M	Extended Menu	More applications. See below.
X	Logoff	Exit to the TSO command line. See Chapter 15.
7, 8	Mod Topics, Mod Posts	Shown to moderators and administrators only. See Chapter 21.
6, D	Admin Users, DB Maint	Shown to administrators only; not described in this publication.

Figure 3-3. Main menu options

On a Model 4 display station the same menu has room for the calendar and the information panel to be shown in full, as Figure 3-4 shows.

```
3270BBS - a 3270 BBS

Option ==>

1 Conferences      Organized community discussions  User ID . : bcooper
2 My Subscriptions Manage conference subscriptions  Time. . . : 10:15a
3 Search Content   Full text search                Online . . : 1
4 Mail            Send and receive Mail          In chat . : 0 : 0
L One Liners       Short messages to community        Unread Msg: No
R Chat            Local real-time chat          Release . : 4.2.5
U User Rolodex     Look up users                      Terminal. : 4-310
N Notes           Personal notes
S SDSF            System activity
0 Edit Profile     Update your account information
M Extended Menu    More applications
X Logoff          Exit to TSO

                               September 2026
                               Su Mo Tu We Th Fr Sa
                                   1  2  3  4  5
                               6  7  8  9 10 11 12
                               13 14 15 16 17 18 19
                               20 21 22 23 24 25 26
                               27 28 29 30
                               Day of year 253

                               Welcome to 3270BBS
                               F1=Help F2=WhatsNew F4=Summon F5=VirtualSess F6=SysInfo F10=Month- F11=Month+
```

Figure 3-4. The main menu on a Model 4 display station (Model 4, 43 x 80; capture screens/90-main-menu-model4.txt)

The Extended Menu

Select option M from the main menu. **F3** returns you to the main menu.

```

Option ==>          3270BBS - Extended Menu

1 Clock              Wall clock                      User ID . : bcooper
2 Balloon            Hot air balloon game            Time. . . : 10:07a
3 Blackjack          Play some blackjack            Online . : 1
4 Doors              Connect to other mainframes     In chat . : 0 : 0
5 Space Invaders     Famous 1970s game                Unread Msg: No
6 Flappy Bird        Endless side-scroller
7 Marketplace        Buy and sell items
P DELTAMON           Performance monitor
F Forex              Real time forex exchange prices          September 2026
W Wordle             Word guessing game          Su Mo Tu We Th Fr Sa
Q Stock Quotron      View financial markets data          1 2 3 4 5
O MVS Console        Operator Console          6 7 8 9 10 11 12
M Screen Saver       Burn-in protector for CRT/OLED 13 14 15 16 17 18 19
I Private Chat       Password-access live chat      20 21 22 23 24 25 26
R Federated Chat     Worldwide 3270BBS chat          27 28 29 30
G Newsgroups         Worldwide, federated newsgroups      Day of year 253
B BASIC              Program in BASIC
A Assembler          S/360 assembly learning environment

                Welcome to 3270BBS
F2=WhatsNew F3=Main Menu F5=VirtualSess F6=SysInfo F10=Month- F11=Month+

```

Figure 3-5. The extended menu (Model 2, 24 x 80; capture screens/07-extended-menu.txt)

Option	Name	Function
1	Clock	A wall clock in several styles. See Chapter 14.
2	Balloon	Hot air balloon game. See Chapter 18.
3	Blackjack	Card game. See Chapter 18.
4	Doors	Connect to other mainframes. See Chapter 20.
5	Space Invaders	Game. See Chapter 18.
6	Flappy Bird	Game. See Chapter 18.
7	Marketplace	Buy and sell items. See Chapter 19.
P	DELTAMON	Performance monitor. See Chapter 14.
F	Forex	Foreign exchange rates.
W	Wordle	Word guessing game. See Chapter 18.
Q	Stock Quotron	Financial market data. See Chapter 14.
0	MVS Console	Operator console display. See Chapter 14.
M	Screen Saver	Start the screen saver at once.
I	Private Chat	Password-protected chat room. See Chapter 11.
R	Federated Chat	Not available in this release: the option answers <code>Federated chat is disabled</code> . See Chapter 11.
G	Newsgroups	Not available in this release: the option answers <code>Newsgroups is disabled</code> .
B	BASIC	The BASIC programming environment. See Chapter 16.
A	Assembler	The System/360 assembler environment. See Chapter 17.
E	Radioastronomy	Contribute idle processor time to the search for astrophysical signals. Shown only when the operator has configured it.

Figure 3-6. Extended menu options

Note

The letter R means *local chat* on the main menu and *federated chat* on the extended menu. Read the option list, not your memory.

Shortcuts

You need not walk the menus one screen at a time:

- From the extended menu, = followed by a main menu option goes straight there. =0 is Edit Profile, =X is Logoff.
- From the main menu, M; followed by an extended menu option goes straight there without displaying the extended menu. M;7 is the marketplace, M;B is BASIC.

Typed Commands

Some functions have no line on the menu and are typed at the Option ===> prompt instead. Type COMMANDS to see the list that applies to your account, as in Figure 3-7.

```
3270BBS - a 3270 BBS
Option ===>

Commands available to you - Main Menu

TYPED COMMANDS      NEWS      News headlines
SD      SDSF system activity  DBMON    DB transaction monitor
CLOCK   Wall clock          DSLIST   Data set list utility
BALLOON Balloon game        CLEAR    Clear the link clipboard
CHECKERS Checkers game      COMMANDS Show this command list
CONSOLE MVS operator console

F3=Close

13 14 15 16 17 18 19
20 21 22 23 24 25 26
27 28 29 30
    Day of year 253

Welcome to 3270BBS
F1=Help F2=WhatsNew F4=Summon F5=VirtualSess F6=SysInfo F10=Month- F11=Month+
```

Figure 3-7. The COMMANDS overlay, listing typed commands (Model 2, 24 x 80; capture screens/06-commands.txt)

Command	Function
SD	The SDSF system activity display.
CLOCK	The wall clock.
BALLOON	The balloon game.
CHECKERS	The checkers game. It has no menu option; this command is the only way in.
CONSOLE	The MVS operator console display.
NEWS	News headlines, when the operator has configured a news source.
DBMON	The database transaction monitor.
DSLIST	The data set list utility. See Chapter 14.
CLEAR	Empty the <code>bbs://</code> link clipboard. The system replies <code>Link clipboard cleared.</code>
COMMANDS	Display the list of typed commands.

Figure 3-8. Typed commands available from either menu

Administrators have further commands, which are listed for them in the same overlay and are not described here.

Function Keys That Work Almost Everywhere

Figure 3-9 shows the help panel displayed by **F1** on the main menu. It summarises the conventions that hold across the whole system.

MAIN HELP	
Common Function Keys:	Editor Function Keys:
F1 = Display this help screen	F2 = Spell checker
F3 = Exit/return to previous screen	F3 = Abandon edit session
F4 = Reply	F4 = Delete current line
F5 = Create new	F5 = Insert line below
F7 = Scroll up	F6 = Insert line above
F8 = Scroll down	F7 = Scroll up
F9 = Delete an item	F8 = Scroll down
F20 = Print Topic/Message/Note	F9 = Go to bottom of text
F22 = Copy/paste/follow a bbs:// link	F10 = Center current line
F23 = Start a new virtual session	F11 = Make centered box
F24 = Switch virtual session	F12 = Save and exit
	F13 = Centered box until next empty row
	F14 = Go to first line of text
	F15 = Make left aligned box
	F22 = Paste a copied bbs:// link
	Save content with SAVE
	Exit editor unsaved with CANCEL
In Editor press F1 for detailed editor commands.	
From the T50 command line, issue LOGOFF command to disconnect	
In T50, issue HELP to see useful commands in command line mode.	
F3=Return	

Figure 3-9. The main help panel (Model 2, 24 x 80; capture screens/05-main-help.txt)

Key	Function
F1	Display help for the screen you are on. Help always returns you to where you were. Most screens have it; the extended menu does not.
F3	Leave the screen: cancel, or return to the previous screen. On the main menu it merely refreshes the screen.
F4	Reply, on screens where replying is meaningful. On the main menu it is Summon; the extended menu does not accept it.
F5	Create something new: a topic, a message, a note. On the main menu it displays the virtual session overlay.
F7, F8	Scroll up and down.
F9	Delete an item, on screens where deleting is meaningful.
F20	Print a topic, message or note. See Chapter 13.
F22	Copy, paste or follow a <code>bbs://</code> link. See Chapter 9.
F23	Start a new virtual session. See Chapter 4.
F24	Switch to the next virtual session. See Chapter 4.

Figure 3-10. Universal function keys

F2 — What's New

F2 on either menu reports what has happened in the conferences you subscribe to, and on the wall of one-liners, since your previous login. If nothing has happened, the message line says `No new activity since your last login` in reverse video.

F4 — Summoning Another User

A summon is a short, urgent page to somebody who is logged on now: the message appears on that user's screen wherever they happen to be. Press **F4** on the main menu to display the overlay shown in Figure 3-11.

```

Option ==>          3270BBS - a 3270 BBS

1 Conferences      Organized community discussions   User ID . : bcooper
2 My Subscriptions Manage conference subscriptions   Time. . . : 10:25a
3 Search Content   Full text search                 Online .  : 1
4 M
L 0
R C
U U
N N
S S
0 E
M E
X L

SUMMON USER

Username:          (max 7 chars)

Message:

Summon valid for 15 minutes
Enter=Send  F3=Cancel

20 21 22 23 24 25 26
27 28 29 30
    Day of year 253

6
Sa
5
12
19

Welcome to 3270BBS
F1=Help F2=WhatsNew F4=Summon F5=VirtualSess F6=SysInfo F10=Month- F11=Month+

```

Figure 3-11. The SUMMON USER overlay (Model 2, 24 x 80; capture screens/08-summon.txt)

Type the user identifier — at most seven characters — and a message of up to seventy characters, then press **ENTER**. **F3** cancels. The summon is valid for fifteen minutes; if the user does not see it in that time it expires. Afterwards a SUMMON STATUS overlay tells you whether your summon was seen or expired unread.

Summon a user who is online. To reach somebody who is not, send mail (Chapter 7) or leave a one-liner (Chapter 10).

F6 — System Information

F6 displays the System Information overlay shown in Figure 3-12, which describes the system you are connected to. Press **F6** again to close it.

```

3270BBS - a 3270 BBS

Option ==>

1 Conferences      Organized community discussions   User ID . . : bcooper
2 My Subscriptions Manage conference subscriptions   Time. . . : 9:57a
3 Search Content   Full text search                Online . . : 1
4 Mail             Send and receive Mail           In chat . . : 0 : 0
L One Liners
R Chat
U User Rolode
N Notes
S SDSF
0 Edit Profil
M Extended Me
X Logoff

System Information
Major Version . . : 4.2.5
Minor Version . . : 4.2.5.7
Uptime. . . . . : 00h 08m
Architecture. . . : ARM64
Database. . . . . : SQLite3
Build Date. . . . : 08 Sep 2026 06:32 UTC

Press any key to close

mber 2026
We Th Fr Sa
 2 3 4 5
 9 10 11 12
16 17 18 19
23 24 25 26
30
f year 253

Welcome to 3270BBS
F1=Help F2=WhatsNew F4=Summon F5=VirtualSess F6=SysInfo F10=Month- F11=Month+

```

Figure 3-12. The System Information overlay (Model 2, 24 x 80; capture screens/04-sysinfo.txt)

F13 — Changing the Menu Colours

F13 on the main menu cycles through the available colour schemes for the menu. The choice lasts for the rest of the session.

Chapter 4

Virtual Sessions

A display station shows one screen at a time, but 3270BBS gives you **three** independent sessions inside the one connection. You might read a long topic in the first, compose a reply to a message in the second, and leave a BASIC program listed in the third, moving between them without losing your place in any of them.

Key	Function
F5	On either menu, display the virtual session overlay, which lists all three slots and what is in them. Press F5 again to close it.
F23	Start a new virtual session. The next session slot is selected and <i>reset</i> to a fresh main menu. Anything that was in that slot is discarded.
F24	Switch to the next virtual session, <i>restoring</i> it exactly as you left it: the screen, its data, the conference you had selected, and the last command you typed.

Figure 4-1. Virtual session keys

```

3270BBS - a 3270 BBS

Option ==>

1 Conferences      Organized community discussions   User ID . : bcooper
2 My Subscriptions Manage conference subscriptions   Time. . . : 9:57a
3 Search Content   Full text search                 Online .  : 1
4 Mail             Send and receive Mail           In chat . : 0 : 0
L One Liners
R Chat
U User Rolode
N Notes
S SDSF
0 Edit Profil
M Extended Me
X Logoff

Virtual Session Status
Session 1 . . . . : Main Menu      Active
Session 2 . . . . : Not in use     Empty
Session 3 . . . . : Not in use     Empty

sg: No
. : 4.2.5
. : 2-310
mber 2026
We Th Fr Sa
 2 3 4 5
 9 10 11 12
13 14 15 16 17 18 19
20 21 22 23 24 25 26
27 28 29 30
Day of year 253

Welcome to 3270BBS
F1=Help F2=WhatsNew F4=Summon F5=VirtualSess F6=SysInfo F10=Month- F11=Month+

```

Figure 4-2. The Virtual Session Status overlay (Model 2, 24 x 80; capture screens/03-virtual-sessions.txt)

The three slots are used in rotation: each press of **F24** moves to the next one and wraps round from the third to the first. The overlay names the screen each session is sitting on, so you can see where you will land before you press the key.

F23 and **F24** are accepted on nearly every screen in the system, including in the middle of the editors and the games. Where a screen has unsaved work, the work is kept with the session and is still there when you switch back.

Note

Only one of your virtual sessions may be in chat at a time. If you are in chat in one session and try to enter chat in another, the system declines; leave chat in the first session with **F3** and try again.

Chapter 5

Conferences, Topics and Posts

Public discussion is arranged in three levels. A **conference** is a subject area, such as General or Hardware. A conference holds **topics**. A topic holds **posts**: the first post is written by the person who created the topic, and every reply is another post in the same topic.

Listing the Conferences

Select option 1 from the main menu.

A conference is a room in the building. Each one is devoted to a subject — the system itself, hardware, programming, whatever this community has made — and every topic must live in one of them. Conferences are how the discussion stays findable when there are thousands of posts: a reader who cares about terminals opens the hardware conference and sees only what belongs there. The list below is the whole public part of the system; anything you can read on this system is in one of these rooms, except your own mail and notes.

Some conferences are open to everybody. A conference may be restricted by the operator, or you may have been banned from one by its moderator, in which case it does not appear to you at all. There is no way to post outside a conference, and no way to create one unless you are a moderator or an administrator.

Available Conferences			
Total conferences: 3		Total topics: 5	
Page 1 of 1			
S	Conference Name	Topics Subscrd	Latest Topic
***** *Desc*****			
	3270BBS	2	Colour tags in posts - a cheat s...
	Hardware	2	Show us your 3179G
	General	1	Welcome to the General conference

F6 while on a conference row shows preview of topics

F3=Return F5=Subscriptions F7=Prev F8=Next F11=Point&Sort

Figure 5-1. The Available Conferences screen (Model 2, 24 x 80; capture screens/10-conferences.txt)

The columns are the conference name, the number of topics in it, whether you are subscribed to it, and the title of the most recent topic. To open a conference, type any character in the selector field (S) at the left of its line and press **ENTER**.

Key	Function
F3	Return to the main menu.
F5	Manage your subscriptions.
F6	With the cursor on a conference line, preview the topics in that conference without leaving the list.
F7, F8	Previous and next page.
F10	Conference administration. Moderators and administrators only; see Chapter 21.
F11	Sort. Put the cursor on a column heading first. See "Sorting a List" .
F22	Copy a bbs : // link to the conference under the cursor.

Figure 5-2. Function keys on the conference list

Subscriptions

Subscribing to a conference does not change what you may read; it decides what **F2** (What's New) reports to you at the menu. Select option 2 from the main menu, or press **F5** on the conference list.

```

Conference Subscription Management          Page 1 of 1
Total conferences: 3
S Conference      Topics Subscribed  Latest Post
*****
3270BBS          2      NO          Colour tags in posts - a cheat ...
General          1      NO          Welcome to the General conference
Hardware         2      NO          Show us your 3179G

```

Figure 5-3. Conference Subscription Management (Model 2, 24 x 80; capture screens/38-subscriptions.txt)

Type S against a conference to subscribe or U to unsubscribe, and press **ENTER**. You may mark several lines before pressing **ENTER**. **F3** returns to the menu.

Listing the Topics in a Conference

A topic is one conversation: a question and its answers, an announcement and the remarks it draws, a review and the argument about it. It carries a title, an author, and the posts that make it up, and it stays in the conference indefinitely, so a topic written two years ago can still be found, read and replied to. Most of your time on this system will be spent on the two screens that follow: the list of topics, and the topic itself.

Key	Function
F1	Help.
F3	Return to the conference list, or to the main menu when the list is not filtered by conference.
F5	Add a topic. See "Starting a Topic" .
F7, F8	Page up and down.
F10	Switch between ordering by creation date and ordering by latest activity. This choice is remembered for your next visit.
F11	Sort by the column the cursor is on. See below.
F22	Copy a bbs : // link to the topic the cursor is on. See Chapter 9.

Figure 5-5. Function keys on the topic list

Sorting a List

The conference list and the topic list are sorted by pointing at a column and pressing a key — there is no sort menu:

1. Move the cursor into the heading of the column you want to sort by, for example **Author** or **Views**.
2. Press **F11**. The list is sorted by that column, and the separator line under the heading shows ***Asc** or ***Desc** to say which way.
3. Press **F11** again on the same column to reverse the order.

Sorting always returns you to page 1. The **F10** choice on the topic list (creation date or latest activity) is kept in your profile and survives logoff; the **F11** point-and-sort choice lasts only while you are on the screen.

Reading a Topic

```
Topic: Colour tags in posts - a cheat sheet      Conference: 3270BBS
By:      jbrooks   on 5 Sep 2026      Replies: 0   Views: 55   Page 1 of 1
-----1-----2-----3-----4-----5-----6-----7-----
jbrooks wrote on 5 Sep 2026              First Post
Yellow is good for headings.
Turquoise reads well for links and quotes.
Plain text is green by default.

F2=Oldest F12=Newest F13>AboutUser F14=HalfUp F15=HalfDn F22=Cpy/Flw URL
F1=Help F3=Topics F4=Reply F5=I Like F7=Up F8=Down F9=LastPost F10=Save2Note
```

Figure 5-6. Reading a topic (Model 2, 24 x 80; capture screens/13-topic-view.txt)

The heading names the topic, the conference, the author, the date, the number of replies and the number of views. Each post is introduced by a line giving its author and date; the first and last posts of the topic are marked **First Post** and **Last Post** in reverse video. A ruler line shows the column positions.

Figure 5-7 shows the panel displayed by **F1**, which lists every key the topic view accepts.

```
Topic: Colour tags in posts - a cheat sheet      Conference: 3270BBS
By:      jbrooks                               1 of 1
-----1-----
jbrooks wrote
Yellow is good
Turquoise read
Plain text is

Topic View - Function Keys

F2 = Show oldest first (this topic only)
F3 = Return to topics list
F4 = Reply to topic
F5 = I like this topic
F7 = Scroll up (previous page)
F8 = Scroll down (next page)
F10 = Save topic to Notes
F12 = Show newest first (this topic only)
F13 = View PUBLIC note (cursor on user)
F14 = Half-scroll up
F15 = Half-scroll down
F20 = Send topic as PDF email
F22 = Copy/follow bbs:// link at cursor

F23 = Start Virtual Session
F24 = Switch Virtual Session

Press ENTER to close this help

F2=Oldest F12=
F1=Help F3=Topics F4=Reply F5=I Like F7=Up F8=Down F9=LastPost F10=Save2Note /Flw URL
```

Figure 5-7. The topic view function key panel (Model 2, 24 x 80; capture screens/14-topic-view-help.txt)

Key	Function
F2	Show the oldest post first, in this topic only.
F3	Return to the topic list.
F4	Reply. The content editor opens; see Chapter 6.
F5	Record that you like what you are reading. The like is recorded against the first post shown on the page you are on — on page 1 that is the topic's opening post — and you may like each post once.
F7, F8	Scroll up and down.
F9	Jump to the last post; when you are at the end, the key is labelled F9=FirstPost and jumps back to the beginning.
F10	Save the page you are reading into your notes, under the subject Topic: and the topic title.
F11	Half-page scroll down, the same as F15 .
F12	Show the newest post first, in this topic only.
F13	With the cursor on a user name, display that user's PUBLIC note.
F14, F15	Half-page scroll up and down.
F20	Print the topic: mail it to yourself as a PDF document, or place it in your held output. See Chapter 13.
F22	Follow the bbs : // link under the cursor; or, with the cursor on a post, copy a link to that post, and with the cursor on the heading line, a link to the topic. See Chapter 9.

Figure 5-8. Function keys while reading a topic

The order chosen with **F2** or **F12** applies to the topic you are reading. To change the order used when you first open any topic, set Posts Sort Order in your profile; see Chapter 12.

Starting a Topic

1. Press **F5** on the topic list.
2. Type the title of the topic and press **ENTER**. Choose the title with care: it is what everybody else sees in the list.
3. If you did not start from inside a conference, choose the conference the topic belongs in.
4. The content editor opens. Write the first post as described in Chapter 6 and type **SAVE**, or press **F12**, to create the topic.

An empty post is refused. To abandon the topic before it is created, type **CANCEL** or press **F3** and then **F9** to confirm.

Replying

Press **F4** while reading the topic. The editor opens with the heading **Reply to:** and the topic title. When you save, your post is added at the end of the topic and the display moves to the page that contains it. Replies are not quoted automatically; if you want to quote, copy the lines you need with the editor's copy and paste keys or type them yourself.

Changing or Removing Your Own Post

There is no function for a user to edit or delete a post once it has been saved. Read your post before you save it. If something must be changed or removed afterwards, ask a moderator of the conference; the functions they use are described in Chapter 21.

Searching the Whole System

Option 3 on the main menu offers a full text search across topics and posts, and the data set list utility described in Chapter 14.




Figure 5-9. The Search and Data Set List menu (Model 2, 24 x 80; capture screens/37-search.txt)

Chapter 6

Writing: the Content Editor

One editor is used for every piece of prose you write in 3270BBS: topics, replies, mail, notes, marketplace descriptions and your public profile. This chapter describes it. The programming environments use a different, full-screen editor, which is described in Chapter 16.




Figure 6-1. The content editor, opened to reply to a topic (Model 2, 24 x 80; capture screens/15-editor-reply.txt)

The heading names what you are writing, the position in the text, and the number of lines in it. Below the heading is the **Command:** field, and the rest of the screen is your text: one input field per line. Type into the lines, using **TAB** or the cursor keys to move between them.

```
Reply to: Colour tags in posts – a cheat she Pos 4      Lines in file: 3
Command: _      SAVE/CANCEL/FIND F1=HELP! F7=Up F8=Down      *
```

<<yellow>>Thanks for the cheat sheet.<</yellow>>
I use <<turquoise>>turquoise<</turquoise>> for quoted text and
leave everything else green. Tags on their own line work best.

Figure 6-2. Text typed into the editor, with colour tags. The red asterisk at the right of the Command line says the text has been changed (Model 2, 24 x 80; capture screens/17-editor-typing.txt)

The Changed Indicator

As soon as the editor has taken in a change — a character typed, a line inserted or deleted, a signature or a link pasted — a red asterisk appears at the right-hand end of the **Command:** line, in the last column of the second row of the screen. It is visible in Figure 6-2.

The asterisk means *this text differs from what was saved*. It stays until you leave the editor; there is nothing to switch it off. Treat it as a reminder rather than a warning:

- If the asterisk is there and you leave with **CANCEL** or **F3**, you are throwing work away. **F3** asks you to confirm; **CANCEL** does not.
- If you have typed a good deal and the asterisk is *not* there, the editor has not taken your typing in yet. Press **ENTER**: it commits what is on the screen to the text and the asterisk appears.

Editor Commands

Type these in the **Command:** field and press **ENTER**:

Command	Function
SAVE	Save the text and leave the editor. Trailing blank lines are removed. Equivalent to F12 .
CANCEL	Leave without saving.
FIND text	Find the text. Quotation marks around the text are optional.
RFIND	Find the next occurrence. Equivalent to F19 .

Figure 6-3. Content editor commands

Editor Function Keys

Press **F1** in the editor for the panel shown in Figure 6-4; press **ENTER** to close it.

```

Reply to: Colour tags in posts - a cheat she Pos 1      Lines in file: 1
Command: _      SAVE/CANCEL/FIND  F1=HELP!  F7=Up F8=Down

F1 = Show this help
F2 = Spell checker
F3 = Abandon edit session
F4 = Delete current line
F5 = Insert line below
F6 = Insert line above
F7 = Scroll up
F8 = Scroll down
F9 = Go to bottom of text
F10 = Center current line
F11 = Make centered box
F12 = Save and exit
F13 = Centered box until next empty row
F14 = Go to first line of text
F15 = Make left aligned box
F16 = Copy current line
F17 = Paste above cursor
F18 = Paste below cursor
F19 = ReFind (find next occurrence)
F21 = Insert SIGNATURE note
F22 = Paste copied bbs:// link

```

Figure 6-4. The content editor function key panel (Model 2, 24 x 80; capture screens/16-editor-help.txt)

Key	Function
F1	Display the key panel.
F2	Check the spelling. Words that are not in the dictionary are highlighted in yellow, and the message line reports how many were found.
F3	Abandon the edit. A confirmation panel is displayed; press F9 to discard the text, or any other key to carry on editing.
F4	Delete the line the cursor is on.
F5	Insert a blank line below the cursor.
F6	Insert a blank line above the cursor.
F7, F8	Scroll up and down.
F9	Go to the bottom of the text.
F10	Centre the current line.
F11	Draw a centred box around the current line.
F12	Save and leave.
F13	Draw a centred box around the block of lines from the cursor to the next empty line.
F14	Go to the first line of the text.
F15	Draw a left-aligned box.
F16	Copy the current line.
F17	Paste the copied line above the cursor.
F18	Paste the copied line below the cursor.
F19	Find the next occurrence of the last FIND text.
F21	Insert your signature. See "Signatures" .
F22	Paste the <code>bbs : //</code> link that is on the clipboard. See Chapter 9.

Figure 6-5. Content editor function keys

Warning

Only the keys listed above, **ENTER**, and the virtual session keys **F23** and **F24** are accepted by the editor. Pressing any other key discards whatever you have typed on the screen since the last **ENTER**. Press **ENTER** from time to time while writing a long post; it commits what is on the screen to the text buffer.

Lines do not wrap while you type: each screen line is one line of your text. Text that is pasted into the editor, however, is folded at the last blank before the right margin, so nothing is lost.

The Editing Keys in Practice

Every key below acts on **the line the cursor is on** when you press it. There is no marked block and no selection: move the cursor to the line, then press the key. Nothing is destroyed silently — the changed indicator (above) tells you the text has moved on from what was saved.

Making Room and Taking It Away: F5, F6 and F4

You have written this, and you want a sentence between the two lines:

Agreed – and one more rule:
keep the body of a post green.

Put the cursor anywhere on the first line and press **F5**. A blank line appears *below* it, the line below moves down, and you type into the gap. **F6** does the same thing *above* the cursor line — use it when you want a new first line without retyping the one that is there.

F4 is the opposite: it removes the line the cursor is on and closes the gap. There is no confirmation and no undo, so read the line before you press it. If the text is down to a single line, **F4** blanks that line instead of removing it, so the editor always has somewhere to type.

Repeating a Line: F16, F17 and F18

F16 copies the line the cursor is on into a one-line buffer and answers Line copied. The line itself is not disturbed. Move the cursor to where the copy belongs and press **F17** to put it *above* that line, or **F18** to put it *below*.

In Figure 6-6 the second line was copied with **F16** and pasted below itself with **F18**; the buffer still holds it, so it can be pasted again elsewhere.

```
Reply to: Colour tags in posts - a cheat she Pos 2      Lines in file: 3
Command:  _      SAVE/CANCEL/FIND  F1=HELP!  F7=Up F8=Down      *
Agreed - and one more rule:
keep the body of a post green.
keep the body of a post green.
```

Figure 6-6. A line copied with F16 and pasted below with F18 (Model 2, 24 x 80; capture screens/20-editor-copy.txt)

The copy buffer holds one line and lasts as long as you are in the editor. It is not the `bbs://` link clipboard of Chapter 9, which is a different buffer with a different key (**F22**).

Headings and Boxes: F10, F11, F13 and F15

F10 centres the line the cursor is on within the width of the text. Press it again after editing the line and it re-centres.

F11 draws a box around that one line, centred on the screen. Figure 6-7 shows the result of putting the cursor on the first line of the reply and pressing **F11**: the line count in the heading has gone from 3 to 5, because the two rules are now lines of the text like any others.

```
Reply to: Colour tags in posts - a cheat she Pos 4      Lines in file: 5
Command:  _      SAVE/CANCEL/FIND  F1=HELP!  F7=Up F8=Down      *
      +-----+
      | The colur tags are simpler than they look. |
      +-----+
Put each tag on a line of its own and the
editor will not break it accross a line end.
```

Figure 6-7. A line boxed with F11 (Model 2, 24 x 80; capture screens/19-editor-box.txt)

F13 boxes a whole block instead of one line: it takes the lines from the cursor down to the next empty line and draws one box round them all. Leave a blank line where you want the box to stop before you press it.

F15 draws the box against the left margin rather than centred, which suits a quotation or a code fragment better than a heading.

A box is ordinary text once drawn. You can type inside it, and you can delete a rule line with **F4** like any other line — the editor will not repair the box for you afterwards.

Checking the Spelling: F2

F2 checks every word on the screen against the system dictionary, turns the lines holding doubtful words yellow, and reports what it found on the heading line — Found 2 misspelled words in Figure 6-8, where *colur* and *accross* were caught.

```
Reply to: Colour tags in posts - a cheat she Found 2 misspelled words
Command: _          SAVE/CANCEL/FIND F1=HELP! F7=Up F8=Down      *
The colour tags are simpler than they look.
Put each tag on a line of its own and the
editor will not break it accross a line end.
```

Figure 6-8. F2 has found two misspelled words (Model 2, 24 x 80; capture screens/18-editor-spell.txt)

The check tells you; it does not correct anything. Retype the word yourself; the highlighting clears as soon as you change the line. Words inside a `bbs://` link are skipped, so a link never paints a whole line yellow. If nothing is wrong the reply is `No spelling errors`.

Finding Something: FIND, RFIND and F19

In a long post, type `FIND` green on the `Command:` line and press **ENTER**: the editor moves to the first line holding that text. **F19** — or the command `RFIND` — moves to the next one, and again for the one after that. If you have not searched for anything yet, the reply is `No previous find`.

Signing Off: F21

F21 appends your SIGNATURE note (Chapter 8) after the last line of the text, with a blank line in front of it, wherever the cursor happens to be. Figure 6-9 shows a reply just after **F21** was pressed.

```
Reply to: Colour tags in posts - a cheat she Pos 2      Lines in file: 6
Command: _      SAVE/CANCEL/FIND F1=HELP! F7=Up F8=Down  *
Agreed - and one more rule:
keep the body of a post green.
keep the body of a post green.

--
bcooper - Endicott, NY - "green on black forever"
```

Figure 6-9. A signature appended with F21 (Model 2, 24 x 80; capture screens/21-editor-signature.txt)

Press it once, at the end, when the post is otherwise finished; pressing it twice appends the signature twice, and the editor does not notice.

Getting About: F7, F8, F9 and F14

F7 and **F8** scroll a screen at a time. **F9** jumps to the bottom of the text — the quickest way to the end of a long reply — and **F14** jumps back to the first line.

Colour Tags

You may colour the text of a post or a mail message with tags. A tag is a word between double angle brackets. It takes effect where it appears and stays in effect until another tag or the end of the text. The tags themselves are not displayed.

Tag	Effect
<<white>>	White text.
<<red>>	Red text.
<<green>>	Green text. This is the colour of ordinary text, so the tag is only needed to return to it after another colour.
<<yellow>>	Yellow text.
<<blue>>	Blue text.
<<turquoise>>	Turquoise text.
<<pink>>	Pink text.
<<reverse>>	Begin reverse video.
<</reverse>>	End reverse video. Setting any colour also ends reverse video.

Figure 6-10. Text colour tags

There is no closing form for the colour tags. A tag such as <</yellow>> may be typed, and it is removed from the displayed text like any other tag the system does not recognise, but it does **not** return the text to green: everything after it stays yellow until another colour tag appears. To go back to ordinary text, write <<green>>. The one true closing tag is <</reverse>>.

Advice from long practice:

- Put a tag on a line of its own where you can. It reads more clearly in the editor, and it cannot be broken by a line ending.
- Colour carries meaning elsewhere in the system: red is used for errors, pink for new material, turquoise for links. Use yellow for headings and leave the body of your post green.
- A tag name that the system does not recognise is removed from the text without being displayed, so a misspelled tag silently does nothing.
- Tags are interpreted when a **post** or a **mail message** is displayed. The note viewer shows a note exactly as you typed it, including any tags; see Chapter 8.

Signatures

Your signature is a note whose subject is exactly SIGNATURE, in capital letters. Create it once as described in Chapter 8. Thereafter, pressing **F21** anywhere in the content editor appends it to the end of what you are writing, after a blank line. It works in topics, in replies and in mail.

The signature is never added automatically: you decide, message by message, whether to press **F21**. If you have no SIGNATURE note, the key does nothing. Keep the signature short — three or four lines is generous on a 24-line screen.

Drawing Boxes

F11, **F13** and **F15** draw line-drawing boxes around your text: around the current line, around the block of lines up to the next blank line, and left-aligned rather than centred. They are convenient for headings and for setting off quoted material. The box is ordinary text once drawn, and you can edit inside it.

Chapter 7

Mail

Mail is private correspondence between users. Where the operator has configured it, mail also reaches the Internet: you may address messages to ordinary electronic mail addresses, and messages sent to your address at this system are delivered into your inbox.

The Inbox

Mail is for what does not belong in public: an answer meant for one person, an arrangement to meet, a word to a moderator, a reply to a marketplace advertisement. Nothing you send is visible to anybody but the people you address it to, and messages are never linked to from the conferences (Chapter 9). Each message has a subject, up to three recipients on this system, and a body written in the same editor as your posts, so colour tags and your signature work here as they do everywhere.

Two folders are kept for you: the mail you have received, and the mail you have sent. There are no folders of your own making; what you want to keep permanently is best saved into your notes with **F10**, where you can give it any subject you like. Mail you no longer want is deleted one message at a time with **F9**, or in bulk with the purge function.

Select option 4 from the main menu.

Search:		Inbox		Page 1 of 1	
S	From	Subject	Total messages: 2	Date	Status

	mmartin	Emulator settings I use c3270 with a Model...		09Sep26	Read
	jbrooks	Welcome to the Hardware conference Thanks ...		08Sep26	Read
F1=Help F3=Rtrn F5=New Message F6=Spam List F7=Up F8=Dwn F9=Purge F11=Rcv/Sent					

Figure 7-1. The mail inbox (Model 2, 24 x 80; capture screens/20-mail-inbox.txt)

The columns are the other party, a preview of the message, the date and the status (Read or Unread). Type any character against a message and press **ENTER** to read it. Type a word in the **Search:** field to search your mail.

Key	Function
F1	Help.
F3	Return to the main menu.
F5	Write a new message.
F6	The spam list: senders from outside the system whose mail you have blocked.
F7, F8	Page up and down.
F9	Purge messages you have read. A confirmation screen lets you choose what to remove.
F11	Switch between received mail and sent mail.

Figure 7-2. Function keys on the mail list

Reading a Message

View Message From: jbrooks To: bcooper Message: #1 - 08Sep2026 01:15 Welcome to the Hardware conference Thanks for the 3179G post. If you have photographs, put them in a PUBLIC note and I will link to it from the conference. Press F4 to reply, or F10 to keep this message in your Notes. F1=Help F3=Messages F4=Reply F5=About F9=Del F10=Save2Notes

Figure 7-3. Reading a message (Model 2, 24 x 80; capture screens/22-mail-view.txt)

Figure 7-4 shows the key panel displayed by **F1**.




Figure 7-4. The message view function key panel (Model 2, 24 x 80; capture screens/23-mail-view-help.txt)

Key	Function
F2	Forward the message to an electronic mail address outside the system.
F3	Return to the list.
F4	Reply. Replies to mail from outside the system quote the original automatically; replies to mail from another user of this system do not.
F5	Display the sender's PUBLIC note.
F6	Block the sender: mail from that outside address is discarded from now on. See the spam list, above.
F7, F8	Previous and next page of a long message.
F9	Delete the message.
F10	Save the message into your notes.
F12	Opt out of the topic notifications that produced this message.
F20	Print the message. See Chapter 13.

Figure 7-5. Function keys while reading a message

Messages from the system account noreply cannot be answered.

Writing a Message

Press **F5** on the mail list.

Message Recipients

Please enter up to 3 message recipients (leave blank if not needed):

Internal users:

Subject:

F1=Help F3=Cancel F9=Complete Username Enter=Continue

Figure 7-6. Choosing the recipients of a message (Model 2, 24 x 80; capture screens/21-mail-compose.txt)

Type up to three user identifiers of this system, and a subject. If you are unsure of a name, press **F9** for a list to choose from. Where the operator has enabled external mail, further fields are offered for Internet addresses in the To and CC positions. Press **ENTER**; the content editor opens for the body of the message. Save with **SAVE** or **F12** to send it, or leave with **CANCEL** to throw it away.

Colour tags (Chapter 6) work in mail, and **F21** adds your signature.

Mail To and From the Internet

Mail that arrives from outside the system is shown as being from the sender smtp, with the real address in the heading of the message. Attachments are not delivered: they are removed, and a line such as [Note: 1 attachment was dropped from this message] is added to the body. If a correspondent sends you unwanted mail, add the address to your spam list with **F6**; later mail from that address is discarded.

A note whose subject is . FORWARD causes a copy of every message that arrives for you from outside to be forwarded to the address written in the note, as well as being delivered to your inbox. See Chapter 8.

Outbound mail is limited; see ["Limits on Outgoing Mail"](#) in Chapter 13.

Notes

Notes are your own filing cabinet. Nobody else can read a note unless its subject is one of the reserved subjects described below. Select option N from the main menu.

A note is a piece of text with a subject, kept for you and written in the same editor as everything else. Notes serve four purposes on this system, and it is worth knowing all four:

- **As a notebook** — a list, a draft of a long post, anything you want to keep between sessions.
- **As a place to file things you have read** — **F10** while reading a topic or a message saves it as a note, so a reference you may want again is one screen away rather than lost in a conference.
- **As the source of the four reserved notes** below, which is how you publish an "About Me" page, set your signature and answer a finger query.
- **As a way in and out of the system** — notes are the files you may fetch and store over FTP, so a document written on your own machine reaches 3270BBS as a note.

```

Personal Notes
Search:
Total notes: 4
S Subject
*****
PUBLIC          NO          150 10 Sep 2026  10 Sep 2026
SIGNATURE              52 10 Sep 2026  10 Sep 2026
FINGER          NO          53 10 Sep 2026  10 Sep 2026
3179G restoration    56 10 Sep 2026  10 Sep 2026
*****

F1=Help  F3=Main Menu  F5=New Note  F7=Prev  F8=Next

```

Figure 8-1. The notes list (Model 2, 24 x 80; capture screens/25-notes-list.txt)

The columns are the subject, whether the note has been viewed, its size in characters, and the dates it was updated and created. A **Search:** field at the top narrows the list to the notes whose subject matches what you type. Type any character against a note and press **ENTER** to read it; type D to delete it. If **Confirm Delete** is set in your profile, mark one note at a time and confirm on the next screen.

Key	Function
F1	Help, including the list of reserved subjects.
F3	Return to the main menu.
F5	Create a note: type the subject, then write the text in the content editor.
F7, F8	Page up and down.

Figure 8-2. Function keys on the notes list

View Note		
Note #1	Created: 10 Sep 2026	Updated: 10 Sep 2026
Subject: PUBLIC		
<<yellow>>Bob Cooper<</yellow>>		
Endicott, New York.		
Collects 3179G terminals and 3174 controllers.		
Reachable in the Hardware conference most evenings.		
F3=Back F5=Edit F7=Prev F8=Next F9=Delete F10=Post as Topic F22=Link		

Figure 8-3. Reading a note (Model 2, 24 x 80; capture screens/27-note-view.txt)

Key	Function
F3	Return to the notes list.
F5	Edit this note in the content editor.
F7, F8	Previous and next page of a long note.
F9	Delete the note.
F10	Post the note as a topic. The note becomes a public topic in a conference of your choosing. Use it when a draft you have been keeping privately is ready to be read by everybody — and think before you press it, because a post cannot be withdrawn by you afterwards (Chapter 5).
F20	Print the note. See Chapter 13.
F22	Follow a <code>bbs://</code> link written in the note. A note has no link of its own, so there is nothing to copy here. See Chapter 9.

Figure 8-4. Function keys while reading a note

Notice in Figure 8-3 that the note is displayed exactly as it was typed, colour tags and all. Tags are interpreted when the note is used as a PUBLIC profile or when its text reaches a post or a message; in the note viewer itself they are shown literally.

The Reserved Subjects

Four subjects have a meaning to the system. They must be typed in capital letters exactly as shown, and you may have only one note of each; if you try to create a second, the system says `You already have a PUBLIC note; edit it instead`. Figure 8-5 is the help panel of the notes list, which names the three you will use most often; the fourth, `.FORWARD`, is described in the table that follows.




Figure 8-5. The notes help panel, listing the reserved subjects (Model 2, 24 x 80; capture screens/26-notes-help.txt)

Subject	Meaning
PUBLIC	Your "About Me" page. It is shown to anyone who looks you up in the rolodex, who presses F13 with the cursor on your name while reading a topic, or who follows a bbs://user link to you. Write one: it is how the community learns who you are.
FINGER	The text sent to anyone in the world who fingers your user name at this system. See Chapter 10.
SIGNATURE	The signature appended by F21 in the content editor. See Chapter 6.
. FORWARD	An electronic mail address. Mail arriving for you from outside the system is forwarded there as well as being delivered here.

Figure 8-6. Reserved note subjects

Reaching Your Notes by FTP

Where the operator has started the FTP server, your notes are also available as files. Connect with any FTP client, using your ordinary user identifier and password. Each note appears as a file named after its subject, with spaces replaced by underscores and **.txt** appended: a note whose subject is **My Ideas** is the file **My_Ideas.txt**.

- GET retrieves a note; PUT stores one, creating or replacing it.
- MGET is not supported. Fetch files one at a time.
- Uploads are limited in size; twenty kilobytes is the usual limit, and your operator may set another.

This is the supported way to compose a long document elsewhere and bring it into the system, or to keep a copy of your notes on your own machine.

Chapter 9

Linking to Content: bbs:// Links

A `bbs://` link is a short reference to something inside this system — a topic, a post, a marketplace item, a conference, a user — that you can put into a post or a message so that a reader can go straight there. Links are shown in turquoise wherever they appear.

The Form of a Link

A link is the letters `bbs://`, then a kind, then an optional name that is there only to make the link readable, then a number that identifies the item:

- `bbs://topicMotorbikes41` — topic 41
- `bbs://itemIbmKeyboard18` — marketplace item 18
- `bbs://userMoshix7` — the PUBLIC note of user 7

The kinds are `topic`, `post`, `item`, `user`, `conf`, `chat`, and, where newsgroups are enabled, `group`, `subject` and `article`. There is deliberately no kind for private mail: mail cannot be linked to.

The number is what matters. The name in the middle is decorative and is ignored, so a link still works after a topic has been renamed.

The Link Clipboard

Links are moved about with a clipboard that belongs to your session. It holds **one** link: copying another replaces it. It is shared by all three virtual sessions, so you may copy a link in one session and paste it in another (Chapter 4), and it keeps its contents until you replace it, type `CLEAR` at a menu, or log off.

While the clipboard holds something, a white asterisk is displayed in the last column of the title line of both menus. `CLEAR` empties it and answers `Link clipboard cleared`.

Copying, Pasting and Following

One key does all three. **F22** decides which of them you meant from where the cursor is standing when you press it:

- on a `bbs://` link somebody has written — it **follows** the link;
- on an item that can be linked to — it **copies** a link to that item to the clipboard, and answers `Link copied:` and the link;
- on a field you are typing into — it **pastes** the clipboard at the cursor.

Not every screen accepts the key. Figure 9-1 lists the ones that do, and what each of them does with it.

Screen	What F22 does
Conference list (Chapter 5)	Copies a link to the conference the cursor is on (<code>bbs://conf...</code>).
Topic list (Chapter 5)	Copies a link to the topic the cursor is on (<code>bbs://topic...</code>). Any column of the line will do, including the selector field. Like the conference list it paints no text of anybody's writing, so there is never a link to follow here — only one to copy.
Reading a topic (Chapter 5)	Follows a link in a post. Otherwise it copies: with the cursor on a post, a link to <i>that post</i> (<code>bbs://post...</code>); with the cursor on the topic's heading line, a link to the whole topic (<code>bbs://topic...</code>). Both take their decorative name from the topic title, so the two look alike — read the kind, not the words.
Marketplace item (Chapter 19)	Follows a link in the description; otherwise copies a link to the item (<code>bbs://item...</code>).
Reading a note, and another user's About Me page (Chapters 8 and 10)	Follows a link written in the text. A note has no link of its own, so there is nothing to copy.
Chat (Chapter 11)	On the input line at the foot of the screen it pastes the clipboard into the message you are typing. On a line of the conversation it follows a link, or copies a link to that line (<code>bbs://chat...</code>).
Wall of one-liners (Chapter 10)	On the input line it pastes . On a one-liner it follows a link. There is nothing to copy: a one-liner has no screen of its own to point at.
The content editor (Chapter 6)	Pastes the clipboard at the cursor, in a post, a reply, a message or a note.

Figure 9-1. Where F22 works, and what it does there

A link to a single *post* can only be copied while you are reading the topic: the topic list knows nothing finer than the topic itself.

If the cursor is on a screen that accepts the key but on nothing in particular, the message line says **Nothing to copy here** — put the cursor on an *item*. If you press **F22** to paste and the clipboard is empty, the system says so rather than pasting nothing.

In chat and on the wall of one-liners the pasted link has to fit the input field, which is one line long. If the message and the link together are too long, the paste is refused rather than either of them being cut short.

Following a Link From the Command Line

The G0 command of the TSO command line (Chapter 15) follows a link you type:

```
G0 bbs://topicMotorbikes41
```

G0 with nothing after it follows whatever is on the clipboard, which is the quickest way to open a link you copied on another screen.

A link that names something that does not exist, or something you are not allowed to see, always produces the same reply: That link is not available. The wording does not distinguish the two cases, so a link cannot be used to discover what exists.

Chapter 10

Finding and Reaching People

The User Rolodex

Select option U from the main menu.

The rolodex is the directory of the community. Use it to find out who somebody is before you write to them, to see whether the person you want is online now, to learn who the moderators are, and to find the exact spelling of a user name for a message or a summon.

Total users: 6

User Rolodex

Page 1/1

Search:

Username	Mod	Adm	Topics	Posts	Online	Last Login	Country	About Me
***** *Desc*****								
bcooper	No	No	2	3	Online	10Sep26	USA	Yes
jbrooks	Yes	No	2	2	Offline	10Sep26	USA	
mmartin	No	No	1	2	Offline	10Sep26	Germany	
admin	No	Yes	0	0	Offline	10Sep26	USA	
noreply	No	No	0	0	Offline	Never	N/A	
smtip	No	No	0	0	Offline	Never	N/A	

F1=Help

F3=Rtrn

F5=About

F7=Up

F8=Down

F10=Point&Msg

F11=Point&Sort

Figure 10-1. The user rolodex (Model 2, 24 x 80; capture screens/35-rolodex.txt)

The rolodex lists every account: the user name, whether the user is a moderator or an administrator, how many topics and posts they have written, whether they are online now, the date they last logged on, their country, and whether they have written an "About Me" page. Type a name or part of one in the **Search:** field to narrow the list.

The rolodex has no selector column. You *point* at a line with the cursor and press a key:

Key	With the cursor on	Function
F3	anywhere	Return.
F5	a user	Display that user's PUBLIC note, their About Me page.
F7, F8	anywhere	Previous and next page.
F10	a user	Send that user a message.
F11	a column heading	Sort the list by that column; press it again to reverse the order.

Figure 10-2. Keys on the user rolodex

If you press **F5** or **F10** without the cursor on a user, the system replies Position cursor on a user and press F5 to view their PUBLIC note or the corresponding message for **F10**.

```

bcooper      About Me                Created: 10 Sep 2 Updated: 10 Sep 2026
*****
Bob Cooper
Endicott, New York.
Collects 3179G terminals and 3174 controllers.
Reachable in the Hardware conference most evenings.

F3=Return to User Rolodex

```

Figure 10-3. A user's About Me page, displayed with F5 (Model 2, 24 x 80; capture screens/35b-aboutme.txt)

The About Me page is the PUBLIC note described in Chapter 8, and colour tags in it take effect here. A user who has written none has nothing to show; the system says so rather than displaying an empty page.

The Wall of One-Liners

Select option L from the main menu. A one-liner is a single line addressed to the whole community: a greeting, an announcement, a joke.

```
Wall of One-Liners                                     3 msgs
*****
bcooper 09Sep2026 Green screens forever.
-----
jbrooks 09Sep2026 New topic in Hardware: show us your 3179G
-----
mmartin 09Sep2026 Greetings from Boeblingen!
-----

bcooper:
F3=Menu F5=AboutUser F7=Up F8=Down F9=Revise F22=Cpy/Paste ENTER=Post
```

Figure 10-4. The wall of one-liners (Model 2, 24 x 80; capture screens/36-oneliners.txt)

Each entry shows the author, the date and the text. New one-liners since your last logon are among the things reported by **F2** (What's New) at the menu. The function key line on the wall itself tells you which key adds a line and which keys page through the wall.

F22 works here too, and splits on the cursor row: on the input line at the foot of the screen it pastes the link clipboard into the one-liner you are typing, and on a one-liner already on the wall it follows the `bbs://` link under the cursor. A one-liner has no screen of its own, so there is nothing to copy. See Chapter 9.

Summoning

To reach somebody who is logged on at this moment, use **F4** on the main menu, described in "[F4 — Summoning Another User](#)" in Chapter 3. Summons are for the here and now: they expire after fifteen minutes.

Being Fingered From Outside

The FINGER protocol lets anybody on the network ask a system about one of its users. Where your operator has started the finger daemon, someone may type, on their own machine:

```
finger yourname@thisbbs.example.com
```

What they receive is the text of your FINGER note (Chapter 8), followed by a line saying whether you are online and, if you are, what you are doing. If you have written no FINGER note — or if the name is not an account at all — the reply is a general description of the system. The two cases are deliberately indistinguishable, so that the finger service cannot be used to find out which accounts exist.

A query with no user name at all returns the system banner: the name of the system, the time, how long it has been running, and how many users are online.

Chapter 11

Live Chat

Chat is conversation in real time with whoever else is at their display station. Two chats are available to you:

- **Local chat** — option R on the main menu. The conversation of this system.
- **Private chat** — option I on the extended menu. A room protected by a password, for a conversation among people who know it.

A third, **federated chat** — a conversation shared with other 3270BBS systems around the world — appears as option R on the extended menu, but it is not available in this release: the option answers **Federated chat is disabled**. The federated count displayed on the menus (**In chat . :**) is therefore always zero.

```
real-time      Local Chat                      10:22:17
Online: bcooper, jbrooks

09:40 jbrooks  Evening all. Anyone here running a real 3174?
09:41 mmartin  I have one in the garage. Coax to twinax is the hard part.
09:42 bcooper  Just finished a topic on the 3179G if anyone wants pictures.
09:43 jbrooks  Post the link with F22 and I will follow it from here.
10:22 jbrooks  Evening all. Anyone here running a real 3174?
10:22 bcooper  I have one in the garage - coax to twinax is the hard part.
10:22 jbrooks  Post the link with F22 and I will follow it from here.

bcooper  =====>

F1=Help F2=Spell F3=Out F4=Complete F5=About F7=Up F8=Dn F9=Recall F10=ScrnShot
```

Figure 11-1. Local chat (Model 2, 24 x 80; capture screens/40-chat.txt)

The heading shows the name of the chat and the time, and, at the left, the scroll state: **real-time** when you are watching the conversation as it happens, **history scroll** when you have scrolled back, and **top of chat history** when you have reached the beginning. Below it is the list of users present. Type your line at the bottom of the screen and press **ENTER** to say it.




Figure 11-2. The chat function key panel (Model 2, 24 x 80; capture screens/41-chat-help.txt)

Key	Function
F1	Help.
F2	Check the spelling of what you have typed.
F3	Leave the chat.
F4	Complete the word you are typing.
F5	About this chat.
F7, F8	Scroll back and forward through the conversation.
F9	Recall what you typed before.
F10	Take a screen shot of the conversation, which is placed in your held output.
F22	On the input line, paste the link clipboard into the message you are typing. On a line of the conversation, follow the link under the cursor, or copy a link to that line. See Chapter 9.

Figure 11-3. Function keys in chat

The Room Topic

A chat may have a topic, displayed in the heading. It is set with the command `/topic` followed by the text, typed on the chat input line, and cleared by typing `/topic` with nothing after it. Only the first twenty characters are kept, so make it short; the rest is discarded without a warning. Only moderators and administrators may set it; anybody else who tries is told `Only admins/moderators can set the chat topic`. This is the only command that chat recognises; everything else you type is said to the room.

Points to Remember

- Only one of your virtual sessions may be in chat at a time (Chapter 4).
- The count of people in chat, local and federated, is shown on both menus as `In chat . :`
- If mail arrives while you are chatting, a `New Mail` notice appears in the corner of the chat screen.
- What is said in chat is not kept in the conferences. If it is worth keeping, post it as a topic.

Chapter 12

Your Profile and Preferences

Select option 0 from the main menu, or type =0 on the extended menu. One screen holds both your account information and the preferences that govern how the system behaves for you. Change what you need and press **ENTER** to save; the message line replies Profile updated.

```

                                User Profile
*****
Username:      bcooper
Email:         bcooper@example.com
City:          Endicott
Country:       USA
Units:         imperial    Confirm Delete: yes
                  metric/imperial          yes/no
Time Zone:     America/Anchorage          (F4 to change)

-----
Preferences
Screensaver:   Y   Y/N   Timeout: 4   min(1-30) Stock ticker: N   Y/N
Editor Scroll: CSR   CSR/PAGE/HALF   LineNum: N
Refresh rate for self-updating panels: 5   (3-10)
Print to Held: N   Y/N
ASM/BASIC Log: Y   Y/N   Send ASM/BASIC session log to Held Output
Posts Sort Order: 0   Oldest first or newest first 0/N
F5=Password   F9=CloseAccount   F10=AboutMe

F3=Return   F4=Set TimeZone   ENTER=Save
```

Figure 12-1. The user profile screen (Model 2, 24 x 80; capture screens/30-profile.txt)

Account Information

Field	Notes
Username	Displayed, not editable. Only the operator can change it.
Email	Where printed documents and password matters are sent. Changing it asks you to confirm, and, where the operator has enabled verification, sends a code to the new address that you must type before the change takes effect.
City	Your home city. It is the answer to the question asked when you recover a lost password, so keep it accurate.
Country	Your country.
Units	metric or imperial.
Confirm Delete	yes or no. When yes, deletions elsewhere in the system ask you to confirm and are taken one at a time.
Time Zone	Displayed, not typed. Press F4 to change it.

Figure 12-2. Account information on the profile screen

Preferences

Preference	Values	Effect
Screensaver	Y / N	Whether the screen saver starts when you leave the display idle.
Timeout	1 – 30	Minutes of inactivity before the screen saver starts.
Stock ticker	Y / N	Whether a ticker of market prices is displayed.
Editor Scroll	CSR / PAGE / HALF	How far F7 and F8 scroll in the ISPF-style editor: to the cursor, a whole page, or half a page.
LineNum	Y / N	Whether the ISPF-style editor shows line numbers.
Refresh rate	3 – 10	Seconds between refreshes of the self-updating displays such as SDSF and DELTAMON.
Print to Held	Y / N	Whether printing places the document in your held output instead of mailing it to you as a PDF. See Chapter 13.
ASM/BASIC Log	Y / N	Whether the log of each BASIC or assembler run is written to your held output. See Chapter 13.
Posts Sort Order	0 / N	Whether a topic opens with the oldest post first or the newest first.

Figure 12-3. Preferences on the profile screen

On a Model 4 display station the profile screen also shows a statistics block: your address, how long you have been connected, how many topics and posts you have written, and how many times you have logged on. See Figure 12-4.

```

                                User Profile
*****

Username:      bcooper
Email:         bcooper@example.com
City:          Endicott
Country:       USA
Units:         imperial    Confirm Delete: yes
                                metric/imperial    yes/no
Time Zone:     America/Anchorage    (F4 to change)

-----

Preferences
Screensaver:   Y   Y/N    Timeout: 4    min(1-30) Stock ticker: N   Y/N
Editor Scroll: CSR   CSR/PAGE/HALF    LineNum: N
Refresh rate for self-updating panels: 5    (3-10)
Print to Held: N   Y/N
ASM/BASIC Log: Y   Y/N    Send ASM/BASIC session log to Held Output
Posts Sort Order: 0    Oldest first or newest first 0/N
F5=Password F9=CloseAccount F10=AboutMe

-----

Statistics:
IP Address:    ::1                Topics: 2
Connected For: 37 seconds         Posts: 3
Login Count:   44

-----

Terminal: 43x80 3278-4/3279-4 CPbracket

F3=Return F4=Set TimeZone ENTER=Save

```

Figure 12-4. The profile screen on a Model 4, showing statistics (Model 4, 43 x 80; capture screens/91-profile-model4.txt)

Function Keys on the Profile Screen

Key	Function
ENTER	Save every field on the screen.
F3	Return to the main menu.
F4	Set your time zone.
F5	Change your password.
F9	Close your account.
F10	Edit your PUBLIC note, the "About Me" page other users see.

Figure 12-5. Function keys on the profile screen

Changing Your Password

Press **F5** on the profile screen.

Change Password

Enter your current password and a new password (6-22 characters):

Current Password:

New Password:

Confirm Password:

Terminal: 24x80 3278-2/3279-2 CPbracket (Standard Mode)

F3=Cancel F12=Save New Password

Figure 12-6. The change password screen (Model 2, 24 x 80; capture screens/31-password-change.txt)

Type your current password, then the new password twice. Nothing is displayed as you type. Press **ENTER** or **F12** to save, or **F3** to abandon the change.

- The new password must be six to twenty-two characters.
- The two copies must match, or the system says New passwords do not match.
- The current password must be right; if it is not, the change is refused.

On success you are returned to the profile screen with Password changed in reverse video. Change the temporary password from a password recovery at once.

Setting Your Time Zone

Press **F4** on the profile screen. Every time shown to you — on the menus, in topics, in mail, in chat — is displayed in this zone.

Time Zone Selection

Select a region, then choose a time zone:
Region: Africa America or Europe or Asia, then Enter to update the list

Current Selection: America/Anchorage
A) Africa/Cairo
B) Africa/Johannesburg
C) Africa/Lagos
D) Africa/Nairobi

City code:

1. Enter continent in Region: and press ENTER
2. Then pick input the desired city into City Code: and press ENTER.
3. Verify your selection, and press F10 to accept and go to Main Menu
F3=Cancel F7=Scroll Up F8=Scroll Down F10=Select

Figure 12-7. The time zone selection screen (Model 2, 24 x 80; capture screens/32-timezone.txt)

1. Type a region in the **Region:** field and press **ENTER**. The list of cities is replaced. The regions are Africa, America, Antarctica, Asia, Atlantic, Australia, Europe, Indian, Pacific and UTC.
2. **F7** and **F8** scroll the list.
3. Type the letter of the city you want in the **City code:** field and press **ENTER**. Your choice appears as **Current Selection**.
4. Press **F10** to accept it.

F3 leaves the zone unchanged.

Your About Me Page

F10 on the profile screen edits your **PUBLIC** note in the content editor. This is the page other users see when they look you up in the rolodex or follow a link to you. It is the same note you can edit from the notes list (Chapter 8); there are simply two ways in.

Closing Your Account

F9 begins the account deletion procedure and asks you to confirm. Consider it carefully: it cannot be undone, and it is the one thing in this system that removes your history from the community.

Chapter 13

Printing, Held Output and Mail Limits

3270BBS has no printer attached to your display station. What it has instead is the arrangement a mainframe has always had: you print a document to a **held output** queue, where it waits until you look at it, send it somewhere or purge it. You may also have a document mailed to yourself as a PDF file.

What You Can Print

From	Key or command	What is printed
Reading a topic	F20	The topic and its posts.
Reading a message	F20	The message.
Reading a note	F20	The note.
The ISPF-style editor	PRINT	The program source you are editing. Always to held output; it is never mailed.
BASIC or the assembler	EMAIL file.list	A compilation or assembly listing, as a wide green-bar listing.
Chat	F10	A screen shot of the conversation.
Running a program	automatic	The log of each BASIC or assembler run, when ASM/BASIC Log is Y in your profile.

Figure 13-1. What can be printed, and from where

Where It Goes: the Print to Held Preference

The preference `Print to Held` on the profile screen decides what **F20** and the `EMAIL` commands do:

- Y — the document is written straight into your held output as plain text. Nothing leaves the system, nothing is counted against your daily mail allowance, and you can read it at once. The message line says `Printed to HELD output`.
- N — the document is made into a PDF file and mailed to the address in your profile. Topics, messages and notes are set in portrait, with a title bar and your colour tags translated into real colours; program listings are set in landscape on simulated green-bar paper with sprocket holes, sixty lines to the page.

The Held Output Queue

Reach it either by selecting option S (SDSF) from the main menu and pressing **F2**, or by typing `HELD` (or `H`) on the SDSF command line.

SDSF HELD OUTPUT DISPLAY FOR USER BC00PER 2 LINES LINE 1-2 (2)											
COMMAND INPUT ==>						SCROLL ==> HALF					
NP	JOBNAME	TYPE	JNUM	DN	CRDATE	C	FORM	FCB	DEST	RC	TOT-REC RNUM
	BC00PER	JOB	1	1	10Sep26	X	STD	BAS	BC00PER	0000	29
	BC00PER	JOB	2	1	10Sep26	X	STD	ASM	BC00PER	0000	34
F3=Return F7=Up F8=Down S=Select P=Purge O=Email											

Figure 13-2. The held output queue (Model 2, 24 x 80; capture screens/46-held-output.txt)

Each line is one print job. The columns follow the conventions of a mainframe spool display:

Column	Meaning
NP	The selector field. Type S, P or 0 here.
JOBNAME	The user the job belongs to.
TYPE	JOB for a print job.
JNUM	The job number, assigned once and kept.
DN	The data set number within the job. Every job this system writes has one, so the column always reads 1.
CRDATE	The date the job was created.
C	The output class. Held output is always class X.
FORM	SRC for program source printed from the editor, STD otherwise.
FCB	BAS or ASM for program output, otherwise stars.
DEST	The owner of the job.
RC	The return code of a program run.
TOT-REC	The number of lines in the job.
RNUM	Heading only; this system prints no value under it.

Figure 13-3. Columns of the held output queue

Action	Effect
S	Select: display the job.
P	Purge: delete the job. The system reports Purged n job(s).
0	Send the job to yourself as a PDF file by mail. The system reports Emailed n job(s) to and your address.
F3	Return.
F7, F8	Scroll the queue.

Figure 13-4. Actions on the held output queue

You may mark several lines before pressing **ENTER**. You see only your own jobs; other users cannot see yours.

Reading a Held Job

```
SDSF OUTPUT DISPLAY BC00PER JOB      1 DSID   101 LINE      0 COLUMNS 02- 79
COMMAND INPUT ==>                      SCROLL ==> HALF
***** TOP OF DATA *****
TIMESHARING BASIC/3270BBS V3.0.0

512135 bytes free
TYPE HELP FOR COMMANDS, BYE TO EXIT
LANGUAGE MANUAL: https://tinyurl.com/TIMESHARINGBASIC
READY
10 REM GREETING FOR THE MANUAL
READY
20 FOR I = 1 TO 3
READY
30 PRINT "HELLO FROM 3270BBS BASIC"; I
READY
40 NEXT I
READY
50 END
READY

10 REM GREETING FOR THE MANUAL
20 FOR I = 1 TO 3

F3=Return F7=Up F8=Down F10=Left F11=Right
```

Figure 13-5. Reading a job from held output (Model 2, 24 x 80; capture screens/47-held-view.txt)

The viewer displays the job between **TOP OF DATA** and **BOTTOM OF DATA** markers, with a command line and a scroll field. **F7** and **F8** scroll up and down; **F10** and **F11** scroll left and right through lines wider than the screen, which listings often are. On the command line, **TOP** and **BOTTOM** go to the ends of the job and **DA** returns to the queue. **F3** returns.

Nothing Is Cleaned Up For You

Held output is kept until it is purged. There is no expiry and no automatic housekeeping, so a run of BASIC programs will fill your queue with logs if you let it. Purge what you no longer need with **P**, and turn off **ASM/BASIC** Log in your profile if you do not want a log of every run.

Limits on Outgoing Mail

Mail that leaves the system — a printed document sent to you as a PDF, a listing mailed from BASIC or the assembler, a reply addressed to an Internet address — is limited in two ways. Both are set by your operator.

Limit	What you see
A daily allowance of outgoing messages, four by default.	Max daily emails (n) reached, or from the held output queue Max daily emails (n) reached. Need n more., or in BASIC ?DAILY EMAIL LIMIT REACHED followed by TRY AGAIN TOMORROW. The count resets at midnight.
A waiting period for new accounts, fourteen days by default, during which an account may not send mail out of the system.	INF014D GENERAL ERROR. The wording is deliberately terse. It does not mean that anything is broken: it means the account is not old enough to send mail outside the system.

Figure 13-6. Limits on outgoing mail

Neither limit applies to anything that stays inside the system. Mail to another user of this system is never restricted, and neither is printing to held output. If you are a new user and want a copy of a topic, set `Print` to `Held` to `Y` and print it; the document waits for you in the queue.

Chapter 14

System Displays

3270BBS shows you what it is doing. The displays in this chapter are modelled on the operator's tools of a mainframe system and are open to every user, although the commands that change anything are reserved for the operator.

SDSF: System Activity

Select option S from the main menu, or type SD at either menu.

ACTIVITY	TCB 16	MEM 21.6MB	CPU 19.00%	TX/H 3.1K	MAX 1			
COMMAND ==>>						00:17:52	since IPL	
S USER	ACTIVITY	CPU%	LAST ACT	LOGON-ST	P-S	T0	SC	LOG TERM
bcooper	SDSF	0.0	-0 sec	13:05:57	3	2	1	24 2-310
mmartin	DISC	0.0	-12m:02s	12:54:51	2	1	1	0
jbrooks	DISC	0.0	-12m:08s	12:54:45	2	2	1	0
admin	DISC	0.0	-17m:15s	12:49:38	0	0	1	4
FTPD	FTP SRV	0.0		STOPPED	0	0	0	
TN3270D	NET SRV	0.0	-5 sec	STARTED	14	0	1	
TN3270TS	TLS SRV	0.0		STOPPED	0	0	1	
HTTPD	WEB SRV	0.0		STOPPED	0	0	0	
PROX3270	PRX SRV	0.0		STOPPED	0	0	0	
SSHD	SSH SRV	0.0		STOPPED	0	0	0	
FINGERD	FIN SRV	0.0		STOPPED	0	0	0	
SMTPD	MXE SRV	0.0		STOPPED	0	0	0	
WEB3270	W3E SRV	0.0		STOPPED	0			
MASTER		0.1	-1 sec	STARTED				
PCAUTH	PCAUTH	0.1	-1 sec	STARTED				
GRS	GRS	0.1	-1 sec	STARTED				
CONSOLE	CONSOLE	0.1	-1 sec	STARTED				
CATALOG	IEFPROC	0.1	-1 sec	STARTED				

F1=Help F2=Held F3=Return F6=Auto-Refresh

Figure 14-1. The SDSF system activity display (Model 2, 24 x 80; capture screens/45-sdsf.txt)

The heading counts tasks, memory, processor use, transactions an hour and the number of users, and gives the time since the system was started. Each line below is either a user or a system service:

Column	Meaning
USER	The user, or the name of a service such as TN3270D or FTPD.
ACTIVITY	What that user is doing now, or the kind of service.
CPU%	Processor use, as a percentage of one processor.
LAST ACT	How long ago that user last pressed a key.
LOGON-ST	The time the user logged on, or the state of the service.
P-S	Process status: ACT active, IDL idle, AWY away.
T0	Timeout: the minutes left before an idle session is logged off.
SC	Screen code: the screen the user is on.
LOG	How long the user has been logged on.
TERM	The display station model and character set.

Figure 14-2. Columns of the SDSF activity display

On the service rows these four columns carry counters belonging to the service instead.

F1 is help, **F2** is your held output (Chapter 13), **F3** returns and **F6** turns the automatic refresh on and off. The refresh interval is the one set in your profile.

DELTAMON: Performance Monitor

Option P on the extended menu. DELTAMON draws the load of the system as bars that fill and empty as you watch: processor, storage, tasks, interrupts, paging, garbage collection and network connections.

Auto Update: ON		System Performance		10:56:59	
Refresh:	5s	All CPUs%		Uptime:	00:30:56
		0 . . 20 . . 40 . . 60 . . 80 . . 100			
Metric	Current	Range (IPL)	Rel	Actual/Range	Status
CPU %	15.0	13.0-53.0	5%-		Normal
MEM MB	18.5	17.1-22.4	26%-----		Normal
TCB	15.0	13.0-15.0	100%-----		Normal
IRQ/s	0.0	0.0	0%-		No Data
GC ms	0.1	0.0-1.0	3%-		Normal
PageIns/s	0.0	2-6845	0%-		Normal
PageOuts/s	0.0	1-197	0%-		Normal
Threads	5542.0	5442-5872	23%----		Warning
Connections	68.0	22.0-84.0	74%-----		Normal
HeapObjects	23962	23027-25013	47%-----		Normal
SQLite:	dbTx/h=686				
TCP/IP:	Sessions=1 Online=1 MaxOnline=1				
System:	Processes=1191				
F3=Return F9=Slower F10=Faster F11=DBmon F12=UserCPU					

Figure 14-3. The DELTAMON performance monitor (Model 2, 24 x 80; capture screens/88-deltamon.txt)

The colours are a four-step scale, and they mean the same thing wherever you meet them in 3270BBS: green up to a quarter of the resource, yellow to a half, pink to three quarters, red above that.

Key	Function
F3	Return.
F4	Model 4 only: switch the equalizer bars between colour and monochrome. The label changes to say what the key will do next.
F5	Model 4 only: switch the bars between the spot reading and a two-minute average.
F9, F10	Refresh more slowly, refresh more quickly.
F11	Go to the database transaction monitor, DBMON.
F12	Go to the per-user processor display, described next.
Auto Update	The field at the top left. Type over it to stop and start the automatic refresh.

Figure 14-4. Keys on the DELTAMON display

User Performance: Who Is Using the Machine

F12 from DELTAMON, or the shortcut **M;P;U** typed at a menu, displays the processor time each logged-on user is consuming.

User Performance										10:57:03
Refresh:	5.0s	All CPUs%					Uptime:			00:31:01
0 . . 20 . . 40 . . 60 . . 80 . . 100										
System:	CPU%	17.0	TCB	16	RAM MB	20.3	IRQ/s	0	Users:	1
User	CPU%	Range	Rel	CPU/Range	Status	Activity				
bcooper	0.0	0.0-0.0	0%	-	Normal	DELTAMON				

Figure 14-5. The per-user processor display (Model 2, 24 x 80; capture screens/88b-usercpu.txt)

The heading repeats the system figures — processor, tasks, storage, interrupts — and a scale from 0 to 100. Each line below is one user: the name, the percentage, the range the user has been in, a bar drawn to that scale, the state of the session and what the user is doing. The percentage is of one processor, in the manner of the **top** command, so on a machine with several processors the figures for all users can add up to more than the machine-wide figure in the heading.

Service rows appear alongside the users, so you can see what the system itself is spending. **F9** and **F10** change the refresh rate, **ENTER** refreshes at once, **F12** shows the mail transfer statistics, and **F3** returns.

DBMON: the Database Transaction Monitor

F11 from DELTAMON, or the typed command **DBMON** at either menu. Everything you do on this system — reading a topic, saving a note, sending a message — is a database transaction, and DBMON shows them as they happen.

Auto Update: ON	DB Transaction Monitor				10:58:17
Refresh: 5s	All CPUs%				Uptime: 00:32:14
	0 . . 20 . . 40 . . 60 . . 80 . . 100				
CPU: 15.0%					
TxRead/m	TxWrit/m	TotTx/min	DB ms	Online: 1	
7000	500	8000	5.0	Database: SQLite	
				Reads:	345
5600	400	6400	4.0	Writes:	95
				Avg ms:	0.13
4200	300	4800	3.0	dbTx/h:	819
				Read/m:	24.0
2800	200	3200	2.0	Writ/m:	0.0
				Total/m:	24.0
1400	100	1600	1.0	Max Seen:	
50	33	533	0.3	TxRead/m:	24
TxRead/m	TxWrit/m	TotTx/min	DB ms	TxWrit/m:	0
24	0	24	000.13	TotTx/m:	24
				DB msec:	0.13
F3=Return F4=History F9=Slower F10=Faster					

Figure 14-6. The database transaction monitor (Model 2, 24 x 80; capture screens/88c-dbmon.txt)

The right of the screen reports, for the database as a whole: reads and writes since the system started, the average time a transaction takes in milliseconds, transactions an hour, reads, writes and the total a minute, and, in yellow, the greatest rates seen so far. The bars at the left draw the same figures as they change. **F4** shows the history of the figures rather than the present moment, **F5** steps through the metrics one at a time, **F9** and **F10** change the refresh rate, the Auto Update field stops and starts it, and **F3** returns.

Nothing here is private to a user: DBMON reports the load of the system, not what anybody wrote.

The MVS Console

Option 0 on the extended menu, or the typed command **CONSOLE**. The console shows the system's own messages in the style of a mainframe operator console — users logging on and off, services starting and stopping, jobs beginning and ending — and it accepts operator commands typed on the line at the foot of the screen.

```

- TSUSRVI TSU 23270 IEF125I BC00PER - LOGGED ON - TIME=13.45.38
- TSUSRVI TSU 23270 $HASP395 BC00PER ENDED
- TSUSRVI TSU 23270 $HASP250 BC00PER IS PURGED
- TSUSRVI TSU 23270 $HASP100 BC00PER ON TS0INRDR
- TSUSRVI TSU 23270 $HASP373 BC00PER STARTED
- TSUSRVI TSU 23270 IEF125I BC00PER - LOGGED ON - TIME=13.56.55
- TSUSRVI TSU 23270 $HASP395 BC00PER ENDED
- TSUSRVI TSU 23270 $HASP250 BC00PER IS PURGED
- TSUSRVI TSU 23270 $HASP100 BC00PER ON TS0INRDR
- TSUSRVI TSU 23270 $HASP373 BC00PER STARTED
- TSUSRVI TSU 23270 IEF125I BC00PER - LOGGED ON - TIME=13.58.09
-
D A,L
IEE104I 13.58.22 26.253 ACTIVITY FRAME LAST F E 1A
JOBS M/S TS USERS SYSAS INITS ACTIVE/MAX VTAM
00007 00002 00001 00006 00006 00001/00010
JES2 JES2 IEFPROC NSW S VTAM VTAM NET NSW S
TS0 TS0 STEP1 OWT S FTPD FTPD STOP STO S
TN3270 TN3270 RUN STA S TLS TLS STOP STO S
HTTPD HTTPD STOP STO S PROXY PROXY RUN STA S

IEE152I ENTER CANCEL D C,K

IEE163I MODE= RD

```

Figure 14-7. The MVS operator console, after a D A,L command (Model 2, 24 x 80; capture screens/89-mvs-console.txt)

Type a command and press **ENTER**. It is echoed into the log with a dash in front of it, in the manner of a real console, and its result appears in the command area — the **K A area** — in the lower part of the screen. Every command may be typed in the short or the long form shown below.

Command	Also	Displays
D A,L	D A, DISPLAY A	System activity: the address spaces and services and what they are doing.
D TS,L	D TS, DISPLAY TS	The timesharing users: who is logged on, their activity and their last logon.
D U,ALL	DISPLAY USERS	The users known to the system.
D T	D TIME, DISPLAY TIME	The time of day.
D M	DISPLAY M	Storage: how much the system is using.
D IPLINFO	DISPLAY IPLINFO	When the system was started, and with what.
D NETSTAT	DISPLAY NETSTAT	The network connections.
D C,K	DISPLAY CONSOLES	The consoles.
\$DA		The active jobs, in the manner of the job entry subsystem.
HELP	?	A reminder of the commands.
K	CANCEL	Clear the command area.
K A,nn		Put the command area at row <i>nn</i> (0 through 39).
K A,NONE		Do away with the command area; the log then fills the screen.

Figure 14-8. Commands accepted by the MVS console

A command the console does not know is answered in the log with IEE305I, the command, and COMMAND INVALID. The line IEE152I ENTER CANCEL D C,K at the foot of the screen is the console's own prompt, and IEE163I MODE= RD below it says that the console is ready to read a command.

Commands that *change* anything — starting and stopping the services with S and P, and the shutdown command — are accepted only from an administrator. Typed by anyone else they are refused as invalid.

The Clock

Option 1 on the extended menu, or the typed command CLOCK.




Figure 14-9. The wall clock (Model 2, 24 x 80; capture screens/86-clock.txt)

F11 steps through time zones, **F10** and **F12** and **F2** select other faces for the clock, and **F3** returns. It is a pleasant thing to leave on a spare virtual session.

Market Data

Option Q on the extended menu displays the Stock Quotron: the indices and the prices of the symbols in your watch list.

```

Quote Terminal
NY Time: 14:57:20 EDT Market: OPEN Auto-refresh: OFF
Dow Jones 0.00 +0.00 (+0.00%) NASDAQ 0.00 +0.00 (+0.00%)
Symbol Price Change Div. High Low Volume 52W H/L
*****
IBM 0.00 +0.00 (+0.00%) - 0.00 0.00 0 0.0/0.0

UTC: 18:57 London: 19:57 Berlin: 20:57 Tel Aviv: 21:57 Tokyo: 03:57
Error fetching quotes - try again later
F3=Cancel F4=Add Stocks F6=Toggle Auto-refresh F10=News

```

Figure 14-10. The Stock Quotron (Model 2, 24 x 80; capture screens/93-quotron.txt)

The heading gives the time in New York, whether the market is open, and whether automatic refresh is on. **F4** edits your watch list on a screen headed Add or Edit Stock Symbols, **F6** turns automatic refresh on and off, **F10** shows the news, and **F3** returns. Option F on the extended menu displays foreign exchange rates in the same manner, and returns with **F3** or **ENTER**.

Both displays fetch their prices from outside the system. If your operator has not configured that, the screens appear but the prices are zero, as they are in Figure 14-10.

DSLIS**T**: the Data Set List

Type DSLIST at either menu, or select it from the search menu (option 3). DSLIST presents the things you own as if they were data sets on volumes: NOTES, BASIC, ASMBLR, MAILSM and TOPICS. It is a convenient way to see everything you have written in one place, and to open any of it for editing.

Other Displays

Command	Display
DBMON	Database transactions as they happen.
NEWS	News headlines, where the operator has configured a news source.
SD	The SDSF activity display, above.
M (extended menu)	The screen saver, started at once rather than after the idle timeout.

Figure 14-11. Other displays

Chapter 15

The TSO Command Line

Option X on the main menu leaves the menus and puts you on a command line in the manner of TSO. The system displays **READY** and waits.

Everything else in this publication happens on a panel: a screen of fields with a function key line at the foot of it. This is the one place where 3270BBS works the other way round, as a line-mode terminal. You type a command, the system answers below it, and the conversation scrolls up the screen. It is where you go when you have left the panels — when you have finished in the editor and in ISPF, or simply want to ask the system a question without opening an application — and it is where you log off from.

Nothing is lost by coming here: **MENU** puts you back on the main menu exactly as you left it, and your virtual sessions (Chapter 4) are untouched.



Figure 15-1. The TSO command line (Model 2, 24 x 80; capture screens/50-tso.txt)

Type **HELP** for the list of commands, which is reproduced in Figure 15-2. Type **MENU** (or **ISPF**) to return to the main menu, or **LOGOFF** to end the session.

BCAST	DISPLAY THE SYSTEM BROADCAST MESSAGE
CALC	INTERACTIVE CALCULATOR (LIKE BC). TYPE QUIT TO EXIT
CLEAR	CLEAR THE SCREEN
CLS	CLEAR THE SCREEN (ALIAS FOR CLEAR)
CPU	DISPLAY SYSTEM LOAD INFORMATION
GO	GO BBS:///... - FOLLOW A LINK; BARE GO USES THE PF22 BUFFER
HELP	DISPLAY AVAILABLE COMMANDS
ISPF	RETURN TO THE MAIN MENU (ALIAS FOR MENU)
LOGOFF	LOG OFF THE SYSTEM
LOGON	LOG ON AS ANOTHER USER: LOGON OR LOGON <USERID>
MENU	RETURN TO THE MAIN MENU
METAR	SHOW AVIATION WEATHER (METAR) FOR AN ICAO AIRPORT CODE
MOTD	CHANGE THE MESSAGE OF THE DAY (ADMINISTRATORS ONLY)
RESET	ADMIN: RESET LOCKOUT <USER> OR RESET LOCKOUT IP <IP>
SEND	SEND A SHORT MESSAGE TO A USER IN COMMAND LINE MODE
TIME	DISPLAY CURRENT TIME IN MULTIPLE TIME ZONES
UPTIME	SHOW SYSTEM UPTIME AND START TIME
USER	SHOW STATISTICS FOR A SPECIFIC USER
WEATHER	SHOW WEATHER FOR A CITY OR ZIP CODE (E.G., WEATHER LONDON)
WHO	SHOW USERS LOGGED INTO THE SYSTEM
WIKI	DISPLAY WIKIPEDIA ARTICLE FOR A SUBJECT
READY	

Figure 15-2. The commands available on the TSO command line (Model 2, 24 x 80; capture screens/51-tso-help.txt)

Command	Function
BCAST	Display the system broadcast message.
CALC	An interactive calculator. Type QUIT to leave it.
CLEAR, CLS	Clear the screen.
CPU	Display the load of the system.
GO	Follow a link: GO bbs://... GO by itself follows the link on the F22 clipboard. See Chapter 9.
HELP	List the commands.
LOGOFF	Log off the system.
LOGON	Log on as another user: LOGON or LOGON userid.
MENU, ISPF	Return to the main menu.
METAR	Aviation weather for an ICAO airport code, for example METAR KPOU.
SEND	Send a short message to a user without leaving the command line.
TIME	The current time in several time zones.
UPTIME	How long the system has been running.
USER	Statistics for one user: USER bcooper.
WEATHER	The weather for a city or a postal code: WEATHER LONDON, WEATHER 10001. The answer is fetched in the background and appears a moment later.
WHO	Who is logged on.
WIKI	Display an encyclopaedia article on a subject.

Figure 15-3. Commands on the TSO command line

MOTD and RESET appear in the list as well; they are for administrators and are refused to other users.

Examples

The command line keeps what has gone before, so a session builds up on the screen; CLEAR wipes it and starts again. Type a command and press **ENTER**.

WHO answers with everybody logged on, when they were last active, and what they were doing:

```

WHO
USERS ACTIVE IN THE SYSTEM:
USERNAME      LAST ACTIVITY TIME  ACTIVITY TYPE
-----
BCOOPER       2026-09-10 14:09:22  TSO
JBROOKS       2026-09-10 13:22:06  CHAT
USERS BY ACTIVITY PERIOD:
USERS ACTIVE IN LAST 5 MINUTES: 1
  BCOOPER
USERS ACTIVE IN LAST 30 MINUTES: 0
  NONE
USERS ACTIVE IN LAST 60 MINUTES: 1
  JBROOKS
SUMMARY:
TOTAL ACTIVE USERS: 2
READY

```

Figure 15-4. The WHO command (Model 2, 24 x 80; capture screens/52-tso-who.txt)

TIME, UPTIME and CPU report the state of the system. TIME gives the hour in three zones, UPTIME how long the system has been running, and CPU the load, the storage in use, and the number of processes:

```

TIME
UTC: 2026-09-10 19:09:24 UTC
NEW YORK: 2026-09-10 15:09:24 EDT
ROME: 2026-09-10 21:09:24 CEST
UPTIME
SYSTEM UPTIME INFORMATION:
SYSTEM UPTIME: 0 DAYS, 0 HOURS, 43 MINUTES, 22 SECONDS
CPU
SYSTEM LOAD INFORMATION:
CPU USAGE:      16.00%
MEMORY USAGE:   54.54%
PROCESS COUNT:  1190
READY

```

Figure 15-5. The TIME, UPTIME and CPU commands (Model 2, 24 x 80; capture screens/53-tso-time-cpu.txt)

USER followed by a user identifier reports on one person: the last logon, the last activity and what it was, whether they are logged on now, and how much they have written:

```
USER BCOOPER
USER INFORMATION FOR: BCOOPER
LAST LOGIN: 2026-09-10 14:09:16
LAST ACTIVITY: 2026-09-10 14:09:29
ACTIVITY TYPE: TSO
STATUS: CURRENTLY ACTIVE
POSTS: 3 TOPICS: 2
READY
```

Figure 15-6. The USER command (Model 2, 24 x 80; capture screens/54-tso-user.txt)

CALC is a calculator in the manner of `bc`. It takes over the command line until you type `QUIT`; the prompt changes to `CALC>` so that you can see where you are. It understands the four operations, `^` for powers, `%`, and the usual functions, and it will add and subtract percentages:

```
CALC
BC CALCULATOR - TYPE EXPRESSIONS, QUIT TO EXIT
SUPPORTS: + - * / ^ % SQRT SIN COS TAN LOG LN ABS EXP PI E
PERCENT: 28+1.5%=28.42  200-10%=180  200*15%=30
-----
2^10
1024
(255-15)/8
30
CALC>
```

Figure 15-7. The CALC calculator (Model 2, 24 x 80; capture screens/55-tso-calc.txt)

Other examples worth trying:

- WEATHER LONDON or WEATHER 10001 — the answer is fetched in the background, so the command replies at once and the weather itself appears a moment later.
- METAR KPOU — the aviation weather report for an airport, by its four-letter ICAO code.
- WIKI Poughkeepsie — an encyclopaedia article.
- SEND jbrooks are you there? — a short message to another user without leaving the command line.
- GO bbs://topicMotorbikes41 — follow a link. GO by itself follows whatever is on the **F22** clipboard.
- LOGON jbrooks — log on as somebody else without disconnecting; you are asked for that user's password.

Commands that need something outside this system — WEATHER, METAR, WIKI — work only if your operator has configured the connection.

Note

Choosing X from the menu does not disconnect you. Until you type LOGOFF you are still logged on, and your session still holds a slot on the system.

Chapter 16

Programming in BASIC

3270BBS includes Timesharing BASIC, an interpreter in the tradition of the timesharing systems of the nineteen-seventies, with a command line, a full-screen editor, a file store of your own, and access to some of the live data of the bulletin board. Select option B from the extended menu, or type **M;B** at the main menu.

This chapter is a guide to using the environment, not a description of the language. The complete language manual is at

https://github.com/moshix/3270bbs/blob/main/basic_manual.md

and the interpreter itself names a short form of it on its opening screen. Keep it beside you while you write; everything below assumes you can look a statement up there.

```

                                TIMESHARING BASIC/3270BBS V3.0.0
512135 bytes free
TYPE HELP FOR COMMANDS, BYE TO EXIT
LANGUAGE MANUAL: https://tinyurl.com/TIMESHARINGBASIC
READY
>
```

Figure 16-1. The BASIC command line (Model 2, 24 x 80; capture screens/60-basic-ready.txt)

The interpreter announces itself, says how much storage is free, and displays **READY** and a prompt. Type a line beginning with a number and it is stored as part of the program; type anything else and it is obeyed at once.

Writing and Running a Program

A program may be written in the traditional way, with line numbers:

```
10 REM GREETING FOR THE MANUAL
20 FOR I = 1 TO 3
30 PRINT "HELLO FROM 3270BBS BASIC"; I
40 NEXT I
50 END
```

or without line numbers, in which case the program must begin with the label **START:** and use labels rather than numbers as the targets of **GOTO** and **GOSUB**. **LIST** displays what you have written and **RUN** obeys it.

```

                    TIMESHARING BASIC/3270BBS V3.0.0
512135 bytes free
TYPE HELP FOR COMMANDS, BYE TO EXIT
LANGUAGE MANUAL: https://tinyurl.com/TIMESHARINGBASIC
READY
10 REM GREETING FOR THE MANUAL
READY
20 FOR I = 1 TO 3
READY
30 PRINT "HELLO FROM 3270BBS BASIC"; I
READY
40 NEXT I
READY
50 END
READY

10 REM GREETING FOR THE MANUAL
20 FOR I = 1 TO 3
30 PRINT "HELLO FROM 3270BBS BASIC"; I
40 NEXT I
50 END

>

```

Figure 16-2. A program listed with the LIST command (Model 2, 24 x 80; capture screens/61-basic-list.txt)

```

READY
20 FOR I = 1 TO 3
READY
30 PRINT "HELLO FROM 3270BBS BASIC"; I
READY
40 NEXT I
READY
50 END
READY

10 REM GREETING FOR THE MANUAL
20 FOR I = 1 TO 3
30 PRINT "HELLO FROM 3270BBS BASIC"; I
40 NEXT I
50 END

SAVED hello.bas (5 LINES)

RUNNING...

HELLO FROM 3270BBS BASIC1
HELLO FROM 3270BBS BASIC2
HELLO FROM 3270BBS BASIC3
>

```

Figure 16-3. The same program saved and run (Model 2, 24 x 80; capture screens/62-basic-run.txt)

Commands

Command	Function
RUN	Obey the program in storage.
LIST	List it. LIST 10–50 lists a range.
NEW	Clear the program from storage.
RENUM	Renumber the lines 10, 20, 30 and so on.
DELETE 10–50	Delete a range of lines.
SAVE "name"	Save the program as a file.
LOAD "name"	Load a file. LOAD "user/%file" loads a file another user has shared.
RENAME old.bas new.bas	Rename a file. Both names must carry the .bas suffix.
ERASE "name"	Delete a file. The name may contain * and ?.
FILES	List files. /W lists them in two columns, /U user lists another user's shared files, /C lists the community files.
FLIST	List your own files only.
EDIT	Edit the program in the full-screen editor. EDIT "name" edits a named file.
BROWSE	Choose a file from the file browser.
CHECK	Check the program without running it, and produce a listing file.
VIEW name.list	Read a listing file without disturbing the program in storage.
EMAIL name.list	Send a listing to yourself. See Chapter 13.
VARs	Display the variables and their values.
CLEAR	Clear the screen.
HELP	Display the command summary.
BYE	Leave BASIC. EXIT and QUIT do the same.

Figure 16-4. Commands of the BASIC interpreter

Keys at the BASIC Command Line

Key	Function
ENTER	Obey the line, or answer an INPUT .
PA1, PA2	Stop a running program.
CLEAR	Clear the screen and display a new READY .
F12	Step back through the commands you have typed.
F11	Step forward again.

Figure 16-5. Keys at the BASIC command line

Your Files

Each user has a file store of their own. The first character of a name says who may use the file:

Name	Meaning
name.bas	Private. Only you can see it.
%name.bas	Shared. Other users may read it with LOAD "you/%name.bas" and list it with FILES /U you ; only you may change it.
_name.bas	A community file: readable by everybody, maintained by the operator, and not erasable by you.

Figure 16-6. What the first character of a file name means

```
> 50 END
READY

10 REM GREETING FOR THE MANUAL
20 FOR I = 1 TO 3
30 PRINT "HELLO FROM 3270BBS BASIC"; I
40 NEXT I
50 END

SAVED hello.bas (5 LINES)

RUNNING...

HELLO FROM 3270BBS BASIC1
HELLO FROM 3270BBS BASIC2
HELLO FROM 3270BBS BASIC3

YOUR FILES:
  hello.bas           105 bytes  10 Sep 2026 10:08

COMMUNITY FILES (read-only):
  (none)

>
```

Figure 16-7. Listing your files with FILES (Model 2, 24 x 80; capture screens/63-basic-files.txt)

Worked Examples

VARS after a run shows every variable and the value it was left with — the quickest way to find out why a program did the wrong thing. Here the loop counter I has been left at 4, one past the end of a loop that ran three times:

```
LOADED hello.bas (5 LINES)

RUNNING...

HELLO FROM 3270BBS BASIC1
HELLO FROM 3270BBS BASIC2
HELLO FROM 3270BBS BASIC3
VARIABLES:
  I = 4
>
```

Figure 16-8. LOAD, RUN and VARS (Model 2, 24 x 80; capture screens/67-basic-vars.txt)

CHECK compiles the program without running it. It reports what it found and writes a listing file with the same name and the suffix `.list`:

```
CHECKING PROGRAM...
NO ERRORS OR WARNINGS FOUND
LISTING SAVED TO hello.list
USE VIEW hello.list TO SEE FULL LISTING
>
```

Figure 16-9. The CHECK command (Model 2, 24 x 80; capture screens/68-basic-check.txt)

VIEW displays that listing without disturbing the program in storage. The listing is what a mainframe compiler produces: a heading with the compiler options, the source with statement numbers and nesting levels, then the diagnostics, the cross-reference and the statistics. **F7** and **F8** page through it and **CANCEL** leaves it:

```

VIEW: hello.list (READ-ONLY)                      Pos 1      Lines in file: 68
Command: _                SAVE/CANCEL/FIND  F1=HELP!  F7=Up F8=Down
BASIC/3270BBS OPTIMIZING COMPILER v3.0.0 DATE: 10 SEP 2026 11:10:32
SOURCE: HELLO.bas
NOOBJECT,NODECK,A(FULL),AG,LIST,OPTIMIZE(TIME),NEST,XREF,ESD,MAP;

```

LINE	STMT	NT	SOURCE LISTING SOURCE TEXT
10	1	0	REM GREETING FOR THE MANUAL
20	2	0	FOR I = 1 TO 3
30	3	1	PRINT "HELLO FROM 3270BBS BASIC"; I
40	4	0	NEXT I
50	5	0	END

COMPILER DIAGNOSTIC MESSAGES

ERRORS:

LINE	MESSAGE
------	---------

(NO ERRORS)

WARNINGS:

LINE	MESSAGE
------	---------

Figure 16-10. VIEW of the listing produced by CHECK (Model 2, 24 x 80; capture screens/69-basic-view.txt)

EMAIL sends a listing to the address in your profile as a PDF document, set in landscape on green-bar paper. If your preference Print to Held is Y, the listing goes to your held output instead and the interpreter answers PRINTING TO HELD OUTPUT... and LISTING SENT TO HELD OUTPUT. On a system where the operator has not configured outgoing mail at all, the command answers as in Figure 16-11; use PRINT in the editor, or read the listing with VIEW, instead.

```
LOADED hello.bas (5 LINES)
VIEWING: hello.list
?EMAIL FUNCTIONALITY NOT CONFIGURED
>
```

Figure 16-11. EMAIL on a system with no outgoing mail configured (Model 2, 24 x 80; capture screens/69b-basic-email.txt)

The File Browser

BROWSE at the BASIC command line, or **F2** in the editor, displays the file browser. It is shared by BASIC and the assembler.

```
FILE BROWSER - USER FILES - Sort: NAME - Page 1/1
Command ==>>          Sort: U=User C=Community N=Name D=Date
S Filename             Size Date      S Filename             Size Date
  hello.bas            105 10Sep
```

```
F3=Return  F7=Up   F8=Down  Any char=Select  D=Delete
```

Figure 16-12. The file browser (Model 2, 24 x 80; capture screens/64-basic-browse.txt)

Key or letter	Function
F7, F8	Previous and next page.
U	Show your own files.
C	Show the community files.
N	Sort by name.
D	Sort by date.
any character in the selector	Open that file.
D in the selector	Delete that file.
F3	Leave the browser.

Figure 16-13. The file browser

The Full-Screen Editor

EDIT opens the ISPF-style editor. It is the editor used for BASIC and assembler source, for the listings produced by CHECK, and for files opened from DSLIST. It is not the content editor of Chapter 6; the two have different commands and different keys, and this one has the line commands that an ISPF user will recognise.

```

EDIT  hello.bas                      Columns 00001 00071      1
Command ==>                          Scroll ==> CSR
***** ***** Top of Data *****
'      10 REM GREETING FOR THE MANUAL
'      20 FOR I = 1 TO 3
'      30 PRINT "HELLO FROM 3270BBS BASIC"; I
'      40 NEXT I
'      50 END
***** ***** Bottom of Data *****

```

Figure 16-14. The ISPF-style editor (Model 2, 24 x 80; capture screens/65-ispf-editor.txt)

The heading names the file and the columns displayed. The Command ==> field takes primary commands and the Scroll ==> field says how far **F7** and **F8** move. Down the left of the screen is the prefix area, six characters wide, where line commands are typed. Figure 16-15 is the panel displayed by **F1**.

```

EDIT  hello.bas                      Columns 00001 00071      1
Command ==>                          Scroll ==> CSR
***** *
1
2   Function Keys:
3   F1 = Help overlay      F7/F8 = Scroll up/down
4   F2 = File browser      F9 = Cycle open files (1-9)
5   F3 = Exit              F10/F11 = Scroll left/right
***** *   F4 = Help buffer  F12 = Save and exit
***** *   F5 = ReFind
Commands:
  COLS = Column ruler      FIND txt      = Search for text
  RFIND = Repeat find      CHANGE old new (ALL)
  TOP/BOTTOM              LOCATE n       = Go to line n
  SAVE/CANCEL              RESET         = Clear all
  EDIT = File browser      CHECK         = Run BASIC check
  PRINT = Print to HELD    output (SDSF)
  HI BASIC/ASM/OFF        NUMBER ON/OFF = Line numbers
  UNDO = Undo last line command
Line Commands:
  D n = Delete n lines      C          = Copy (CC block)
  I n = Insert n lines      M          = Move (MM block)
  X   = Exclude (XX block)  Press any key to close.

```

Figure 16-15. The editor function key and command panel (Model 2, 24 x 80; capture screens/66-ispf-help.txt)

Function Keys

Key	Function
F1	Display the panel of keys and commands.
F2	Open the file browser.
F3	Leave. If the file has been changed, a panel asks you to confirm; F9 abandons the changes.
F4	Open the help text in an edit buffer of its own.
F5	Repeat the last FIND.
F7, F8	Scroll up and down.
F9	Cycle through the open files. Up to nine may be open at once.
F10, F11	Scroll left and right eight columns.
F12	Save and leave.

Figure 16-16. Function keys in the ISPF-style editor

Primary Commands

Command	Function
SAVE [name]	Save, optionally under another name. The suffix <code>.bas</code> or <code>.asm</code> is supplied for you.
CANCEL	Discard the changes.
FIND text	Find text.
RFIND	Find the next occurrence.
CHANGE old new [ALL]	Change text, once or everywhere. The reply is <code>Changed</code> or <code>Not found</code> .
LOCATE n	Go to line <i>n</i> . <i>L</i> is an abbreviation.
TOP, BOTTOM	Go to the top or the bottom.
COLS	Display a column ruler.
NUMBER ON OFF	Display or hide line numbers.
HI BASIC ASM OFF	Colour the syntax of the language, or stop doing so.
CHECK	Check the BASIC program and open the listing.
PRINT	Write the file to your held output. See Chapter 13.
RESET	Clear highlighting, exclusions and the column ruler.
UNDO	Undo the last line command.
EDIT	Open the file browser.

Figure 16-17. Primary commands in the ISPF-style editor

Line Commands

Type these in the prefix area at the left of a line and press **ENTER**. A number after the letter repeats the command: D3 deletes three lines, I5 inserts five. Doubling the letter on two lines marks a block, and the command applies to everything between them.

Command	Block form	Function
D	DD	Delete.
I		Insert blank lines below.
R		Repeat the line.
C	CC	Copy; then mark the destination with A, B or O.
M	MM	Move, in the same way.
A		Put the copied or moved lines after this line.
B		Put them before this line.
O		Overlay this line with them.
U	UU	Change to upper case.
L	LL	Change to lower case.
X	XX	Exclude from the display.
)	))	Shift right.
(	((	Shift left.

Figure 16-18. Line commands in the ISPF-style editor

The Language

A summary is given here; the complete description is in the language manual at https://github.com/moshix/3270bbs/blob/main/basic_manual.md, which the HELP command also names.

- **Statements:** PRINT (with COLOR, BLINK and REVERSEVIDEO), LET, INPUT, IF ... THEN ... ELSE in single-line and block forms, GOTO, GOSUB and RETURN, ON ... GOTO, FOR ... NEXT with STEP, WHILE ... WEND, SELECT CASE, DIM, OPTION BASE, DEF FN, REM, END, STOP, CLS, and COMMON with CHAIN to pass control from one program to another.
- **Files:** OPEN for INPUT, OUTPUT, APPEND or INDEXED, PRINT #, INPUT #, CLOSE, EOF, and for indexed files PUT, GET, DELETE, RESET, FOUND and DELETED. Eight files may be open at once, #1 through #8.
- **Functions:** the usual arithmetic and trigonometric functions; the string functions LEN, LEFT\$, RIGHT\$, MID\$, CHR\$, ASC, STR\$, VAL, UCASE\$, LCASE\$, TRIM\$, INSTR, REPLACE\$; the box and graphic characters BOXCHAR\$ and CP310\$; and the time functions TIME\$, DATE\$, TIMER and SLEEP.
- **Live data from the bulletin board**, read-only: \$ChatMessage(n), \$Mail(n), \$UserInfo, \$TermInfo, \$Topic(n) and \$Post(topic,n). A program can read what is going on; it cannot post, send mail or chat.

Limits

Item	Limit
Length of a source line	255 characters
Size of a program	256 KB
Size of a data file	256 KB
Files open at once	8
Running time	15 seconds, not counting SLEEP
Loop iterations	55,000,000
Active GOSUB calls	1024
Lines of screen output kept	1,000

Figure 16-19. Limits of the BASIC interpreter

The limits are there so that one user's program cannot spoil the system for everybody else. A program that exceeds them is stopped with a message saying which limit it met.

Chapter 17

Programming in Assembler

The assembler environment is a System/360 in miniature: sixteen general registers, a program status word, one megabyte of storage, a useful subset of the instruction set, the ASSIST input and output macros that generations of students learned on, and enough of the MVS linkage macros to write a program that looks like the real thing. Select option A from the extended menu.

As with BASIC, this chapter describes the environment and not the language. The complete assembler manual — the instruction set, the directives, the macros and worked examples — is at

https://github.com/moshix/3270bbs/blob/main/assembler_manual.md

and the assembler names a short form of it on its opening screen.

```
                TIMESHARING ASSEMBLER V1.7.0
64396 BYTES MEMORY
TYPE HELP FOR COMMANDS, BYE TO EXIT
MANUAL: https://tinyurl.com/timesharingassembler
READY
>
```

Figure 17-1. The assembler command line (Model 2, 24 x 80; capture screens/70-asm-ready.txt)

Commands

Command	Function
NEW	Clear the program, the registers and storage.
LOAD name	Load a program.
SAVE name	Save the program.
EDIT [name]	Edit in the full-screen editor described in Chapter 16.
LIST	List the source.
RUN	Assemble and execute.
CHECK	Assemble only, and produce a listing file.
RESET	Reset the registers, the program status word and storage, keeping the source.
REGS	Display the registers.
DUMP addr len	Display storage in hexadecimal and character. The address is in hexadecimal, the length in decimal.
SYMBOLS	Display the symbol table.
FILES, FLIST, BROWSE, ERASE, VIEW, EMAIL	As in BASIC; see Chapter 16.
BYE	Leave the assembler.

Figure 17-2. Commands of the assembler

```

                                TIMESHARING ASSEMBLER V1.7.0
64396 BYTES MEMORY
TYPE HELP FOR COMMANDS, BYE TO EXIT
MANUAL: https://tinyurl.com/timesharingassembler
READY
FILES /C

```

```

COMMUNITY PROGRAMS (read-only):
 _gameoflife.asm      21083 bytes
 _helloworld.asm      3856 bytes
 _nqueens.asm         8734 bytes
 _test.asm            1825 bytes
 _time.asm            5315 bytes
 _wto.asm             812 bytes

```

```

READY
>

```

Figure 17-3. The community programs, listed with FILES /C (Model 2, 24 x 80; capture screens/71-asm-files.txt)

The community programs are worth reading before you write your own: `_helloworld.asm`, `_wto.asm`, `_time.asm`, `_nqueens.asm` and `_gameoflife.asm`. Load one with `LOAD _wto.asm` and list it.

```

                                TIMESHARING ASSEMBLER V1.7.0
64396 BYTES MEMORY
TYPE HELP FOR COMMANDS, BYE TO EXIT
MANUAL: https://tinyurl.com/timesharingassembler
READY
LOAD _wto.asm
LOADED: _wto.asm (36 LINES)
ASSEMBLED: 156 BYTES, 21 SYMBOLS
READY
LIST
 1          PRINT GEN
 2 TESTWTO  CSECT
 3          SAVE   (14,12)
 4          BASR   R12,0
 5          USING  *,R12
 6          ST     R13,SAVEA+4
 7          LA     R13,SAVEA
 8          LA     R5,23          ARBITRARY VALUE FOR R5 OF 10
 9          CVD    R5,NUMDEC
10          UNPK   UNDEC,NUMDEC+1
11          MVC    WTOLIST+20(8),UNDEC  WTO MACRO EXPANDS TO 24 BYTES
ENTER=more PF3=stop
>

```

Figure 17-4. A community program loaded and listed (Model 2, 24 x 80; capture screens/72-asm-list.txt)

Assembling and Running

RUN assembles the program and executes it. The assembly reports its size and the number of symbols; execution then produces whatever the program writes, and ends with a count of the instructions and macros obeyed. REGS afterwards shows how the registers were left.

```
RUN
ASSEMBLING...
ASSEMBLY COMPLETE
PROGRAM SIZE: 156 BYTES
SYMBOLS: 21

EXECUTING...

WT0: REG R5 VLUE 23

EXECUTION COMPLETE - 8 INSTRUCTIONS, 3 MACROS
READY
REGS
CPU REGISTERS:

R00=00000000 R01=00000000 R02=00000000 R03=00000000
R04=00000000 R05=00000000 R06=00000000 R07=00000000
R08=00000000 R09=00000000 R10=00000000 R11=00000000
R12=00000006 R13=000FFF00 R14=000000A0 R15=00000000

PSW: 00000000 00000042
      CC=0 MASK=0 ADDR=000042
READY
>
```

Figure 17-5. A program run, and the registers displayed afterwards (Model 2, 24 x 80; capture screens/74-asm-regs.txt)

Long output is displayed a page at a time: press **ENTER** for the next page or **F3** to stop. **PA1** and **PA2** interrupt a running program and produce a register dump; **CLEAR** clears the screen and stops the program.

Checking and Listing a Program

CHECK assembles the program without executing it and writes the assembly listing to a file with the suffix `.list`:

```

                                TIMESHARING ASSEMBLER V1.7.0
64396 BYTES MEMORY
TYPE HELP FOR COMMANDS, BYE TO EXIT
MANUAL: https://tinyurl.com/timesharingassembler
READY
LOAD _wto.asm
LOADED: _wto.asm (36 LINES)
ASSEMBLED: 156 BYTES, 21 SYMBOLS
READY
CHECK
CHECKING...
ASSEMBLY SUCCESSFUL

LISTING SAVED: wto.list
READY
>
```

Figure 17-6. The CHECK command (Model 2, 24 x 80; capture screens/75-asm-check.txt)

Read the listing afterwards with `VIEW _wto.list`. It contains the location counter, the object code, the operand addresses, the statement numbers and the source, followed by the diagnostics, the symbol table and the cross-reference — the listing an assembler has produced since the nineteen-sixties.

`EMAIL _wto.list` sends that listing to the address in your profile as a green-bar PDF document, and obeys the `Print to Held` preference in the same way as BASIC. Where the operator has not configured outgoing mail, the command answers:

```

                                TIMESHARING ASSEMBLER V1.7.0
64396 BYTES MEMORY
TYPE HELP FOR COMMANDS, BYE TO EXIT
MANUAL: https://tinyurl.com/timesharingassembler
READY
LOAD _wto.asm
LOADED: _wto.asm (36 LINES)
ASSEMBLED: 156 BYTES, 21 SYMBOLS
READY
CHECK
CHECKING...
ASSEMBLY SUCCESSFUL

LISTING SAVED: wto.list
READY
EMAIL _wto.list
?EMAIL FUNCTIONALITY NOT CONFIGURED
READY
>
```

Figure 17-7. EMAIL on a system with no outgoing mail configured (Model 2, 24 x 80; capture screens/76-asm-email.txt)

The Machine

Element	Provided
General registers	R0 – R15
Storage	1 MB
Program status word	Condition code, program mask, instruction address
Instructions	RR, RX, RS, SI and SS formats, including the packed decimal instructions and ED, plus the extended branch mnemonics
Not provided	Floating point, input/output instructions, and the privileged instructions

Figure 17-8. The simulated machine

Macros

The ASSIST macros do the input and output: XREAD, XPRNT, XDECI, XDECO, XHEXI, XHEX0, XDUMP, and the aliases XGET, XPUT and XPNCH. WTO writes a line as a system message, in the inline form WTO 'text' or the execute form. SAVE and RETURN provide the standard linkage, and YREGS defines the names R0 to R15.

Source is written on the card image of the period: columns 1 through 71 are the statement, column 72 is the continuation column, and columns 73 through 80 are sequence numbers and are ignored.

Limits

Item	Limit
Instructions executed	40,000,000
Running time	40 seconds
Storage	1 MB

Figure 17-9. Limits of the assembler

A program that waits for input or produces output is given a little more of both, because the pause belongs to the terminal and not to the program.

Chapter 18

Games

The games are on the extended menu, except for checkers, which is reached by typing CHECKERS at either menu. All of them accept **F23** and **F24**, so you may leave a game in one virtual session and come back to it later.

Balloon

Option 2. Fly a hot air balloon down a shaft, steering around the barriers and collecting the items that drift past. Every third level grants another life.

```
-----
Hot Air Balloon Challenge
-----
00          00          /==/          HIGH SCORES
          0          /===/
          0          /=====/
          0          /===/

Game starts in: 4
0
Get ready!

(0)
|
XXX

-----
Score: 0    Lives: 3    Level: 1
F1=Left  F2=Fix  F12=Right  F3=Exit  F4=Pause  F5=AI  F9=Restart
```

Figure 18-1. The Hot Air Balloon Challenge (Model 2, 24 x 80; capture screens/80-balloon.txt)

Key	Function
F1	Move left.
F2	Hold the balloon still.
F3	Leave.
F4	Pause.
F5	Let the machine play.
F9	Start again.
F12	Move right.

Figure 18-2. Balloon controls

Blackjack

Option 3. You begin with a stake of 100. Adjust your bet with **F4**, **F5**, **F6** and **F7** and press **F2** to deal; then **F2** draws another card and **F4** stands. **F10** shows the high scores and **F3** leaves. If you lose everything, the house will stake you once more, and once only.

```

                                BLACKJACK                                Money: 100

Dealer:
+-----+ +-----+
|  XX  | |  7  |
|  XX  | |  H  |
|  XX  | |     |
+-----+ +-----+
                        7

Player:                      Score: 16
+-----+ +-----+
|  6  | |  K  |
|  H  | |  D  |
+-----+ +-----+
      6      K

SUITS LEGEND: S=Spades H=Hearts D=Diamonds C=Clubs
Games: 1 | Won: 0 | Tied: 0 | Lost: 0

Current bet: 10

F3=Exit F2=Hit F4=Stand F10=High Scores
```

Figure 18-3. Blackjack (Model 2, 24 x 80; capture screens/81-blackjack.txt)

Space Invaders

Option 5. Shoot down the descending ranks before they reach you. **F1** moves left, **F3** moves right, **F2** fires, **F10** pauses, **F5** lets the machine play and **F12** leaves.

Wordle

Option **W**. Guess the five-letter word in six attempts; the colours tell you which letters are right and which are in the wrong place. **F10** shows your statistics, **F5** asks for help from the machine, **F12** changes the language between English, German and Italian, and **F3** leaves.




Figure 18-6. Wordle, ready for the first guess (Model 2, 24 x 80; capture screens/84-wordle.txt)




Figure 18-7. Wordle, after a guess has been entered (Model 2, 24 x 80; capture screens/84b-wordle-guess.txt)

Checkers

Type CHECKERS at either menu. Move by putting the cursor on a piece and pressing **ENTER**, or by typing coordinates such as A3 and B4. **F10** suggests a move, **F5** starts a new game and **F3** leaves.

Note

A score made with the machine playing for you is displayed but never entered in the high score table.

The Marketplace

```

Marketplace
Showing All items
Type D to delete or E to edit your own items
Page 1 of 1

S  Type      Title
*****
  Wanting  Wanted: 3174 keyboard cable
  Selling  IBM 3179G colour terminal
                Price      User      Posted
                250 EUR    mmartin  04Sep26
                offers     jbrooks  06Sep26

Filter by: A=All S=Selling W=Wanted B=Buying      Total items: 2
Command:

F3=Main Menu  F5=Post Item  F7=Prev Page  F8=Next Page

```

Each line gives the kind of advertisement, the title, the price, who posted it and when. Type any character against a line and press **ENTER** to read it in full.

Marketplace Item View

Selling Item #1

Title: IBM 3179G colour terminal
 Posted by: mmartin
 Price: 250 EUR
 Posted: 09-04-26

Description:
 Working, minor screen burn. Collection only.

F3=Back F4=Contact Poster F7=Up F8=Down

Figure 19-2. One marketplace item (Model 2, 24 x 80; capture screens/85b-marketplace-item.txt)

Key	Where	Function
F3	Either	Return.
F4	An item	Send a message to the person who posted it.
F5	The list	Post an item.
F7, F8	The list	Page up and down.
F7, F8	An item	Scroll the description.
F22	An item	Follow a bbs : // link in the description, or copy a link to this item. See Chapter 9.
D	Selector	Delete your own item; F9 confirms.
E	Selector	Edit your own item.

Figure 19-3. The marketplace

Posting an Item

1. Press **F5**.
2. Say whether you are selling, buying or wanting; give the item a title and a price.
3. Press **ENTER**. The content editor opens for the description; write it as described in Chapter 6 and save it.

The system replies `Item posted successfully`. Others reach you with **F4**, which sends you an ordinary message, so no one need publish an address. Delete your advertisement when the matter is settled.

Chapter 20

Doors to Other Systems

A door is a connection from this system to another one: a community mainframe running MVS or VM, another 3270BBS, or any host that speaks the 3270 protocol. Option 4 on the extended menu.

```
Option ==>          Remote Host Selection
Select a remote host to connect to:
1  MVS3.8           MVS 3.8 TK5 community mainframe
2  PUBVM            VM/SP rel5 with PROFS at PUBVM

Press PA3 key from remote host to return here. Wait about 6 seconds.

F3=Return
```

Figure 20-1. The remote host selection screen (Model 2, 24 x 80; capture screens/87-doors.txt)

Choose a system by its number and press **ENTER**. From that moment your display station is talking to the other system, and what you see and the keys you press belong to it, not to 3270BBS: log on there as that system requires.

Coming Back: the PA3 Key

One key is *not* passed to the remote system. **PA3** cuts the connection and brings you back to 3270BBS, from wherever you happen to be on the other machine. The remote host selection screen says so in the line Press PA3 key from remote host to return here. Wait about 6 seconds.

- Allow about six seconds. The connection has to be torn down and the local screen repainted; nothing is wrong if the display sits still for a moment.
- **PA3** ends the session abruptly, in the way that pulling the plug on a terminal would. Where you can, log off from the other system first — and use **PA3** when the other system will not let you, when it has stopped answering, or when you simply want out.
- On most emulators **PA3** is **Alt+3**; in x3270 and c3270 it is the PA(3) action. Look it up before you need it, because on the other machine no function key line will tell you.

You are also returned here when you log off the other system, or when the connection ends of its own accord.

The list is the one your operator has configured; if none is configured, or if the proxy is not running, the extended menu says so and nothing happens. Bear in mind that the other system is a different community, with its own rules and its own operator.

Chapter 21

Guide for Moderators

A moderator is a user with two extra options on the main menu and the responsibility that goes with them. Everything in the rest of this publication applies to you as it does to anyone else; this chapter describes what is added.

The Moderator's Options

Option	Name	Function
7	Mod Topics	Topic management: delete, edit, view and colour topics.
8	Mod Posts	Post management: delete, edit and view any post.
F10	on the conference list	Conference administration, including the list of users banned from a conference.

Figure 21-1. What a moderator has that a user does not

An administrator sees the same two options under the names Admin Topics and Admin Posts, and sees others besides. A moderator's authority is limited to the conferences they may themselves use; an administrator's is not.

Managing Topics

Option 7 lists the topics with a selector field. The instruction line reads D=delete, E=edit, V=view topic. Topic Colors= G, R, Y, B, W.

Letter	Effect
D	Delete the topic. A confirmation screen follows. Everything in the topic goes with it.
E	Edit the topic: its title, the conference it belongs to — this is how a topic is <i>moved</i> — and, through the editor, the text of its first post.
V	View the topic as a reader sees it.
G R Y B W	Colour the title green, red, yellow, blue or white in the topic list. Use it sparingly, for announcements and for topics that must be found quickly.

Figure 21-2. Actions on the topic management screen

Function keys on this screen: **F1** help, **F3** menu, **F5** refresh, **F7** and **F8** to page, and **ENTER** to carry out what you have marked.

Managing Posts

Option 8 lists posts with the instruction line D=delete E=edit V=view post T=view topic. You may delete or edit any user's post. Editing another person's words is a serious act: prefer to delete a post and say why, or to ask the author to change it.

Conferences

F10 on the conference list opens conference administration. There you may create a conference — **F5** also creates one from within the topic-creation flow — edit its name and description, and maintain its list of banned users. A banned user cannot see or post in that conference. The ban is per conference: there is no general silencing of a user, and only an administrator can remove an account.

Chat

You may set the topic of a chat room with `/topic`, and clear it by typing `/topic` alone. Ordinary users cannot. It is the only moderator power inside chat: there is no facility to remove somebody from a room, so use mail or a summon if a word is needed.

Practice

- Say what you did. A topic that vanishes without explanation costs more goodwill than the post that caused it.
- Prefer the smallest action that works: a word to the author, then moving a topic to the right conference, then deleting a post, then a ban.
- Moderate the conferences you use, and leave the others to their own moderators.
- Remember that the community sees your name in the rolodex with the moderator flag against it. Write a PUBLIC note that says who you are and which conferences you look after.

Appendix A

Summary of Function Keys

This appendix collects the function keys of every screen described in this publication. Where a key is not listed for a screen, that screen does not use it. The function key line at the foot of each screen is always the final authority.

Everywhere

Key	Function
F1	Help for this screen.
F3	Cancel, or return to the previous screen.
F7, F8	Scroll up, scroll down.
F23	Start a new virtual session.
F24	Switch to the next virtual session.

Figure A-1. Keys that work on nearly every screen

The Menus

The extended menu accepts fewer keys than the main menu: **F2, F3, F5, F6, F10, F11** and the virtual session keys, and no others.

Key	Function
F1	Help. Main menu only.
F2	What's new since your last logon.
F4	Summon a user who is online. Main menu only.
F5	Virtual session overlay.
F6	System information overlay.
F10, F11	Calendar back, calendar forward.
F13	Next colour scheme (main menu).

Figure A-2. Keys on the main and extended menus

Conferences, Topics and Posts

Key	Conference list	Topic list	Reading a topic
F2			Oldest post first
F4			Reply
F5	Subscriptions	Add a topic	I like this topic
F6	Preview topics		
F9			Last post / first post
F10	Administration	Sort by created or by activity	Save to notes
F11	Point and sort	Point and sort	
F12			Newest post first
F13			PUBLIC note of the user at the cursor
F14, F15			Half-page scroll up, down
F20			Print the topic
F22	Copy link	Copy link	Copy or follow link

Figure A-3. Keys in the conferences

The Content Editor

Key	Function
F1	Key panel
F2	Spell check
F3	Abandon (F9 confirms)
F4	Delete line
F5	Insert line below
F6	Insert line above
F7, F8	Scroll up, scroll down
F9	Bottom of text
F10	Centre line
F11	Centred box
F12	Save and exit
F13	Centred box to next blank line
F14	First line of text
F15	Left-aligned box
F16	Copy line
F17	Paste above the cursor
F18	Paste below the cursor
F19	Find next
F21	Insert signature
F22	Paste bbs:// link

Figure A-4. Keys in the content editor

The ISPF-Style Editor

Key	Function
F2	File browser.
F4	Help text in an edit buffer.
F5	Repeat the last find.
F9	Cycle through the open files.
F10, F11	Scroll left, scroll right.
F12	Save and exit.

Figure A-5. Keys in the ISPF-style editor

Mail, Notes and the Rest

Key	Mail list	Reading mail	Notes list	Profile
F4		Reply		Set time zone
F5	New message	Sender's About Me	New note	Change password
F6	Spam list			
F9	Purge read mail	Delete		Close account
F10		Save to notes		Edit About Me
F11	Received or sent			
F12		Opt out of notifications		
F20		Print		

Figure A-6. Keys in mail, notes and the profile

Games and Displays

Screen	Keys
Balloon	F1 left, F12 right, F2 hold, F4 pause, F5 machine plays, F9 restart, F3 leave
Blackjack	F2 deal or draw, F4 stand, F4/F5/F6/F7 adjust bet, F10 high scores, F3 leave
Space Invaders	F1 left, F3 right, F2 fire, F10 pause, F5 machine plays, F12 leave
Flappy Bird	ENTER flap, F10 pause, F5 machine plays, F12 leave
Wordle	ENTER guess, F5 help, F10 statistics, F12 language, F3 leave
Checkers	ENTER move, F5 new game, F10 hint, F3 leave
SDSF	F2 held output, F6 automatic refresh, F3 return
Held output	S select, P purge, O mail as PDF, F7/F8 scroll, F3 return
Held output viewer	F7/F8 scroll, F10/F11 scroll sideways, F3 return
DELTAMON	F4 colour, F5 average, F9/F10 refresh rate, F11 DBMON, F12 user CPU, F3 return
Chat	F2 spell, F4 complete word, F5 about, F7/F8 scroll, F9 recall, F10 screen shot, F3 leave

Figure A-7. Keys in the games and the system displays

Appendix B

Summary of Colour Tags

Colour tags may be typed anywhere in the text of a post, a reply or a mail message. They are described in ["Colour Tags"](#) in Chapter 6.

Tag	Effect	Suggested use
<<green>>	Green	Ordinary text. This is the default, so the tag is needed only to return to it.
<<yellow>>	Yellow	Headings within a post.
<<white>>	White	Emphasis.
<<turquoise>>	Turquoise	Quoted text. It is also the colour the system gives to <code>bbs://</code> links.
<<blue>>	Blue	Labels and notes in passing.
<<pink>>	Pink	Warnings. The system itself uses pink for material that is new to you.
<<red>>	Red	Errors and matters of importance. Use it rarely.
<<reverse>>	Reverse video on	A line that must not be missed.
<</reverse>>	Reverse video off	Setting any colour also ends reverse video.

Figure B-1. Colour tags

Rules to remember:

- A tag takes effect where it stands and lasts until the next tag or the end of the text.
- A tag the system does not know is removed and does nothing. Nothing warns you of a misspelled tag.
- Tags do not carry from one post to the next.
- The note viewer shows tags as you typed them; posts and mail interpret them.
- A printed PDF reproduces the colours; text printed to held output has the tags removed.

Appendix C

Messages

These are the messages you are most likely to meet, and what to do about them. Messages appear on the message line near the foot of the screen, often in reverse video.

Logging On

Message	Meaning and action
Invalid username or password. Please try again.	One of the two was wrong; the system does not say which. After repeated failures the address is locked out for a few minutes.
WARNING! Your terminal size is too small!	Set your emulator to a Model 2, 3 or 4 screen and connect again.
Please complete your profile information for password recovery	Fill in the city and country on the profile screen; they are what recovers your password later.

Figure C-1. Messages when logging on

Writing and Posting

Message	Meaning and action
Unknown command	The editor's command field takes only SAVE , CANCEL , FIND and RFIND .
FIND requires text	Type the text to find after the command.
No previous find	There is nothing for RFIND to repeat.
Found n misspelled words	The result of F2 . The words are shown in yellow.
You already have a PUBLIC note; edit it instead	The reserved subjects allow one note each. Edit the one you have.
Please select only one note at a time	Mark one line and press ENTER again.

Figure C-2. Messages while writing

Links

Message	Meaning and action
Link copied:	The link named is on the clipboard. Paste it in the editor with F22 .
Nothing to copy here – put the cursor on an item	Move the cursor onto a topic, post, conference or item and press F22 again.
That link is not available	The link points at something that does not exist, or at something you may not see. The two cases are deliberately not distinguished.
Link clipboard cleared	The result of the CLEAR command.

Figure C-3. Messages about links

Printing and Mail

Message	Meaning and action
Printed to HELD output	The document is in your held output. Read it from SDSF with F2 .
Max daily emails (n) reached	You have used your allowance of outgoing mail for today. Set Print to Held to Y and print locally, or wait until tomorrow.
INF014D GENERAL ERROR	Your account is younger than the waiting period the operator has set for sending mail out of the system. Nothing is broken. Print to held output instead.
No email address in your profile	Put an address on the profile screen.
Email functionality not configured	The operator has not configured outgoing mail. Print to held output.
Purged n job(s)	The result of P in held output.

Figure C-4. Messages about printing and mail

Programming

Message	Meaning and action
?FILE NOT FOUND	Check the name with FILES.
?INVALID FILE NAME	The name is not one the file store will accept. Underscores are removed from a name you type, because that prefix belongs to community files.
?CANNOT ERASE COMMUNITY FILES	Community files (names beginning with an underscore) belong to the operator.
?ONLY SHARED FILES (%) CAN BE LOADED FROM OTHER USERS	You may read another user's file only if its name begins with a percent sign.
SUBSCRIPT OUT OF RANGE	An array index is outside the bounds given in DIM.
TYPE MISMATCH	A string was compared with a number, or assigned to a numeric variable.
OUT OF STACK	More than 1024 active GOSUB calls: a subroutine is calling itself without end.
?LOOP IN CODE?	A BASIC program passed the iteration limit of Chapter 16. Almost always a loop with no way out.
?EXECUTION TIME LIMIT REACHED	A BASIC program ran longer than the time limit of Chapter 16.
maximum iterations exceeded	The assembler's equivalent, with the limit of Chapter 17 in brackets; maximum runtime exceeded is the time limit.
?BREAK – PROGRAM INTERRUPTED	You pressed PA1 or PA2 .
Unsaved changes in name	Another file open in the editor has changes. Press F9 to go to it, then save or cancel there.

Figure C-5. Messages from BASIC and the assembler

The Console

Message	Meaning and action
IEE305I command COMMAND INVALID	The console does not know that command, or it is reserved for an administrator. See Chapter 14.
IEE163I MODE= RD	The console is ready for a command. Nothing is wrong.

Figure C-6. Messages from the console

Appendix D

Glossary

This glossary defines the terms used in this publication and on the screens of 3270BBS. A term in *italics* within a definition is itself defined here. Chapter references point to the fuller description.

A

administrator. The user who runs the system: creates and removes accounts, appoints *moderators*, configures the services and stops and starts them. Called the SysOp on some screens, and the *operator* in this publication. Administrative functions are not described here.

AID key. Attention identifier: a key that sends the screen to the system. **ENTER**, the function keys, **CLEAR** and **PA1** and **PA2** are AID keys; the cursor keys and **TAB** are not, and move about the screen without the system knowing.

ASSIST macros. The input and output macros of the assembler environment — XREAD, XPRNT, XDECI, XDECO and the rest — named after the teaching assembler on which they were modelled. Chapter 17.

auto-refresh. The setting on the system displays that redraws the screen every few seconds. The interval comes from your *profile*; **F9** and **F10** change it, and **F6** or the Auto Update field turns it off. Chapter 14.

B

ban. The exclusion of a user from one *conference*, set by a *moderator*. A banned user cannot see or post in that conference. There is no general silencing of a user. Chapter 21.

BASIC. Timesharing BASIC/3270BBS, the interpreter reached with option B on the *extended menu*. Chapter 16.

bbs:// link. A short reference to a *topic*, *post*, *conference*, marketplace item or user inside this system, which a reader follows with **F22**. Written `bbs://topicMotorbikes41`. Chapter 9.

block command. A *line command* whose letter is doubled and typed on two lines, so that the command applies to everything between them: CC, MM, DD. Chapter 16.

broadcast message. A line from the *operator* displayed to everybody as they log on, and again by the BCAST command. Chapter 15.

C

chat. Conversation in real time. 3270BBS has three: *local chat*, *private chat* and *federated chat*. Chapter 11.

clipboard. See *link clipboard*.

colour tag. A word between double angle brackets, such as <<yellow>>, that colours the text after it in a *post* or a message. Appendix B.

community file. A BASIC or assembler file whose name begins with an underscore: readable by everybody, maintained by the *operator*, and not erasable by you. Chapter 16.

conference. A subject area holding *topics*. Every topic belongs to exactly one conference. Chapter 5.

content editor. The editor used for *posts*, mail, notes and marketplace descriptions, driven by function keys and the commands SAVE, CANCEL, FIND and RFIND. Chapter 6. It is not the *ISPF-style editor*.

D

DBMON. The database transaction monitor: reads, writes, rates and response times. **F11** from *DELTAMON*, or the command DBMON. Chapter 14.

DELTAMON. The performance monitor, option P on the *extended menu*. Chapter 14.

display station. The terminal, or the emulator standing in for one. 3270BBS supports Model 2 (24 x 80), Model 3 (32 x 80) and Model 4 (43 x 80). Chapter 1.

door. A connection from this system to another mainframe, chosen from the remote host list. Chapter 20.

DSLISL. The data set list utility, which presents your notes, programs, mail and topics as if they were data sets on volumes. Chapter 14.

E

extended menu. The second menu, reached with option M, holding the games, the programming environments, the monitors and the other applications. Chapter 3.

F

federated chat. Chat shared with other 3270BBS systems, where the *operator* has joined the federation. Option R on the *extended menu*. Chapter 11.

FINGER note. The *note* whose subject is FINGER, sent in answer to a finger query from outside the system. Chapters 8 and 10.

.FORWARD note. The *note* whose subject is .FORWARD, holding an electronic mail address to which mail arriving from outside is forwarded. Chapter 8.

function key line. The last line of a screen, listing the keys that screen accepts. It is always the final authority on what works there.

H

held output. The queue where printed documents, program logs and chat screen shots wait until you read, mail or purge them. Reached from *SDSF* with **F2**. Chapter 13.

I

ISPF-style editor. The full-screen editor used for BASIC and assembler source and for listing files, with a Command ==> line, a Scroll ==> field and a *prefix area* for *line commands*. Chapter 16.

J

job. One entry in *held output*, with a job name, a job number and a line count, in the manner of a mainframe spool. Chapter 13.

L

like. A mark of approval recorded against a *topic* with **F5** while reading it. One per user per topic. Chapter 5.

line command. A letter typed in the *prefix area* of the *ISPF-style editor* to act on that line: D delete, I insert, C copy, M move, and the rest. Chapter 16.

link clipboard. The one-entry store holding the *bbs:// link* you last copied with **F22**. A white asterisk in the last column of the menu title line says it is not empty; the command CLEAR empties it. Chapter 9.

listing file. The file with the suffix `.list` produced by CHECK in BASIC or the assembler: the compilation listing, the diagnostics, the cross-reference and the statistics. Chapters 16 and 17.

local chat. The chat of this system, option R on the main menu. Chapter 11.

M

main menu. The first menu after login, from which everything else is reached. Chapter 3.

marketplace. The classified advertisements of the community, option 7 on the *extended menu*. Chapter 19.

message line. The line near the foot of a screen where errors and confirmations appear, often in reverse video. Appendix C lists the messages you are most likely to see there.

moderator. A user who may delete, edit, move and colour the *topics* and *posts* of the conferences they can use, ban a user from a conference, and set a chat topic. Chapter 21.

MVS console. The operator console display, option 0 on the *extended menu*, which shows the system's messages and accepts display commands. Chapter 14.

N

note. A piece of text of your own, kept by the system under a subject. Four subjects are *reserved subjects* and have meanings to the system. Chapter 8.

O

one-liner. A single line addressed to the whole community, posted on the wall of one-liners. Chapter 10.

operator. See *administrator*.

option prompt. The Option ==> field at the top of a menu, where you type a menu option, a shortcut or a typed command. Chapter 3.

P

PA key. Program attention key. **PA1** and **PA2** stop a running BASIC or assembler program. Chapters 16 and 17.

post. One contribution to a *topic*. The first post of a topic is written by the person who started it. Chapter 5.

prefix area. The six columns at the left of the *ISPF-style editor* where *line commands* are typed. Chapter 16.

print to held. The preference that decides whether printing places a document in your *held output* or mails it to you as a PDF document. Chapters 12 and 13.

private chat. A chat room protected by a password, option I on the *extended menu*. Chapter 11.

profile. The screen holding your account information and your preferences, option 0 on either menu. Chapter 12.

PUBLIC note. The *note* whose subject is PUBLIC, which serves as your About Me page and is shown to anyone who looks you up. Chapter 8.

purge. To delete a *job* from *held output* (P), or to delete read mail in bulk (**F9** on the mail list). Chapters 7 and 13.

R

reserved subject. One of PUBLIC, FINGER, SIGNATURE and . FORWARD: a note subject to which the system attaches a meaning. Each user may have one note of each. Chapter 8.

rolodex. The directory of users, option U on the main menu. Chapter 10.

S

screen saver. The moving display that replaces an idle menu after the number of minutes set in your *profile*. Any key returns. Chapter 12.

scroll field. The Scroll ==> field of the *ISPF-style editor* and the *held output* viewer, holding CSR, PAGE or HALF, which says how far **F7** and **F8** move. Chapters 12 and 16.

SDSF. The system activity display, option S on the main menu or the command SD; also the way to your *held output*. Chapters 13 and 14.

selector field. The one-character field at the left of each line of a list, where you mark the line you want. Marking it and pressing **ENTER** is how lists are worked throughout the system.

shared file. A BASIC or assembler file whose name begins with a percent sign: other users may read it, only you may change it. Chapter 16.

shortcut. A menu selection typed in full: =0 from the *extended menu* for the profile, M;7 from the main menu for the marketplace. Chapter 3.

SIGNATURE note. The *note* whose subject is SIGNATURE, appended to what you are writing by **F21**. Chapters 6 and 8.

spam list. The list of addresses outside the system whose mail you have blocked, reached with **F6** on the mail list. Chapter 7.

subscription. A conference you follow, so that **F2** reports its new topics to you at the menu. It does not affect what you may read. Chapter 5.

summon. A short page to a user who is logged on now, valid for fifteen minutes. **F4** on the main menu. Chapter 3.

T

TN3270. The protocol by which a *display station* or an emulator talks to this system, in the clear or under TLS. Chapter 1.

topic. One conversation within a *conference*: a title, an author and the *posts* that make it up. Chapter 5.

TSO command line. The line-mode command line reached with option X, where you type WH0, TIME, CALC, LOGOFF and the rest. Chapter 15.

typed command. A function with no line on the menu, typed at the *option prompt*: SD, DSLIST, CHECKERS, COMMANDS and the others. Chapter 3.

V

virtual session. One of the three independent sessions inside your connection. **F23** starts a fresh one, **F24** switches to the next and restores it as you left it. Chapter 4.

W

web3270. The browser-based 3270 emulator supplied with 3270BBS: a complete *display station* in a web browser, needing no software of your own. Chapter 1.

What's New. The report given by **F2** at either menu, of activity in your *subscriptions* and on the wall of *one-liners* since your last logon. Chapter 3.

Copyright 2025, 2026 by moshix. All rights reserved.

GC27-3270-04