

Moody Moon Hemp LLC

6101 W Stonepath Garden Dr.
Chester, VA 23831
moodymoon108@gmail.com
732-762-7431

Sample: 02-21-2024-46187

Sample Received: 02/21/2024;
Report Created: 02/22/2024; Expires: 02/21/2025

1 Up Shroom - Strawberry
Ingestible, Soft Chew



0.021 %
Total THC

0.021 %
Δ-9 THC

49.521 mg/unit
Total Cannabinoids

48.538 mg/unit
Total CBD

Cannabinoids

(Testing Method: HPLC, CON-P-3000)
Date Tested: 02/21/2024

Complete

Analyte	LOD	LOQ	Mass	Mass	Mass
	mg/unit	mg/unit	mg/unit	mg/g	%
Δ-8-Tetrahydrocannabinol (Δ-8 THC)	0.460	0.693	<LOQ	<LOQ	<LOQ
Δ-9-Tetrahydrocannabinol (Δ-9 THC)	0.460	0.693	0.983	0.207	0.021
Δ-9-Tetrahydrocannabinolic Acid (THCA-A)	0.460	0.693	ND	ND	ND
Δ-9-Tetrahydrocannabiphlorol (Δ-9-THCP)	0.460	0.693	ND	ND	ND
Δ-9-Tetrahydrocannabivarin (Δ-9-THCV)	0.460	0.693	ND	ND	ND
Δ-9-Tetrahydrocannabivarinic Acid (Δ-9-THCVA)	0.460	0.693	ND	ND	ND
R-Δ-10-Tetrahydrocannabinol (R-Δ-10-THC)	0.460	0.693	ND	ND	ND
S-Δ-10-Tetrahydrocannabinol (S-Δ-10-THC)	0.460	0.693	ND	ND	ND
9R-Hexahydrocannabinol (9R-HHC)	0.460	0.693	ND	ND	ND
9S-Hexahydrocannabinol (9S-HHC)	0.460	0.693	ND	ND	ND
Tetrahydrocannabinol Acetate (THCO)	0.460	0.693	ND	ND	ND
Cannabidiol (CBD)	0.460	0.693	48.538	10.225	1.022
Cannabidiol (CBD)	0.460	0.693	ND	ND	ND
Cannabidiolic Acid (CBDA)	0.460	0.693	ND	ND	ND
Cannabigerol (CBG)	0.460	0.693	ND	ND	ND
Cannabigerolic Acid (CBGA)	0.460	0.693	ND	ND	ND
Cannabinol (CBN)	0.460	0.693	ND	ND	ND
Cannabinolic Acid (CBNA)	0.460	0.693	ND	ND	ND
Cannabichromene (CBC)	0.460	0.693	ND	ND	ND
Cannabichromenic Acid (CBCA)	0.460	0.693	ND	ND	ND
Total			49.521	10.432	1.043

Total THC = THCa * 0.877 + Δ-9-THC; Total CBD = CBDa * 0.877 + CBD; LOQ = Limit of Quantitation; ND = Not Detected.

Total THC Measurement of Uncertainty: ± 0.050%

Total CBD Measurement of Uncertainty: ± 2.000%

THCO potency analysis does not designate quantitative specificity of Δ-8-THCO and Δ-9-THCO isomers

Unit Size: 4.747 g Unit: 1 Gummy



New Bloom Labs
6121 Heritage Park Drive, A500
Chattanooga, TN 37416
(844) 837-8223
TN DEA#: RN0563975
ANAB Testing Laboratory (AT-2868): ISO/IEC
17025:2017

Natalie Siracusa
Laboratory Director

Powered by
reLIMS
info@relims.com