

Server Component Details	Group: io.mosip.hotlist ---- Artifact: hotlist-service ---- version: 1.2.1.2 ---- Commit ID: fe7917c Group: io.mosip.admin ---- Artifact: admin-service ---- version: 1.2.1.2 ---- Commit ID: fe7917c Group: io.mosip.kernel ---- Artifact: kernel-auditmanager-service ---- version: 1.2.0.1 ---- Commit ID: fe7917c Group: io.mosip.kernel ---- Artifact: kernel-auth-service ---- version: 1.2.0.1 ---- Commit ID: fe7917c Group: io.mosip.biosdk ---- Artifact: biosdk-services ---- version: 1.2.0.1 ---- Commit ID: 2a87b3b Group: io.mosip.idrepository ---- Artifact: credential-service ---- version: 1.2.2.3-SNAPSHOT ---- Commit ID: fe7917c Group: io.mosip.idrepository ---- Artifact: credential-request-generator ---- version: 1.2.2.3-SNAPSHOT ---- Commit ID: fe7917c Group: io.mosip.datashare ---- Artifact: data-share-service ---- version: 1.2.0.2-SNAPSHOT ---- Commit ID: fe7917c Group: io.mosip.authentication ---- Artifact: authentication-service ---- version: 1.2.1.2-SNAPSHOT ---- Commit ID: 86640e Group: io.mosip.authentication ---- Artifact: authentication-internal-service ---- version: 1.2.1.2-SNAPSHOT ---- Commit I Group: io.mosip.authentication ---- Artifact: authentication-otp-service ---- version: 1.2.1.2-SNAPSHOT ---- Commit ID: fe7917c Group: io.mosip.idrepository ---- Artifact: id-repository-identity-service ---- version: 1.2.2.3-SNAPSHOT ---- Commit ID: fe7917c Group: io.mosip.kernel ---- Artifact: kernel-keymanager-service ---- version: 1.2.1.0 ---- Commit ID: fe7917c Group: io.mosip.kernel ---- Artifact: kernel-masterdata-service ---- version: 1.2.1.2 ---- Commit ID: fe7917c Group: io.mosip.kernel ---- Artifact: kernel-notification-service ---- version: 1.2.0.2-SNAPSHOT ---- Commit ID: fe7917c Group: io.mosip.kernel ---- Artifact: kernel-otpmanager-service ---- version: 1.2.0.1 ---- Commit ID: fe7917c Group: io.mosip.pms ---- Artifact: partner-management-service ---- version: 1.2.2.2 ---- Commit ID: 3aa0c89 Group: io.mosip.pms ---- Artifact: policy-management-service ---- version: 1.2.2.2 ---- Commit ID: 3aa0c89 Group: io.mosip.preregistration.captcha ---- Artifact: pre-registration-captcha-service ---- version: 1.2.0.2 ---- Commit Group: io.mosip.registrationprocessor ---- Artifact: registration-processor-registration-status-service ---- version: 1.2. Group: io.mosip.resident ---- Artifact: resident-service ---- version: 1.2.1.2 ---- Commit ID: fe7917c Group: io.mosip.kernel ---- Artifact: kernel-syncdata-service ---- version: 1.2.1.2 ---- Commit ID: fe7917c Group: io.mosip.idrepository ---- Artifact: id-repository-vid-service ---- version: 1.2.2.3-SNAPSHOT ---- Commit ID: fe791 Group: io.mosip.esignet ---- Artifact: esignet-service ---- version: 1.4.1 ---- Commit ID: ab88802
End Points used	Domain: api-internal.qatest1.mosip.net ---- Module: partnermanager ---- End Point: v1/partnermanager/partners/certificate/ Domain: api-internal.qatest1.mosip.net ---- Module: idrepository ---- End Point: idrepository/v1/identity/actuator/health Domain: api-internal.qatest1.mosip.net ---- Module: idauthentication ---- End Point: idauthentication/v1/actuator/env Domain: api-internal.qatest1.mosip.net ---- Module: idrepository ---- End Point: idrepository/v1/identity/draft/create/{re Domain: api-internal.qatest1.mosip.net ---- Module: partnermanager ---- End Point: v1/partnermanager/actuator/health Domain: api-internal.qatest1.mosip.net ---- Module: idrepository ---- End Point: idrepository/v1/vid/reactivate Domain: api-internal.qatest1.mosip.net ---- Module: policymanager ---- End Point: v1/policymanager/policies/group/publish Domain: api-internal.qatest1.mosip.net ---- Module: masterdata ---- End Point: v1/masterdata/idschema/latest Domain: api-internal.qatest1.mosip.net ---- Module: idrepository ---- End Point: idrepository/v1/identity/authtypes/status Domain: api-internal.qatest1.mosip.net ---- Module: idrepository ---- End Point: idrepository/v1/identity/idvid/{RID} Domain: api-internal.qatest1.mosip.net ---- Module: masterdata ---- End Point: v1/masterdata/actuator/env Domain: api-internal.qatest1.mosip.net ---- Module: idrepository ---- End Point: idrepository/v1/identity/authtypes/status Domain: api-internal.qatest1.mosip.net ---- Module: idrepository ---- End Point: idrepository/v1/identity/draft/extractbio Domain: api-internal.qatest1.mosip.net ---- Module: authmanager ---- End Point: v1/authmanager/authenticate/clientidsecret Domain: api-internal.qatest1.mosip.net ---- Module: masterdata ---- End Point: v1/masterdata/locations/all Domain: api-internal.qatest1.mosip.net ---- Module: idrepository ---- End Point: idrepository/v1/vid/uin/{UIN} Domain: api-internal.qatest1.mosip.net ---- Module: idrepository ---- End Point: idrepository/v1/identity/draft/extractbio Domain: api-internal.qatest1.mosip.net ---- Module: idrepository ---- End Point: idrepository/v1/identity/draft/update/{re Domain: api-internal.qatest1.mosip.net ---- Module: authmanager ---- End Point: v1/authmanager/authenticate/internal/useri Domain: api-internal.qatest1.mosip.net ---- Module: idrepository ---- End Point: idrepository/v1/vid/{VID}/regenerate Domain: api-internal.qatest1.mosip.net ---- Module: partnermanager ---- End Point: v1/partnermanager/partners/certificate/ Domain: api-internal.qatest1.mosip.net ---- Module: partnermanager ---- End Point: v1/partnermanager/partners Domain: api-internal.qatest1.mosip.net ---- Module: idrepository ---- End Point: idrepository/v1/identity/draft/extractbio Domain: api-internal.qatest1.mosip.net ---- Module: idrepository ---- End Point: idrepository/v1/identity/draft/extractbio Domain: api-internal.qatest1.mosip.net ---- Module: idrepository ---- End Point: idrepository/v1/identity/draft/discard/{r Domain: api-internal.qatest1.mosip.net ---- Module: idgenerator ---- End Point: v1/idgenerator/actuator/health Domain: api-internal.qatest1.mosip.net ---- Module: authmanager ---- End Point: v1/authmanager/actuator/health Domain: api-internal.qatest1.mosip.net ---- Module: policymanager ---- End Point: v1/policymanager/policies/ Domain: api-internal.qatest1.mosip.net ---- Module: idrepository ---- End Point: idrepository/v1/vid Domain: api-internal.qatest1.mosip.net ---- Module: idrepository ---- End Point: idrepository/v1/draft/vid Domain: api-internal.qatest1.mosip.net ---- Module: keymanager ---- End Point: v1/keymanager/actuator/health Domain: api-internal.qatest1.mosip.net ---- Module: idrepository ---- End Point: idrepository/v1/identity/draft/publish/{r Domain: api-internal.qatest1.mosip.net ---- Module: idgenerator ---- End Point: v1/idgenerator/uin Domain: api-internal.qatest1.mosip.net ---- Module: masterdata ---- End Point: v1/masterdata/actuator/health Domain: api-internal.qatest1.mosip.net ---- Module: idrepository ---- End Point: idrepository/v1/identity/idvid/ Domain: api-internal.qatest1.mosip.net ---- Module: policymanager ---- End Point: v1/policymanager/policies/group/new Domain: api-internal.qatest1.mosip.net ---- Module: idrepository ---- End Point: idrepository/v1/identity/{individualId}/u Domain: api-internal.qatest1.mosip.net ---- Module: idrepository ---- End Point: idrepository/v1/vid/{VID} Domain: api-internal.qatest1.mosip.net ---- Module: idrepository ---- End Point: idrepository/v1/identity/idvid/{id} Domain: api-internal.qatest1.mosip.net ---- Module: idrepository ---- End Point: idrepository/v1/identity/draft/extractbio Domain: api-internal.qatest1.mosip.net ---- Module: auditmanager ---- End Point: v1/auditmanager/actuator/health Domain: api-internal.qatest1.mosip.net ---- Module: policymanager ---- End Point: v1/policymanager/policies Domain: api-internal.qatest1.mosip.net ---- Module: idrepository ---- End Point: idrepository/v1/identity/draft/{registrat Domain: api-internal.qatest1.mosip.net ---- Module: idrepository ---- End Point: idrepository/v1/identity/ Domain: api-internal.qatest1.mosip.net ---- Module: idrepository ---- End Point: idrepository/v1/actuator/health Domain: api-internal.qatest1.mosip.net ---- Module: idrepository ---- End Point: idrepository/v1/vid/deactivate

Server Errors
No server errors

Captcha Enabled
false

Idrepository API Test ---- Report Date: 2025-08-31 ---- Tested Environment: qatest1 ---- Co

Test Scenario	# Total	# Passed	# Skipped	# Failed
<u>AddIdentity</u>	40	40	0	0
<u>CreateVID</u>	47	47	0	0
<u>AddIdentityArrayHandle</u>	45	0	0	0
<u>UpdatelIdentityArrayHandle</u>	32	0	0	0
<u>UpdatelIdentity</u>	17	17	0	0

<u>UpdateVIDStatus</u>	44	44	0	0
<u>DeactivateVIDs</u>	21	21	0	0
<u>GetUpdateCount</u>	16	13	0	0
<u>RetrieveldentityByRid</u>	3	3	0	0
<u>RetrieveldentityPost</u>	3	3	0	0
<u>RetrieveVIDByUIN</u>	6	5	0	0
<u>RetrieveldentityByUin</u>	11	10	0	0
<u>RetrieveUINByVID</u>	18	18	0	0
<u>ReactivateVIDs</u>	21	21	0	0
<u>RegenerateVid</u>	5	5	0	0
<u>CreateDraft</u>	6	6	0	0
<u>GetDraft</u>	1	1	0	0
<u>CreateDraftVID</u>	5	5	0	0
<u>UpdateDraft</u>	1	1	0	0
<u>PublishDraft</u>	2	2	0	0
<u>ExtractBiometrics</u>	5	5	0	0
<u>DeleteDraft</u>	1	1	0	0
<u>AuthInternalLock</u>	28	22	0	0
<u>RetrieveAuthTypeStatus</u>	8	4	0	0
<u>AuthInternalUnlock</u>	28	22	0	0
Total	414	316	0	0

TestCase Number	TestCase Description	Execution Time (HH:MM:SS)
AddIdentity — Passed		
<u>TC_IDRepo_AddIdentity_35</u>	Creating UIN in Add Identity for negative scenario	00:00:01
<u>TC_IDRepo_AddIdentity_34</u>	Creating UIN in Add Identity for valid Auth status	00:00:01
<u>TC_IDRepo_AddIdentity_37</u>	Creating UIN in Add Identity for negative scenario	00:00:01
<u>TC_IDRepo_AddIdentity_36</u>	Creating UIN in Add Identity for Auth status VID	00:00:01
<u>TC_IDRepo_AddIdentity_33</u>	Creating UIN in Add Identity for deactivated value	00:00:01
<u>TC_IDRepo_AddIdentity_32</u>	Creating UIN in Add Identity passing space value in DOB	00:00:01
<u>TC_IDRepo_AddIdentity_31</u>	Creating UIN in Add Identity passing onetimeuse VID	00:00:01
<u>TC_IDRepo_AddIdentity_05</u>	Creating UIN in Add Identity passing valid parameters	00:00:01
<u>TC_IDRepo_AddIdentity_04</u>	Creating UIN in Add Identity passing valid parameters	00:00:01
<u>TC_IDRepo_AddIdentity_07</u>	Creating UIN in Add Identity passing valid parameters	00:00:01
<u>TC_IDRepo_AddIdentity_06</u>	Creating UIN in Add Identity passing valid parameters	00:00:01
<u>TC_IDRepo_AddIdentity_08</u>	Creating UIN in Add Identity passing valid parameters	00:00:01
<u>TC_IDRepo_AddIdentity_03</u>	Creating UIN in Add Identity with valid parameters	00:00:01
<u>TC_IDRepo_AddIdentity_39</u>	Creating UIN in Add identity for update count	00:00:01
<u>TC_IDRepo_AddIdentity_38</u>	Creating UIN in Add identity for update count	00:00:01
<u>TC_IDRepo_AddIdentity_02</u>	Creating UIN in Add Identity with valid parameters	00:00:01
<u>TC_IDRepo_AddIdentity_40</u>	Creating UIN in Add identity with biometric ref id	00:00:01
<u>TC_IDRepo_AddIdentity_13</u>	Creating UIN in Add Identity passing invalid DOB	00:00:01
<u>TC_IDRepo_AddIdentity_17</u>	Creating UIN in Add Identity passing invalid email	00:00:01

TestCase Number	TestCase Description	Execution Time (HH:MM:SS)
TC_IDRepo_AddIdentity_10	Creating UIN in Add Identity passing invalid versions	00:00:01
TC_IDRepo_AddIdentity_18	Creating UIN in Add Identity removing version field	00:00:01
TC_IDRepo_AddIdentity_01	Creating UIN in Add Identity with valid parameters	00:00:01
TC_IDRepo_AddIdentity_15	Creating UIN in Add Identity passing empty DOB field	00:00:01
TC_IDRepo_AddIdentity_22	Creating UIN in Add Identity passing empty email	00:00:01
TC_IDRepo_AddIdentity_28	Creating UIN in Add Identity passing empty timestamp	00:00:01
TC_IDRepo_AddIdentity_11	Creating UIN in Add Identity passing empty version	00:00:01
TC_IDRepo_AddIdentity_24	Creating UIN in Add Identity passing invalid bio value	00:00:01
TC_IDRepo_AddIdentity_26	Creating UIN in Add Identity passing invalid future timestamp	00:00:01
TC_IDRepo_AddIdentity_25	Creating UIN in Add Identity passing invalid past timestamp	00:00:01
TC_IDRepo_AddIdentity_30	Creating UIN in Add Identity passing space value in request time	00:00:01
TC_IDRepo_AddIdentity_27	Creating UIN in Add Identity passing invalid timestamp	00:00:01
TC_IDRepo_AddIdentity_14	Creating UIN in Add Identity by removing DOB field	00:00:01
TC_IDRepo_AddIdentity_21	Creating UIN in Add Identity removing Email field	00:00:01
TC_IDRepo_AddIdentity_29	Creating UIN in Add Identity removing timestamp field	00:00:01
TC_IDRepo_AddIdentity_19	Creating UIN in Add Identity removing phone field	00:00:01
TC_IDRepo_AddIdentity_23	Creating UIN in Add Identity passing space value in email	00:00:01
TC_IDRepo_AddIdentity_16	Creating UIN in Add Identity passing space value in DOB	00:00:01
TC_IDRepo_AddIdentity_12	Creating UIN in Add Identity passing space value in version	00:00:01
TC_IDRepo_AddIdentity_20	Creating UIN in Add Identity passing invalid Email	00:00:01
TC_IDRepo_AddIdentity_09	Creating UIN in Add Identity passing invalid UIN	00:00:01

CreateVID — Passed

TC_IDRepo_CreateVID_47	Create Temporary VID passing valid parameters	00:00:01
TC_IDRepo_CreateVID_14	Create Temporary VID without entering Request time	00:00:01
TC_IDRepo_CreateVID_23	Create Perpetual VID without entering Request time	00:00:01
TC_IDRepo_CreateVID_29	Create perpetual VID without entering ID	00:00:01
TC_IDRepo_CreateVID_19	Create Temporary VID without entering ID	00:00:01
TC_IDRepo_CreateVID_31	Create Temporary VID without entering version	00:00:01
TC_IDRepo_CreateVID_27	create perpetual VID passing invalid ID	00:00:01
TC_IDRepo_CreateVID_17	Create Temporary VID adding Invalid ID	00:00:01
TC_IDRepo_CreateVID_12	Create Temporary VID entering Invalid Request Time	00:00:01
TC_IDRepo_CreateVID_21	Create Perpetual VID passing Invalid request time	00:00:01
TC_IDRepo_CreateVID_20	Create Perpetual VID entering invalid version	00:00:01
TC_IDRepo_CreateVID_10	Create Temporary VID adding Invalid version	00:00:01
TC_IDRepo_CreateVID_24	Create Perpetual VID entering invalid vid type	00:00:01

TestCase Number	TestCase Description	Execution Time (HH:MM:SS)
TC_IDRepo_CreateVID_15	Create Temporary VID by entering invalid vid type	00:00:01
TC_IDRepo_CreateVID_35	Create Temporary VID without entering ID	00:00:01
TC_IDRepo_CreateVID_39	Create Perpetual VID without passing ID	00:00:01
TC_IDRepo_CreateVID_18	Create Temporary VID without entering ID	00:00:01
TC_IDRepo_CreateVID_37	Create Perpetual VID without entering Request Time	00:00:01
TC_IDRepo_CreateVID_33	Create Temporary VID without entering Request Time	00:00:01
TC_IDRepo_CreateVID_36	Create Perpetual VID without entering version	00:00:01
TC_IDRepo_CreateVID_30	Create Temporary VID without entering version	00:00:01
TC_IDRepo_CreateVID_38	Create Perpetual VID without entering VID Type	00:00:01
TC_IDRepo_CreateVID_34	Create Temporary VID without entering Vid Type	00:00:01
TC_IDRepo_CreateVID_46	Create Temporary VID passing valid parameters	00:00:01
TC_IDRepo_CreateVID_45	Create Temporary VID passing valid parameters	00:00:01
TC_IDRepo_CreateVID_03	Create Onetimeuse VID passing valid parameters	00:00:01
TC_IDRepo_CreateVID_02	Create Perpetual VID passing valid parameters	00:00:01
TC_IDRepo_CreateVID_01	Create a Temporary VID passing valid parameters	00:00:01
TC_IDRepo_CreateVID_41	Create Perpetual VID passing valid parameters	00:00:01
TC_IDRepo_CreateVID_40	Create Perpetual VID passing valid parameters	00:00:01
TC_IDRepo_CreateVID_42	Create Temporary VID passing valid parameters	00:00:01
TC_IDRepo_CreateVID_43	Create Temporary VID passing valid parameters	00:00:01
TC_IDRepo_CreateVID_44	Create Temporary VID passing valid parameters	00:00:01
TC_IDRepo_CreateVID_06	Create perpetual VID passing valid parameters	00:00:01
TC_IDRepo_CreateVID_05	Create perpetual VID passing valid parameters	00:00:01
TC_IDRepo_CreateVID_04	Create Temporary VID with UIN entering valid parameters	00:00:01
TC_IDRepo_CreateVID_08	Create perpetual VID passing valid parameters	00:00:01
TC_IDRepo_CreateVID_07	Create Temporary VID passing valid parameters	00:00:01
TC_IDRepo_CreateVID_09	Create Temporary VID passing valid parameters	00:00:01
TC_IDRepo_CreateVID_11	Create Temporary VID passing version blank	00:00:01
TC_IDRepo_CreateVID_26	Create Perpetual VID without entering Vid Type	00:00:01
TC_IDRepo_CreateVID_16	Create Temporary VID passing empty vid type	00:00:01
TC_IDRepo_CreateVID_32	Create Temporary VID Type passing Invalid version	00:00:01
TC_IDRepo_CreateVID_28	Create Perpetual VID without entering Vid Type	00:00:01
TC_IDRepo_CreateVID_13	Create Temporary VID adding passing empty requesttime	00:00:01
TC_IDRepo_CreateVID_22	Create Perpetual VID without entering Vid Type	00:00:01

TestCase Number	TestCase Description	Execution Time (HH:MM:SS)
TC_IDRepo_CreateVID_25	Create Perpetual VID without entering Vid Type	00:00:01
AddIdentityArrayHandle — Ignored		
TC_IDRepo_AddIdentityArrayHandle_31	Add identity array handle with positive values	00:00:00
TC_IDRepo_AddIdentityArrayHandle_32	Add identity array handle with positive values	00:00:00
TC_IDRepo_AddIdentityArrayHandle_28	Add identity array handle with positive values	00:00:00
TC_IDRepo_AddIdentityArrayHandle_29	Add identity array handle with positive values	00:00:00
TC_IDRepo_AddIdentityArrayHandle_26	Add identity array handle with positive values	00:00:00
TC_IDRepo_AddIdentityArrayHandle_27	Add identity array handle with positive values and tag	00:00:00
TC_IDRepo_AddIdentityArrayHandle_30	Add identity array handle with positive values	00:00:00
TC_IDRepo_AddIdentityArrayHandle_35	Add identity with only email as selected handle	00:00:00
TC_IDRepo_AddIdentityArrayHandle_37	Add identity without selected handle	00:00:00
TC_IDRepo_AddIdentityArrayHandle_34	Add identity array handle with positive values	00:00:00
TC_IDRepo_AddIdentityArrayHandle_45	Add identity array handle without selected handles	00:00:00
TC_IDRepo_AddIdentityArrayHandle_03	Add identity array handle with only tags	00:00:00
TC_IDRepo_AddIdentityArrayHandle_41	Add identity array handle with existing value	00:00:00
TC_IDRepo_AddIdentityArrayHandle_01	Add identity array handle with positive value	00:00:01
TC_IDRepo_AddIdentityArrayHandle_47	Add identity with removing all tags with positive value	00:00:01
TC_IDRepo_AddIdentityArrayHandle_38	Add identity array handle with add value	00:00:00
TC_IDRepo_AddIdentityArrayHandle_39	Add identity array handle with same value again	00:00:00
TC_IDRepo_AddIdentityArrayHandle_40	Add identity array handle with multiple duplicate value	00:00:00
TC_IDRepo_AddIdentityArrayHandle_43	Add identity array handle without selected handles	00:00:00
TC_IDRepo_AddIdentityArrayHandle_42	Add identity array handle with positive value phone number	00:00:00
TC_IDRepo_AddIdentityArrayHandle_44	Add identity array handle with selected handle as phone	00:00:00
TC_IDRepo_AddIdentityArrayHandle_25	Add identity array handle with case sensitive selected handles	00:00:00
TC_IDRepo_AddIdentityArrayHandle_21	Add identity array handle with positive value and invalid demo field	00:00:00
TC_IDRepo_AddIdentityArrayHandle_23	Add identity array handle with positive value and without demo field	00:00:00
TC_IDRepo_AddIdentityArrayHandle_22	Add identity array handle without selected handles and attribute	00:00:00
TC_IDRepo_AddIdentityArrayHandle_46	Add identity array handle with selected handle as phone	00:00:00
TC_IDRepo_AddIdentityArrayHandle_07	Add identity array handle with positive value and invalid tag	00:00:01
TC_IDRepo_AddIdentityArrayHandle_08	Add identity array handle with multiple positive values	00:00:00
TC_IDRepo_AddIdentityArrayHandle_09	Add identity array handle with multiple positive value and without tag	00:00:01
TC_IDRepo_AddIdentityArrayHandle_05	Add identity array handle without selected handles	00:00:00
TC_IDRepo_AddIdentityArrayHandle_04	Add identity array handle with positive values and without tags	00:00:01
TC_IDRepo_AddIdentityArrayHandle_06	Add identity array handle with tags and without selected handles	00:00:01
TC_IDRepo_AddIdentityArrayHandle_02	Add identity array handle with those value which already have been created	00:00:01
TC_IDRepo_AddIdentityArrayHandle_33	Add identity array handle with positive values	00:00:00
TC_IDRepo_AddIdentityArrayHandle_36	Add identity with only email as selected handle and update with phone and email in update identity	00:00:01

TestCase Number	TestCase Description	Execution Time (HH:MM:SS)
TC_IDRepo_AddIdentityArrayHandle_12	Add identity single handle with empty select handles	00:00:00
TC_IDRepo_AddIdentityArrayHandle_13	Add identity single handle with multiple handles without value	00:00:00
TC_IDRepo_AddIdentityArrayHandle_10	Add identity single handle with positive value without tag	00:00:00
TC_IDRepo_AddIdentityArrayHandle_19	Add identity array handle while remove excepted first selectedHandles	00:00:00
TC_IDRepo_AddIdentityArrayHandle_20	Add identity array handle with positive value	00:00:00
TC_IDRepo_AddIdentityArrayHandle_14	Add identity array handle with functionalids as selected handles	00:00:00
TC_IDRepo_AddIdentityArrayHandle_16	Add identity array handle with functionalids and phone as selected handles without tag	00:00:00
TC_IDRepo_AddIdentityArrayHandle_17	Add identity array handle with functionalids as selected handles using first two value out of five	00:00:00
TC_IDRepo_AddIdentityArrayHandle_15	Add identity array handle with functionalids using first two value	00:00:00
TC_IDRepo_AddIdentityArrayHandle_18	Add identity array handle with one handles positive value	00:00:00
UpdateIdentityArrayHandle — Ignored		
TC_IDRepo_UpdateIdentityArrayHandle_01	Update Identity with positive value	00:00:01
TC_IDRepo_UpdateIdentityArrayHandle_29	Update Identity with used phone value	00:00:00
TC_IDRepo_UpdateIdentityArrayHandle_03	Update Identity with update tag	00:00:00
TC_IDRepo_UpdateIdentityArrayHandle_02	Update Identity with update value	00:00:00
TC_IDRepo_UpdateIdentityArrayHandle_13	Update Identity with random handle attribute	00:00:00
TC_IDRepo_UpdateIdentityArrayHandle_06	Update Identity with delete handle from the record	00:00:00
TC_IDRepo_UpdateIdentityArrayHandle_11	Update Identity with empty selected handles	00:00:00
TC_IDRepo_UpdateIdentityArrayHandle_05	Update Identity with multiple demo handles	00:00:00
TC_IDRepo_UpdateIdentityArrayHandle_12	Update Identity without selected handle attribute	00:00:00
TC_IDRepo_UpdateIdentityArrayHandle_10	Update Identity with value remove tag attribute	00:00:00
TC_IDRepo_UpdateIdentityArrayHandle_07	Update Identity with update selected handle	00:00:00
TC_IDRepo_UpdateIdentityArrayHandle_08	Update Identity with update selected handle and demo field	00:00:00
TC_IDRepo_UpdateIdentityArrayHandle_09	Update Identity with selected handle and first attribute	00:00:01
TC_IDRepo_UpdateIdentityArrayHandle_04	Update Identity with update tag and selected handles	00:00:00
TC_IDRepo_UpdateIdentityArrayHandle_15	Update Identity with update first and second handle value	00:00:00
TC_IDRepo_UpdateIdentityArrayHandle_16	Update Identity with update handle with invalid demo field	00:00:00
TC_IDRepo_UpdateIdentityArrayHandle_14	Update Identity with one selected handle	00:00:00
TC_IDRepo_UpdateIdentityArrayHandle_17	Update Identity without selected handles and attribute	00:00:00
TC_IDRepo_UpdateIdentityArrayHandle_28	Update Identity with selectedhandles when add identity is not having selected handles	00:00:00
TC_IDRepo_UpdateIdentityArrayHandle_24	Update Identity with remove selected handles and update phone	00:00:01
TC_IDRepo_UpdateIdentityArrayHandle_26	Update Identity selectedhandles to phone while creating it was email	00:00:00
TC_IDRepo_UpdateIdentityArrayHandle_22	Update Identity with invalid selected handles	00:00:00
TC_IDRepo_UpdateIdentityArrayHandle_23	Update Identity with scehma attribute which is not in selected handles	00:00:00
TC_IDRepo_UpdateIdentityArrayHandle_27	Update Identity selectedhandles to phone & email while creating it was only email	00:00:00
TC_IDRepo_UpdateIdentityArrayHandle_19	Update Identity with selected handles and all demo field removed	00:00:00

TestCase Number	TestCase Description	Execution Time (HH:MM:SS)
TC_IDRepo_UpdateIdentityArrayHandle_20	Update Identity with empty selected handles	00:00:00
TC_IDRepo_UpdateIdentityArrayHandle_21	Update Identity with invalid selected handles	00:00:00
TC_IDRepo_UpdateIdentityArrayHandle_18	Update Identity with selected handles and one demo field	00:00:00
TC_IDRepo_UpdateIdentityArrayHandle_25	Update Identity with update selected handles which is not in schema	00:00:00
TC_IDRepo_UpdateIdentityArrayHandle_32	Update Identity remove selected handle then pass email value	00:00:01
TC_IDRepo_UpdateIdentityArrayHandle_31	Update Identity passing phone value without selected handle uin	00:00:00
TC_IDRepo_UpdateIdentityArrayHandle_30	Update Identity passing empty selecthandles with selected handle phone value uin	00:00:00
UpdateIdentity — Passed		
TC_IDRepo_UpdateIdentity_02	Update Identity passing valid values	00:00:01
TC_IDRepo_UpdateIdentity_17	Update Identity passing status as deactivated	00:00:01
TC_IDRepo_UpdateIdentity_01	Update Identity passing the status deactivated	00:00:01
TC_IDRepo_UpdateIdentity_07	Update Identity passing empty requesttime	00:00:01
TC_IDRepo_UpdateIdentity_04	Update Identity passing empty version	00:00:01
TC_IDRepo_UpdateIdentity_10	Update Identity passing future request time	00:00:01
TC_IDRepo_UpdateIdentity_06	Update Identity passing invalid request time	00:00:01
TC_IDRepo_UpdateIdentity_03	Update Identity passing invalid version	00:00:01
TC_IDRepo_UpdateIdentity_11	Update Identity without adding RID field	00:00:01
TC_IDRepo_UpdateIdentity_13	Update Identity without passing request time	00:00:01
TC_IDRepo_UpdateIdentity_12	Update Identity removing version field	00:00:01
TC_IDRepo_UpdateIdentity_09	Update Identity passing past request time	00:00:01
TC_IDRepo_UpdateIdentity_08	Update Identity passing space value in request time	00:00:01
TC_IDRepo_UpdateIdentity_05	Update Identity passing space in version field	00:00:01
TC_IDRepo_UpdateIdentity_14	Update Identity passing invalid DOB	00:00:01
TC_IDRepo_UpdateIdentity_16	Update Identity passing invalid email	00:00:01
TC_IDRepo_UpdateIdentity_15	Update Identity passing invalid phonenumber	00:00:01
UpdateVIDStatus — Passed		
TC_IDRepo_UpdateVIDStatus_44	Update Temporary VID status passing valid parameters	00:00:01
TC_IDRepo_UpdateVIDStatus_40	Update perpetual VID status passing deactivated vid status	00:00:01
TC_IDRepo_UpdateVIDStatus_41	Update Temporary VID status passing deactivated vid status	00:00:01
TC_IDRepo_UpdateVIDStatus_35	Update VID status passing expired in vidstatus	00:00:01
TC_IDRepo_UpdateVIDStatus_39	Update VID status passing vid status expired	00:00:01
TC_IDRepo_UpdateVIDStatus_34	Update VID status passing invalid Individual ID	00:00:01
TC_IDRepo_UpdateVIDStatus_36	Update VID status passing space	00:00:01
TC_IDRepo_UpdateVIDStatus_29	Update perpetual VID status passing empty ID	00:00:01
TC_IDRepo_UpdateVIDStatus_21	Update Temporary VID status passing empty ID	00:00:01
TC_IDRepo_UpdateVIDStatus_28	Update Perpetual VID status passing empty request time	00:00:01
TC_IDRepo_UpdateVIDStatus_19	Update Temporary VID status passing empty request time	00:00:01
TC_IDRepo_UpdateVIDStatus_27	Update Perpetual VID status passing empty VID status	00:00:01
TC_IDRepo_UpdateVIDStatus_20	Update Temporary VID status passing empty VID status	00:00:01
TC_IDRepo_UpdateVIDStatus_26	Update Perpetual VID status passing empty version	00:00:01

TestCase Number	TestCase Description	Execution Time (HH:MM:SS)
TC_IDRepo_UpdateVIDStatus_18	Update Temporary VID status passing empty version	00:00:01
TC_IDRepo_UpdateVIDStatus_38	Update VID status passing future requesttime	00:00:01
TC_IDRepo_UpdateVIDStatus_13	Update perpetual VID status passing invalid ID	00:00:01
TC_IDRepo_UpdateVIDStatus_04	Update Temporary VID status passing invalid ID	00:00:01
TC_IDRepo_UpdateVIDStatus_12	Update perpetual VID status passing invalid requesttime	00:00:01
TC_IDRepo_UpdateVIDStatus_02	Update Temporary VID status passing invalid requesttime	00:00:01
TC_IDRepo_UpdateVIDStatus_11	Update perpetual VID status passing invalid VID status	00:00:01
TC_IDRepo_UpdateVIDStatus_03	Update Temporary VID status passing invalid VID status	00:00:01
TC_IDRepo_UpdateVIDStatus_10	Update perpetual VID status passing invalid version	00:00:01
TC_IDRepo_UpdateVIDStatus_01	Update Temporary VID status passing invalid version	00:00:01
TC_IDRepo_UpdateVIDStatus_17	Update perpetual VID status removing ID field	00:00:01
TC_IDRepo_UpdateVIDStatus_07	Update Temporary VID status without passing ID	00:00:01
TC_IDRepo_UpdateVIDStatus_15	Update perpetual VID status removing requesttime	00:00:01
TC_IDRepo_UpdateVIDStatus_06	Update Temporary VID status without requesttime	00:00:01
TC_IDRepo_UpdateVIDStatus_16	Update perpetual VID status removing VID status	00:00:01
TC_IDRepo_UpdateVIDStatus_08	Update Temporary VID status without passing VID status	00:00:01
TC_IDRepo_UpdateVIDStatus_14	Update perpetual VID status removing the version	00:00:01
TC_IDRepo_UpdateVIDStatus_05	Update Temporary VID status without version	00:00:01
TC_IDRepo_UpdateVIDStatus_37	Update VID status passing past requesttime	00:00:01
TC_IDRepo_UpdateVIDStatus_33	Update perpetual VID status passing space	00:00:01
TC_IDRepo_UpdateVIDStatus_24	Update Temporary VID status passing space value in ID field	00:00:01
TC_IDRepo_UpdateVIDStatus_31	Update perpetual VID status passing empty space value in requesttime	00:00:01
TC_IDRepo_UpdateVIDStatus_23	Update Temporary VID status passing space in request time	00:00:01
TC_IDRepo_UpdateVIDStatus_32	Update perpetual VID status passing empty space in vidstatus	00:00:01
TC_IDRepo_UpdateVIDStatus_25	Update Temporary VID status passing space value in VID status	00:00:01
TC_IDRepo_UpdateVIDStatus_30	Update perpetual VID status passing empty space version	00:00:01
TC_IDRepo_UpdateVIDStatus_22	Update Temporary VID passing space in status field	00:00:01
TC_IDRepo_UpdateVIDStatus_42	Update perpetual VID status passing vid status as revoked	00:00:01
TC_IDRepo_UpdateVIDStatus_43	Update Temporary VID status passing vid status as revoked	00:00:01
TC_IDRepo_UpdateVIDStatus_09	Update perpetual VID status	00:00:01
DeactivateVIDs — Passed		
TC_IDRepo_DeactivateVID_13	Deactivate VID passing blank value in timestamp	00:00:01
TC_IDRepo_DeactivateVID_02	Deactivate UIN passing deactivated UIN	00:00:01
TC_IDRepo_DeactivateVID_06	Deactivate VID passing empty ID	00:00:01
TC_IDRepo_DeactivateVID_10	Deactivate VID passing empty UIN	00:00:01
TC_IDRepo_DeactivateVID_20	Deactivate VID passing empty version	00:00:01

TestCase Number	TestCase Description	Execution Time (HH:MM:SS)
TC_IDRepo_DeactivateVID_17	Deactivate VID passing future timestamp field	00:00:01
TC_IDRepo_DeactivateVID_04	Deactivate VID passing invalid ID	00:00:01
TC_IDRepo_DeactivateVID_12	Deactivate VID passing invalid timestamp	00:00:01
TC_IDRepo_DeactivateVID_09	Deactivate VID passing invalid UIN	00:00:01
TC_IDRepo_DeactivateVID_18	Deactivate VID passing invalid version	00:00:01
TC_IDRepo_DeactivateVID_05	Deactivate VID removing ID field	00:00:01
TC_IDRepo_DeactivateVID_14	Deactivate VID removing timestamp field	00:00:01
TC_IDRepo_DeactivateVID_08	Deactivate VID removing UIN field	00:00:01
TC_IDRepo_DeactivateVID_19	Deactivate VID removing version field	00:00:01
TC_IDRepo_DeactivateVID_03	Deactivate onetimeuse VID passing valid UIN	00:00:01
TC_IDRepo_DeactivateVID_16	Deactivate VID removing timestamp field	00:00:01
TC_IDRepo_DeactivateVID_01	Deactivate VID passing valid UIN	00:00:01
TC_IDRepo_DeactivateVID_07	Deactivate VID passing space in ID field	00:00:01
TC_IDRepo_DeactivateVID_15	Deactivate VID passing space in timestamp field	00:00:01
TC_IDRepo_DeactivateVID_11	Deactivate VID passing space in UIN field	00:00:01
TC_IDRepo_DeactivateVID_21	Deactivate VID passing space in version field	00:00:01
GetUpdateCount — known_issues		
TC_IDRepo_GetUpdateCount_03	Get update count by passing empty individual ID	00:00:00
TC_IDRepo_GetUpdateCount_09	Get update count by passing space in individual id	00:00:00
TC_IDRepo_GetUpdateCount_08	Get update count by passing empty space in individual id	00:00:00
GetUpdateCount — Passed		
TC_IDRepo_GetUpdateCount_12	Get update count by passing empty Id type	00:00:01
TC_IDRepo_GetUpdateCount_07	Get update count by passing invalid UIN	00:00:01
TC_IDRepo_GetUpdateCount_02	Get update count by passing invalid individual ID	00:00:01
TC_IDRepo_GetUpdateCount_11	Get update count by passing invalid idtype	00:00:01
TC_IDRepo_GetUpdateCount_04	Get update count passing space value in individual id	00:00:01
TC_IDRepo_GetUpdateCount_13	Get update count by passing space in id type	00:00:01
TC_IDRepo_GetUpdateCount_05	Get update count passing invalid token	00:00:01
TC_IDRepo_GetUpdateCount_01	Get update count passing valid UIN	00:00:01
TC_IDRepo_GetUpdateCount_10	Get update count by passing invalid token	00:00:01
TC_IDRepo_GetUpdateCount_15	Get update count by passing invalid idtype	00:00:01
TC_IDRepo_GetUpdateCount_14	Get update count by passing invalid id type	00:00:01
TC_IDRepo_GetUpdateCount_16	Get update count by passing space value in idtype	00:00:01
TC_IDRepo_GetUpdateCount_06	Get update count by passing valid VID	00:00:01
RetrieveIdentityByRID — Passed		
TC_IDRepo_RetrieveIdentityByRID_02	Retrieve Identity passing invalid RID	00:00:01
TC_IDRepo_RetrieveIdentityByRID_04	Retrieve Identity passing special value in RID	00:00:01
TC_IDRepo_RetrieveIdentityByRID_01	Retrieve Identity passing valid RID	00:00:01
RetrieveIdentityPost — Passed		
TC_IDRepo_RetrieveIdentityPost_02	Retrieve details using UIN with empty idType	00:00:01
TC_IDRepo_RetrieveIdentityPost_03	Retrieve details using VID with empty idType	00:00:01
TC_IDRepo_RetrieveIdentityPost_01	Retrieve details using RID with empty idType	00:00:01
RetrieveVIDByUIN — known_issues		
TC_IDRepo_RetrieveVIDByUIN_02	Retrieve VID passing blocked UIN	00:00:00
RetrieveVIDByUIN — Passed		
TC_IDRepo_RetrieveVIDByUIN_04	Retrieve UIN by passing valid UIN	00:00:01
TC_IDRepo_RetrieveVIDByUIN_05	Retrieving VID passing invalid UIN	00:00:01
TC_IDRepo_RetrieveVIDByUIN_07	Retrieve VID passing space in UIN field	00:00:01

TestCase Number	TestCase Description	Execution Time (HH:MM:SS)
TC_IDRepo_RetrieveVIDByUIN_03	Retrieve UIN by passing perpetual UIN	00:00:01
TC_IDRepo_RetrieveVIDByUIN_01	Retrieve VID passing temporary UIN	00:00:01
RetrieveldentityByUin — Ignored		
TC_IDRepo_RetrieveldentityByUIN_02	Retrieve Identity passing valid UIN	00:00:00
RetrieveldentityByUin — Passed		
TC_IDRepo_RetrieveldentityByUIN_03	Retrieve Identity passing deactivated UIN	00:00:01
TC_IDRepo_RetrieveldentityByUIN_05	Retrieve Identity passing invalid UIN	00:00:01
TC_IDRepo_RetrieveldentityByUIN_07	Retrieve Identity passing Invalid ID	00:00:01
TC_IDRepo_RetrieveldentityByUIN_09	Retrieve Identity passing space	00:00:01
TC_IDRepo_RetrieveldentityByUIN_10	Retrieve Identity passing space	00:00:01
TC_IDRepo_RetrieveldentityByUIN_01	Retrieve Identity passing valid UIN	00:00:01
TC_IDRepo_RetrieveldentityByUIN_04	Retrieve Identity passing valid UIN	00:00:01
TC_IDRepo_RetrieveldentityByUIN_11	Retrieve Identity passing deactivated VID	00:00:01
TC_IDRepo_RetrieveldentityByUIN_13	Retrieve Identity passing deactivated VID	00:00:01
TC_IDRepo_RetrieveldentityByUIN_12	Retrieve Identity passing deactivated VID	00:00:01
RetrieveUINByVID — Passed		
TC_IDRepo_RetrieveVID_11	Retrieve UIN passing empty VID	00:00:01
TC_IDRepo_RetrieveVID_12	Retrieve UIN passing space in the VID field	00:00:01
TC_IDRepo_RetrieveVID_10	Retrieve UIN passing invalid VID data	00:00:01
TC_IDRepo_RetrieveVID_14	Retrieve UIN passing empty VID	00:00:01
TC_IDRepo_RetrieveVID_03	Retrieve UIN passing onetimeuse VID	00:00:01
TC_IDRepo_RetrieveVID_05	Retrieve UIN passing Deactivated onetimeuse VID	00:00:01
TC_IDRepo_RetrieveVID_02	Retrieve UIN passing perpetual VID	00:00:01
TC_IDRepo_RetrieveVID_08	Retrieve UIN passing Deactivated temporary VID	00:00:01
TC_IDRepo_RetrieveVID_09	Retrieve UIN passing revoked temporary VID	00:00:01
TC_IDRepo_RetrieveVID_01	Retrieve UIN passing perpetual VID	00:00:01
TC_IDRepo_RetrieveVID_04	Retrieve UIN passing Deactivated perpetual VID	00:00:01
TC_IDRepo_RetrieveVID_06	Retrieve UIN passsing Expired perpetual VID	00:00:01
TC_IDRepo_RetrieveVID_07	Retrieve UIN passing Revoked perpetual VID	00:00:01
TC_IDRepo_RetrieveVID_17	Retrieve UIN passing empty VID	00:00:01
TC_IDRepo_RetrieveVID_16	Retrieve UIN passing Invalid vid	00:00:01
TC_IDRepo_RetrieveVID_18	Retrieve UIN passing space value in VID field	00:00:01
TC_IDRepo_RetrieveVID_15	Retrieve UIN passing Space Value in vid data	00:00:01
TC_IDRepo_RetrieveVID_13	Retrieve UIN passing invalid vid data	00:00:01
ReactivateVIDs — Passed		
TC_IDRepo_ReactivateVID_02	Reactivate VID on passing deactivated UIN	00:00:01
TC_IDRepo_ReactivateVID_06	Reactivate VID passing empty ID	00:00:01
TC_IDRepo_ReactivateVID_16	Reactivate VID passing empty value in timestamp field	00:00:01
TC_IDRepo_ReactivateVID_10	Reactivate VID passing empty UIN	00:00:01
TC_IDRepo_ReactivateVID_20	Reactivate VID passing empty version	00:00:01
TC_IDRepo_ReactivateVID_15	Reactivate VID passing Future timestamp value	00:00:01
TC_IDRepo_ReactivateVID_04	Reactivate VID passing invalid ID	00:00:01
TC_IDRepo_ReactivateVID_12	Reactivate VID passing invalid Timestamp	00:00:01
TC_IDRepo_ReactivateVID_09	Reactivate VID passing invalid UIN	00:00:01
TC_IDRepo_ReactivateVID_18	Reactivate VID passing invalid version	00:00:01
TC_IDRepo_ReactivateVID_05	Reactivate VID removing ID field	00:00:01
TC_IDRepo_ReactivateVID_13	Reactivate VID removing Timestamp	00:00:01
TC_IDRepo_ReactivateVID_08	Reactivate VID removing UIN field	00:00:01
TC_IDRepo_ReactivateVID_19	Reactivate VID removing version field	00:00:01
TC_IDRepo_ReactivateVID_03	Reactivate onetimeuse VID for a valid UIN	00:00:01

TestCase Number	TestCase Description	Execution Time (HH:MM:SS)
TC_IDRepo_ReactivateVID_01	Reactivate VID for valid UIN	00:00:01
TC_IDRepo_ReactivateVID_11	Reactivate VID passing space value in UIN field	00:00:01
TC_IDRepo_ReactivateVID_07	Reactivate VID passing space value in ID field	00:00:01
TC_IDRepo_ReactivateVID_17	Reactivate VID passing space value in timestamp	00:00:01
TC_IDRepo_ReactivateVID_21	Reactivate VID passing space value in version	00:00:01
TC_IDRepo_ReactivateVID_14	Reactivate VID passing past timestamp	00:00:01
RegenerateVid — Passed		
TC_IDRepo_RegenerateVID_04	Regenerate VID passing empty VID	00:00:01
TC_IDRepo_RegenerateVID_03	Regenerate VID passing invalid VID	00:00:01
TC_IDRepo_RegenerateVID_01	Regenerate VID for a valid UIN	00:00:01
TC_IDRepo_RegenerateVID_05	Regenerate VID passing space in VID field	00:00:01
TC_IDRepo_RegenerateVID_02	Regenerate VID passing invalid UIN	00:00:01
CreateDraft — Passed		
TC_IDRepo_CreateDraft_01	Create a draft passing valid registrationID	00:00:01
TC_IDRepo_CreateDraft_06	Create a draft passing blank RID	00:00:01
TC_IDRepo_CreateDraft_03	Delete a draft passing valid registrationId	00:00:01
TC_IDRepo_CreateDraft_07	Create a draft passing valid registrationID use for extraction	00:00:01
TC_IDRepo_CreateDraft_01	Create a draft passing invalid RID	00:00:01
TC_IDRepo_CreateDraft_02	Verify UIN passing valid registration ID	00:00:01
GetDraft — Passed		
TC_IDRepo_GetDraft_01	Get Identity draft	00:00:01
CreateDraftVID — Passed		
TC_IDRepo_CreateDraftVID_05	Create a draft VID passing invalid UIN	00:00:01
TC_IDRepo_CreateDraftVID_01	create a draft VID passing invalid parameter in UIN field	00:00:01
TC_IDRepo_CreateDraftVID_03	create a draft vid passing blank value in vidtype	00:00:01
TC_IDRepo_CreateDraftVID_02	create a draft VID passing invalid vid type	00:00:01
TC_IDRepo_CreateDraftVID_04	create a draft VID removing vid type field	00:00:01
UpdateDraft — Passed		
TC_IDRepo_UpdateDraft_01	Update draft packet for valid registrationId	00:00:01
PublishDraft — Passed		
TC_IDRepo_PublishDraft_01	Publish draft VID	00:00:01
TC_IDRepo_PublishDraft_02	Re publish draft VID	00:00:01
ExtractBiometrics — Passed		
TC_IDRepo_extractbiometrics_01	Extract biometrics passing registrationId	00:00:01
TC_IDRepo_extractbiometrics_05	Extract biometrics with face ,iris and finger	00:00:01
TC_IDRepo_extractbiometrics_04	Extract biometrics with only face	00:00:01
TC_IDRepo_extractbiometrics_03	Extract biometrics with only finger	00:00:01
TC_IDRepo_extractbiometrics_02	Extract biometrics with only iris	00:00:01
DeleteDraft — Passed		
TC_IDRepo_DeleteDraft_01	Delete draft passing registrationId	00:00:01
AuthInternalLock — known_issues		
TC_IDRepo_AuthInternallock_19	Lock UIN passing empty value in the ID	00:00:00
TC_IDRepo_AuthInternallock_23	Lock UIN passing empty request time	00:00:00
TC_IDRepo_AuthInternallock_21	Lock UIN passing empty version	00:00:00
TC_IDRepo_AuthInternallock_20	Lock VID passing empty value in ID	00:00:00
TC_IDRepo_AuthInternallock_24	Lock VID passing empty request time	00:00:00
TC_IDRepo_AuthInternallock_22	Lock VID passing empty version	00:00:00
AuthInternalLock — Passed		

TestCase Number	TestCase Description	Execution Time (HH:MM:SS)
TC_IDRepo_AuthInternalock_01	Lock UIN for the auth type demo	00:00:01
TC_IDRepo_AuthInternalock_13	Lock UIN without passing any auth type	00:00:01
TC_IDRepo_AuthInternalock_15	Lock UIN passing empty value in auth subtype	00:00:01
TC_IDRepo_AuthInternalock_25	Lock UIN passing empty individual ID	00:00:01
TC_IDRepo_AuthInternalock_27	Lock UIN passing empty individual type	00:00:01
TC_IDRepo_AuthInternalock_17	Lock UIN passing empty value in lock field	00:00:01
TC_IDRepo_AuthInternalock_03	Lock UIN for authtype Bio face	00:00:01
TC_IDRepo_AuthInternalock_07	Lock UIN for authtype Bio Finger	00:00:01
TC_IDRepo_AuthInternalock_05	Lock UIN for authtype Bio Iris	00:00:01
TC_IDRepo_AuthInternalock_09	Lock UIN for authtype Email	00:00:01
TC_IDRepo_AuthInternalock_11	Lock UIN for authtype Phone	00:00:01
TC_IDRepo_AuthInternalock_02	Lock VID for authtype demo	00:00:01
TC_IDRepo_AuthInternalock_14	Lock VID passing auth type empty	00:00:01
TC_IDRepo_AuthInternalock_16	Lock VID passing empty value in auth subtype	00:00:01
TC_IDRepo_AuthInternalock_26	Lock VID passing empty individual ID	00:00:01
TC_IDRepo_AuthInternalock_28	Lock VID passing empty individual ID type	00:00:01
TC_IDRepo_AuthInternalock_18	Auth lock VID passing empty value in lock field	00:00:01
TC_IDRepo_AuthInternalock_04	Lock VID for authtype bio face	00:00:01
TC_IDRepo_AuthInternalock_08	Lock UIN for authtype Bio Finger	00:00:01
TC_IDRepo_AuthInternalock_06	Lock VID for authtype Bio Iris	00:00:01
TC_IDRepo_AuthInternalock_10	Lock VID for authtype Email	00:00:01
TC_IDRepo_AuthInternalock_12	Lock VID for authtype phone	00:00:01
RetrieveAuthTypeStatus — known_issues		
TC_IDRepo_RetrieveAuthTypeStatus_03	Retrieve Auth type status passing Invalid UIN	00:00:00
TC_IDRepo_RetrieveAuthTypeStatus_05	Retrieve Auth type status passing space in UIN field	00:00:00
TC_IDRepo_RetrieveAuthTypeStatus_06	Retrieve Auth type status passing invalid VID	00:00:00
TC_IDRepo_RetrieveAuthTypeStatus_08	Retrieve Auth type status passing space in VID field	00:00:00
RetrieveAuthTypeStatus — Passed		
TC_IDRepo_RetrieveAuthTypeStatus_01	Retrieve Auth type status passing valid ID	00:00:01
TC_IDRepo_RetrieveAuthTypeStatus_04	Retrieve Auth type status passing empty UIN	00:00:01
TC_IDRepo_RetrieveAuthTypeStatus_02	Retrieve Auth status passing valid VID	00:00:02
TC_IDRepo_RetrieveAuthTypeStatus_07	Retrieve Auth type status passing empty VID	00:00:01
AuthInternalUnlock — known_issues		
TC_IDRepo_AuthInternalunlock_20	Unlock UIN passing empty ID	00:00:00
TC_IDRepo_AuthInternalunlock_24	Unlock UIN passing empty requesttime	00:00:00
TC_IDRepo_AuthInternalunlock_22	Unlock UIN passing empty version	00:00:01
TC_IDRepo_AuthInternalunlock_21	Unlock VID passing empty ID	00:00:00
TC_IDRepo_AuthInternalunlock_25	Unlock VID passing empty requesttime	00:00:00
TC_IDRepo_AuthInternalunlock_23	Unlock VID passing empty version	00:00:00
AuthInternalUnlock — Passed		
TC_IDRepo_AuthInternalunlock_01	Unlock UIN passing empty ID	00:00:01
TC_IDRepo_AuthInternalunlock_14	Unlock UIN passing empty authtype	00:00:01
TC_IDRepo_AuthInternalunlock_16	Unlock UIN passing empty authsubtype	00:00:01
TC_IDRepo_AuthInternalunlock_26	Unlock UIN passing empty Individual ID	00:00:01
TC_IDRepo_AuthInternalunlock_28	Unlock UIN passing empty Individual ID	00:00:01
TC_IDRepo_AuthInternalunlock_18	Unlock UIN passing empty value in the locked status	00:00:01
TC_IDRepo_AuthInternalunlock_03	Unlock UIN for auth type bio Face	00:00:01
TC_IDRepo_AuthInternalunlock_07	Unlock UIN for authtype bio FINGER	00:00:01
TC_IDRepo_AuthInternalunlock_05	Unlock UIN for authtype bio IRIS	00:00:01

TestCase Number	TestCase Description	Execution Time (HH:MM:SS)
TC_IDRepo_AuthInternalunlock_09	Unlock UIN for authtype email	00:00:01
TC_IDRepo_AuthInternalunlock_11	Unlock UIN for authtype phone	00:00:01
TC_IDRepo_AuthInternalunlock_02	Unlock VID for auth type demo	00:00:01
TC_IDRepo_AuthInternalunlock_15	Unlock VID passing Empty VID	00:00:01
TC_IDRepo_AuthInternalunlock_17	Unlock VID passing empty authsubtype	00:00:01
TC_IDRepo_AuthInternalunlock_27	Unlock VID passing empty Individual ID	00:00:01
TC_IDRepo_AuthInternalunlock_29	Unlock VID passing empty Individual ID type	00:00:01
TC_IDRepo_AuthInternalunlock_19	Unlock VID passing empty value in locked status	00:00:01
TC_IDRepo_AuthInternalunlock_04	Unlock VID for Auth type bio Face	00:00:03
TC_IDRepo_AuthInternalunlock_08	Unlock VID for authtype bio FINGER	00:00:01
TC_IDRepo_AuthInternalunlock_06	Unlock VID for authtype bio IRIS	00:00:01
TC_IDRepo_AuthInternalunlock_10	Unlock VID for authtype Email	00:00:01
TC_IDRepo_AuthInternalunlock_13	Unlock VID for authtype phone	00:00:01

io.mosip.testrig.apirig.idrepo.testscripts.AddIdentity#IdRepository_AddIdentity_AuthStatus_NegScen_Valid_smoke_Pos

Testcase Input
testCaseName=IdRepository_AddIdentity_AuthStatus_NegScen_Valid_smoke_Pos, endPoint=/idrepository/v1/identity/, role=testrig, templateFields=null, input={"value": "\$BIOVALUE\$", "id": "mosip.id.create", "registrationId": "\$RID\$", "addressCopy": "Y", "biometricReferenceId": "23452353", "UIN": "\$UIN\$", "dateOfBirth": "1992/04/15", "postalCode": "14022", "email": "mosipuser123@mailinator.com", "phone": "8249742850", "mobileno": "8249742850", "referenceIdentityNumber": "6789545678878", "version": "V1", "introducerRID": "212124324784879", "introducerUIN": "212124324784879", "category": "individualBiometrics", "requesttime": "\$TIMESTAMP\$"}, output={"status": "ACTIVATED"}, inputTemplate={"request": {"registrationId": "{{registrationId}}", "documents": [{"category": "{{category}}", "value": "{{value}}"}], "identity": {"gender": [{"language": "eng", "value": "MLE"}, {"language": "ara", "value": "MLE"}], "city": [{"language": "eng", "value": "TEST_CITYeng"}, {"language": "ara", "value": "TEST_CITYara"}, {"language": "fra", "value": "TEST_CITYfra"}], "postalCode": "{{postalCode}}", "fullName": [{"language": "eng", "value": "TEST_FULLNAMEeng"}, {"language": "ara", "value": "TEST_FULLNAMEara"}, {"language": "fra", "value": "TEST_FULLNAMEfra"}], "dateOfBirth": "{{dateOfBirth}}", "proofOfIdentity": {"format": "txt", "type": "DOC001", "value": "fileReferenceID"}, "individualBiometrics": {"format": "cbeff", "version": 1, "value": "fileReferenceID"}, "IDSchmaVersion": 0.1, "province": [{"language": "eng", "value": "TEST_PROVINCEeng"}, {"language": "ara", "value": "TEST_PROVINCEara"}, {"language": "fra", "value": "TEST_PROVINCEfra"}], "zone": [{"language": "eng", "value": "TEST_ZONEeng"}, {"language": "ara", "value": "TEST_ZONEara"}, {"language": "fra", "value": "TEST_ZONEfra"}], "phone": "\$PHONENUMBERFORIDENTITY\$", "addressLine1": [{"language": "eng", "value": "TEST_ADDRESSLINE1eng"}, {"language": "ara", "value": "TEST_ADDRESSLINE1ara"}, {"language": "fra", "value": "TEST_ADDRESSLINE1fra"}], "addressLine2": [{"language": "eng", "value": "TEST_ADDRESSLINE2eng"}, {"language": "ara", "value": "TEST_ADDRESSLINE2ara"}, {"language": "fra", "value": "TEST_ADDRESSLINE2fra"}], "UIN": "{{UIN}}", "addressLine3": [{"language": "eng", "value": "TEST_ADDRESSLINE3eng"}, {"language": "ara", "value": "TEST_ADDRESSLINE3ara"}, {"language": "fra", "value": "TEST_ADDRESSLINE3fra"}], "region": [{"language": "eng", "value": "TEST_REGIONeng"}, {"language": "ara", "value": "TEST_REGIONara"}, {"language": "fra", "value": "TEST_REGIONfra"}], "email": "\$EMAILVALUE\$"}, "requesttime": "\$requesttime\$"}, "id": "{{id}}", "version": "{{version}}"}, outputTemplate=idRepository/AddIdentity/addIdentityResult, restMethod=post, regenerateHbs=false, validityCheckRequired=false, auditLogCheck=false, checkErrorsOnlyInResponse=false, checkOnlyStatusCodeInResponse=false, allowedErrorCodes=null, kycFields=null, description=Creating UIN in Add Identity for negative scenario, uniqueIdentifier=TC_IDRepo_AddIdentity_35

Messages

Request: (End Point URL: <https://api-internal.qatest1.mosip.net/idrepository/v1/identity/>)

No headers

```
{
  "request": {
    "registrationId": "27847725763981420250831214748",
    "documents": [
      {
        "category": "individualBiometrics",
```

Response:

```
[Server=nginx, Date=Sun, 31 Aug 2025 21:47:50 GMT, Content-Type=application/json; charset=UTF-8, Transfer-Encoding=chunked, Connection=keep-alive, x-content-type-options=nosniff, x-xss-protection=1; mode=block, cache-control=no-cache, no-store, max-age=0, must-revalidate, pragma=no-cache]
{
  "id": "mosip.id.create",
  "version": "v1",
  "responsetime": "2025-08-31T21:47:50.126Z",
  "response": {
    "status": "ACTIVATED"
```

Output validation: EXPECTED vs ACTUAL

FieldName	Expected Value	Actual Value	Status
response.status	ACTIVATED	ACTIVATED	PASS

[back to summary](#)

io.mosip.testrig.apirig.idrepo.testscripts.AddIdentity#IdRepository_AddIdentity_AuthStatus_Validd_smoke_Pos**Testcase Input**

```
testCaseName=IdRepository_AddIdentity_AuthStatus_Validd_smoke_Pos, endPoint=/idrepository/v1/identity/, role=testrig, templateFields=null, input={
  "value": "$BIOVALUE$",
  "id": "mosip.id.create",
  "registrationId": "$RID$",
  "addressCopy": "Y",
  "biometricReferenceId": "23452353",
  "UIN": "$UIN$",
  "dateOfBirth": "1992/04/15",
  "postalCode": "14022",
  "email": "mosipuser123@mailinator.com",
  "phone": "8249742850",
  "mobileno": "8249742850",
  "referenceIdentityNumber": "6789545678878",
  "version": "v1",
  "introducerRID": "212124324784879",
  "introducerUIN": "212124324784879",
  "category": "individualBiometrics",
  "requesttime": "$TIMESTAMP$",
  output: {
    "status": "ACTIVATED"
  },
  inputTemplate: {
    "request": {
      "registrationId": "$registrationId$",
      "documents": [
        {
          "category": "individualBiometrics"
        }
      ],
      "identity": {
        "gender": [
          {
            "language": "eng",
            "value": "MLE"
          }
        ],
        "language": [
          {
            "language": "ara",
            "value": "MLE"
          }
        ],
        "city": [
          {
            "language": "eng",
            "value": "TEST_CITYeng"
          }
        ],
        "language": [
          {
            "language": "ara",
            "value": "TEST_CITYara"
          }
        ],
        "language": [
          {
            "language": "fra",
            "value": "TEST_CITYfra"
          }
        ],
        "postalCode": [
          {
            "language": "eng"
          }
        ],
        "full Name": [
          {
            "language": "eng",
            "value": "TEST_FULLNAMEeng"
          }
        ],
        "language": [
          {
            "language": "ara",
            "value": "TEST_FULLNAMEara"
          }
        ],
        "language": [
          {
            "language": "fra",
            "value": "TEST_FULLNAMEfra"
          }
        ],
        "dateOfBirth": [
          {
            "language": "eng"
          }
        ],
        "proofOfIdentity": [
          {
            "language": "txt"
          }
        ],
        "type": "DOC001",
        "value": "fileReferenceID"
      }
    }
  }
}
```

Messages

Request: (End Point URL: <https://api-internal.qatest1.mosip.net/idrepository/v1/identity/>)

No headers

```
{
  "request": {
    "registrationId": "27847458053191720250831214747",
    "documents": [
      {
        "category": "individualBiometrics"
      }
    ]
  }
}
```

Response:

[Server=nginx, Date=Sun, 31 Aug 2025 21:47:48 GMT, Content-Type=application/json; charset=UTF-8, Transfer-Encoding=chunked, Connection=keep-alive, x-content-type-options=nosniff, x-xss-protection=1; mode=block, cache-control=no-cache, no-store, max-age=0, must-revalidate, pragma=no-cache]

```
{
  "id": "mosip.id.create",
  "version": "v1",
  "responsetime": "2025-08-31T21:47:48.823Z",
  "response": {
    "status": "ACTIVATED"
  }
}
```

Output validation: EXPECTED vs ACTUAL

FieldName	Expected Value	Actual Value	Status
response.status	ACTIVATED	ACTIVATED	PASS

[back to summary](#)

io.mosip.testrig.apirig.idrepo.testscripts.AddIdentity#IdRepository_AddIdentity_AuthStatus_Vid_NegScen_Valid_smoke_Pos**Testcase Input**

```
testCaseName=IdRepository_AddIdentity_AuthStatus_Vid_NegScen_Valid_smoke_Pos, endPoint=/idrepository/v1/identity/, role=testrig, templateFields=null, input={
  "value": "$BIOVALUE$",
  "id": "mosip.id.create",
  "registrationId": "$RID$",
  "addressCopy": "Y",
  "biometricReferenceId": "23452353",
  "UIN": "$UIN$",
  "dateOfBirth": "1992/04/15",
  "postalCode": "14022",
  "email": "mosipuser123@mailinator.com",
  "phone": "8249742850",
  "mobileno": "8249742850",
  "referenceIdentityNumber": "6789545678878",
  "version": "v1",
  "introducerRID": "212124324784879",
  "introducerUIN": "212124324784879",
  "category": "individualBiometrics",
  "requesttime": "$TIMESTAMP$",
  output: {
    "status": "ACTIVATED"
  },
  inputTemplate: {
    "request": {
      "registrationId": "$registrationId$",
      "documents": [
        {
          "category": "individualBiometrics"
        }
      ],
      "identity": {
        "gender": [
          {
            "language": "eng",
            "value": "MLE"
          }
        ],
        "language": [
          {
            "language": "ara",
            "value": "MLE"
          }
        ],
        "city": [
          {
            "language": "eng",
            "value": "TEST_CITYeng"
          }
        ],
        "language": [
          {
            "language": "ara",
            "value": "TEST_CITYara"
          }
        ],
        "language": [
          {
            "language": "fra",
            "value": "TEST_CITYfra"
          }
        ],
        "postalCode": [
          {
            "language": "eng"
          }
        ],
        "full Name": [
          {
            "language": "eng",
            "value": "TEST_FULLNAMEeng"
          }
        ],
        "language": [
          {
            "language": "ara",
            "value": "TEST_FULLNAMEara"
          }
        ],
        "language": [
          {
            "language": "fra",
            "value": "TEST_FULLNAMEfra"
          }
        ],
        "dateOfBirth": [
          {
            "language": "eng"
          }
        ],
        "proofOfIdentity": [
          {
            "language": "txt"
          }
        ],
        "type": "DOC001",
        "value": "fileReferenceID"
      }
    }
  }
}
```

```
[{"language": "eng", "value": "TEST_ADDRESSLINE3eng"}, {"language": "ara", "value": "TEST_ADDRESSLINE3ara"}, {"language": "fra", "value": "TEST_ADDRESSLINE3fra"}], "region": [{"language": "eng", "value": "TEST_REGIONeng"}, {"language": "ara", "value": "TEST_REGIONara"}, {"language": "fra", "value": "TEST_REGIONfra"}], "email": "$EMAILVALUE$"}, "requesttime": "$requesttime$"}, "id": "{$id$}", "version": "{$version$}"}, outputTemplate=idRepository/AddIdentity/addIdentityResult, restMethod=post, regenerateHbs=false, validityCheckRequired=false, auditLogCheck=false, checkErrorsOnlyInResponse=false, checkOnlyStatusCodeInResponse=false, allowedErrorCodes=null, kycFields=null, description=Creating UIN in Add Identity for negative scenario, uniqueIdentifier=TC_IDRepo_AddIdentity_37
```

Messages

Request: (End Point URL: <https://api-internal.qatest1.mosip.net/idrepository/v1/identity/>)

No headers

```
{
  "request": {
    "registrationId": "27847387815749820250831214751",
    "documents": [
      {
        "category": "individualBiometrics",
      }
    ]
  }
}
```

Response:

```
[Server=nginx, Date=Sun, 31 Aug 2025 21:47:51 GMT, Content-Type=application/json; charset=UTF-8, Transfer-Encoding=chunked, Connection=keep-alive, x-content-type-options=nosniff, x-xss-protection=1; mode=block, cache-control=no-cache, no-store, max-age=0, must-revalidate, pragma=no-cache]
{
  "id": "mosip.id.create",
  "version": "v1",
  "responsetime": "2025-08-31T21:47:51.984Z",
  "response": {
    "status": "ACTIVATED"
  }
}
```

Output validation: EXPECTED vs ACTUAL

FieldName	Expected Value	Actual Value	Status
response.status	ACTIVATED	ACTIVATED	PASS

[back to summary](#)

io.mosip.testrig.apirig.idrepo.testscripts.AddIdentity#IdRepository_AddIdentity_AuthStatus_Vid_Valid_smoke_Pos

Testcase Input

```
testCaseName=IdRepository_AddIdentity_AuthStatus_Vid_Valid_smoke_Pos, endPoint=idrepository/v1/identity/, role=testrig, templateFields=null, input={"value": "$BIOVALUES$", "id": "mosip.id.create", "registrationId": "$RID$", "addressCopy": "V", "biometricReferenceId": "23452353", "UIN": "$UIN$", "dateOfBirth": "1992/04/15", "postalcode": "14022", "email": "mosipuser123@mailinator.com", "phone": "8249742850", "mobile": "8249742850", "referenceIdentityNumber": "6789545678878", "version": "v1", "introducerRID": "212124324784879", "introducerUIN": "212124324784879", "category": "individualBiometrics", "requesttime": "$TIMESTAMP$"}, output={"status": "ACTIVATED"}, inputTemplate={"request": {"registrationId": "{$registrationId$}", "documents": [{"category": "{$category$}", "value": "{$value$}"}], "identity": {"gender": [{"language": "eng", "value": "MLE"}, {"language": "ara", "value": "MLE"}, {"language": "fra", "value": "MLE"}], "city": [{"language": "eng", "value": "TEST_CITYeng"}, {"language": "ara", "value": "TEST_CITYara"}, {"language": "fra", "value": "TEST_CITYfra"}], "postalcodes": [{"language": "eng", "value": "TEST_POSTALCODEeng"}, {"language": "ara", "value": "TEST_POSTALCODEara"}, {"language": "fra", "value": "TEST_POSTALCODEfra"}], "fullNames": [{"language": "eng", "value": "TEST_FULLNAMEeng"}, {"language": "ara", "value": "TEST_FULLNAMEara"}, {"language": "fra", "value": "TEST_FULLNAMEfra"}], "dateOfBirth": "{$dateOfBirth$}", "proofOfIdentity": {"format": "txt", "type": "DOC001", "value": "fileReferenceID"}, "individualBiometrics": {"format": "cbef7", "type": "version", "value": "1", "fileReferenceID": "IDSchemaVersion": "0.1", "provincename": [{"language": "eng", "value": "TEST_PROVINCEeng"}, {"language": "ara", "value": "TEST_PROVINCEara"}, {"language": "fra", "value": "TEST_PROVINCEfra"}], "zone": [{"language": "eng", "value": "TEST_ZONEeng"}, {"language": "ara", "value": "TEST_ZONEara"}, {"language": "fra", "value": "TEST_ZONEfra"}], "phonenumbers": [{"language": "eng", "value": "TEST_PHONENUMBERFORIDENTITY$"}, "addressLine1": [{"language": "eng", "value": "TEST_ADDRESSLINE1eng"}, {"language": "ara", "value": "TEST_ADDRESSLINE1ara"}, {"language": "fra", "value": "TEST_ADDRESSLINE1fra"}], "addressLine2": [{"language": "eng", "value": "TEST_ADDRESSLINE2eng"}, {"language": "ara", "value": "TEST_ADDRESSLINE2ara"}, {"language": "fra", "value": "TEST_ADDRESSLINE2fra"}], "UIN": "{$UIN$}", "addressLine3": [{"language": "eng", "value": "TEST_ADDRESSLINE3eng"}, {"language": "ara", "value": "TEST_ADDRESSLINE3ara"}, {"language": "fra", "value": "TEST_ADDRESSLINE3fra"}], "region": [{"language": "eng", "value": "TEST_REGIONeng"}, {"language": "ara", "value": "TEST_REGIONara"}, {"language": "fra", "value": "TEST_REGIONfra"}], "email": "$EMAILVALUE$"}, "requesttime": "$requesttime$"}, "id": "{$id$}", "version": "{$version$}"}, outputTemplate=idRepository/AddIdentity/addIdentityResult, restMethod=post, regenerateHbs=false, validityCheckRequired=false, auditLogCheck=false, checkErrorsOnlyInResponse=false, checkOnlyStatusCodeInResponse=false, allowedErrorCodes=null, kycFields=null, description=Creating UIN in Add Identity for Auth status VID, uniqueIdentifier=TC_IDRepo_AddIdentity_36
```

Messages

Request: (End Point URL: <https://api-internal.qatest1.mosip.net/idrepository/v1/identity/>)

No headers

```
{
  "request": {
    "registrationId": "27847772397342120250831214750",
    "documents": [
      {
        "category": "individualBiometrics",
      }
    ]
  }
}
```

Response:

[Server=nginx, Date=Sun, 31 Aug 2025 21:47:51 GMT, Content-Type=application/json; charset=UTF-8, Transfer-Encoding=chunked, Connection=keep-alive, x-content-type-options=nosniff, x-xss-protection=1; mode=block, cache-control=no-cache, no-store, max-age=0, must-revalidate, pragma=no-cache]

```
{
  "id": "mosip.id.create",
  "version": "v1",
  "responsetime": "2025-08-31T21:47:51.064Z",
  "response": {
    "status": "ACTIVATED"
}
```

Output validation: EXPECTED vs ACTUAL

FieldName	Expected Value	Actual Value	Status
response.status	ACTIVATED	ACTIVATED	PASS

[back to summary](#)
io.mosip.testrig.apirig.idrepo.testscripts.AddIdentity#IdRepository_AddIdentity_For_DeactivateScen_smoke_Pos
Testcase Input

testCaseName=IdRepository_AddIdentity_For_DeactivateScen_smoke_Pos, endPoint=/idrepository/v1/identity/, role=testrig, templateFields=null, input={ "value": "\$BIOVALUES", "id": "mosip.id.create", "registrationId": "\$RID\$", "addressCopy": "y", "biometricReferenceId": "23452353", "UIN": "\$UIN\$", "dateOfBirth": "1992/04/15", "postalCode": "14022", "email": "mosipuser123@mailinator.com", "phone": "8249742850", "mobileno": "8249742850", "referenceIdentityNumber": "6789545678878", "version": "v1", "introducerRID": "212124324784879", "introducerUIN": "212124324784879", "category": "individualBiometrics", "requesttime": "\$TIMESTAMPS" }, output={ "status": "ACTIVATED" }, inputTemplate={"request": {"registrationId": "\${registrationId}"}, "documents": [{"category": "\${category}", "value": "\${value}"}]}, "identity": {"gender": [{"language": "eng", "value": "MLE"}, {"language": "ara", "value": "MLE"}], "language": "MLE"}, {"city": [{"language": "eng", "value": "TEST_CITYeng"}, {"language": "ara", "value": "TEST_CITYara"}], "language": "ara", "value": "TEST_CITYfra"}, "postalCode": "\${postalCode}", "fullName": [{"language": "eng", "value": "TEST_FULLNAMEeng"}, {"language": "ara", "value": "TEST_FULLNAMEara"}, {"language": "fra", "value": "TEST_FULLNAMEfra"}], "dateOfBirth": "\${dateOfBirth}", "proofOfIdentity": {"format": "txt", "type": "DOC001", "value": "fileReferenceID"}, "individualBiometrics": {"format": "cbeff", "version": 1, "value": "fileReferenceID"}, "IDSchemeVersion": 0.1, "province": [{"language": "eng", "value": "TEST_PROVINCEeng"}, {"language": "ara", "value": "TEST_PROVINCEara"}, {"language": "fra", "value": "TEST_PROVINCEfra"}], "zone": [{"language": "eng", "value": "TEST_ZONEeng"}, {"language": "ara", "value": "TEST_ZONEara"}, {"language": "fra", "value": "TEST_ZONEfra"}], "phone": "\$PHONE NUMBER FOR IDENTITY\$", "addressLine1": [{"language": "eng", "value": "TEST_ADDRESSLINE1eng"}, {"language": "ara", "value": "TEST_ADDRESSLINE1ara"}, {"language": "fra", "value": "TEST_ADDRESSLINE1fra"}], "addressLine2": [{"language": "eng", "value": "TEST_ADDRESSLINE2eng"}, {"language": "ara", "value": "TEST_ADDRESSLINE2ara"}, {"language": "fra", "value": "TEST_ADDRESSLINE2fra"}], "UIN": "\${UIN}", "addressLine3": [{"language": "eng", "value": "TEST_ADDRESSLINE3eng"}, {"language": "ara", "value": "TEST_ADDRESSLINE3ara"}, {"language": "fra", "value": "TEST_ADDRESSLINE3fra"}], "region": [{"language": "eng", "value": "TEST_REGIONeng"}, {"language": "ara", "value": "TEST_REGIONara"}, {"language": "fra", "value": "TEST_REGIONfra"}], "email": "\$EMAIL VALUE\$"}, "requesttime": "\${requesttime}", "id": "\${id}", "version": "\${version}"}, outputTemplate=idRepository/AddIdentity/addIdentityResult, restMethod=post, regenerateHbs=false, validityCheckRequired=false, auditLogCheck=false, checkErrorsOnlyInResponse=false, checkOnlyStatusCodeInResponse=false, allowedErrorCodes=null, kycFields=null, description=Creating UIN in Add Identity for deactivated value, uniqueIdentifier=TC_IDRepo_AddIdentity_33

Messages
Request: (End Point URL: <https://api-internal.qatest1.mosip.net/idrepository/v1/identity/>)

No headers

```
{
  "request": {
    "registrationId": "27847197634145820250831214747",
    "documents": [
      {
        "category": "individualBiometrics",

```

Response:

[Server=nginx, Date=Sun, 31 Aug 2025 21:47:47 GMT, Content-Type=application/json; charset=UTF-8, Transfer-Encoding=chunked, Connection=keep-alive, x-content-type-options=nosniff, x-xss-protection=1; mode=block, cache-control=no-cache, no-store, max-age=0, must-revalidate, pragma=no-cache]

```
{
  "id": "mosip.id.create",
  "version": "v1",
  "responsetime": "2025-08-31T21:47:47.857Z",
  "response": {
    "status": "ACTIVATED"
}
```

Output validation: EXPECTED vs ACTUAL

FieldName	Expected Value	Actual Value	Status
response.status	ACTIVATED	ACTIVATED	PASS

[back to summary](#)
io.mosip.testrig.apirig.idrepo.testscripts.AddIdentity#IdRepository_AddIdentity_For_NewScen_smoke_Pos
Testcase Input

```

testCaseName=IdRepository_AddIdentity_For_NewScen_smoke_Pos, endPoint=/idrepository/v1/identity/, role=testrig, templateFields=null, input={
  "value": "$BIOVALUE$", "id": "mosip.id.create", "registrationId": "$RID$", "addressCopy": "Y", "biometricReferenceId": "23452353", "UIN": "$UIN$",
  "dateOfBirth": "1992/04/15", "postalCode": "14022", "email": "mosipuser123@mailinator.com", "phone": "8249742850", "mobileNo": "8249742850",
  "referenceIdentityNumber": "6789545678878", "version": "v1", "introducerRID": "212124324784879", "introducerUIN": "212124324784879", "category": "individualBiometrics", "requesttime": "$TIMESTAMP$"}, output={ "status": "ACTIVATED" }, inputTemplate={"request": {"registrationId": " ${registrationId} "}, "documents": [{"category": "${category}", "value": "${value}"}], "identity": {"gender": [{"language": "eng", "value": "MLE"}, {"language": "ara", "value": "MLE"}, {"language": "fra", "value": "MLE"}], "city": [{"language": "eng", "value": "TEST_CITYeng"}, {"language": "ara", "value": "TEST_CITYara"}, {"language": "fra", "value": "TEST_CITYfra"}], "postalCode": "${postalCode}", "fullName": [{"language": "eng", "value": "TEST_FULLNAMEeng"}, {"language": "ara", "value": "TEST_FULLNAMEara"}, {"language": "fra", "value": "TEST_FULLNAMEfra"}], "dateOfBirth": "${dateOfBirth}", "proofOfIdentity": " ${format} ", "type": "DOC001", "value": "fileReferenceID"}, "individualBiometrics": " ${format} ", "type": "cbeff", "version": 1, "value": "fileReferenceID"}, "IDSschemaVersion": 0.1, "province": [{"language": "eng", "value": "TEST_PROVINCEeng"}, {"language": "ara", "value": "TEST_PROVINCEara"}, {"language": "fra", "value": "TEST_PROVINCEfra"}], "zone": [{"language": "eng", "value": "TEST_ZONEeng"}, {"language": "ara", "value": "TEST_ZONEara"}, {"language": "fra", "value": "TEST_ZONEfra"}], "phone": "$PHONENUMBERFORIDENTITY$", "addressLine1": [{"language": "eng", "value": "TEST_ADDRESSLINE1eng"}, {"language": "ara", "value": "TEST_ADDRESSLINE1ara"}, {"language": "fra", "value": "TEST_ADDRESSLINE1fra"}], "addressLine2": [{"language": "eng", "value": "TEST_ADDRESSLINE2eng"}, {"language": "ara", "value": "TEST_ADDRESSLINE2ara"}, {"language": "fra", "value": "TEST_ADDRESSLINE2fra"}], "UIN": "${UIN}", "addressLine3": [{"language": "eng", "value": "TEST_ADDRESSLINE3eng"}, {"language": "ara", "value": "TEST_ADDRESSLINE3ara"}, {"language": "fra", "value": "TEST_ADDRESSLINE3fra"}], "region": [{"language": "eng", "value": "TEST_REGIONeng"}, {"language": "ara", "value": "TEST_REGIONara"}, {"language": "fra", "value": "TEST_REGIONfra"}], "email": "$EMAILVALUE$"}, "requesttime": " ${requesttime} ", "id": " ${id} ", "version": " ${version} "}, outputTemplate=idRepository/AddIdentity/addIdentityResult, restMethod=post, regenerateHbs=false, validityCheckRequired=false, auditLogCheck=false, checkErrorsOnlyInResponse=false, checkOnlyStatusCodeInResponse=false, allowedErrorCodes=null, kycFields=null, description=Creating UIN in Add Identity passing space value in DOB, uniqueIdentifier=TC_IDRepo_AddIdentity_32

```

Messages

Request: (End Point URL: <https://api-internal.qatest1.mosip.net/idrepository/v1/identity/>)

No headers

```
{
  "request": {
    "registrationId": "27847623509126720250831214746",
    "documents": [
      {
        "category": "individualBiometrics",

```

Response:

```
[Server=nginx, Date=Sun, 31 Aug 2025 21:47:47 GMT, Content-Type=application/json; charset=UTF-8, Transfer-Encoding=chunked, Connection=keep-alive, x-content-type-options=nosniff, x-xss-protection=1; mode=block, cache-control=no-cache, no-store, max-age=0, must-revalidate, pragma=no-cache]
{
  "id": "mosip.id.create",
  "version": "v1",
  "responsetime": "2025-08-31T21:47:46.996Z",
  "response": {
    "status": "ACTIVATED"
}
```

Output validation: EXPECTED vs ACTUAL

FieldName	Expected Value	Actual Value	Status
response.status	ACTIVATED	ACTIVATED	PASS

[back to summary](#)

io.mosip.testrig.apirig.idrepo.testscripts.AddIdentity#IdRepository_AddIdentity_For_Onetimeusevid_smoke_Pos

Testcase Input

```

testCaseName=IdRepository_AddIdentity_For_Onetimeusevid_smoke_Pos, endPoint=/idrepository/v1/identity/, role=testrig, templateFields=null, input={
  "value": "$BIOVALUE$", "id": "mosip.id.create", "registrationId": "$RID$", "addressCopy": "Y", "biometricReferenceId": "23452353", "UIN": "$UIN$",
  "dateOfBirth": "1992/04/15", "postalCode": "14022", "email": "mosipuser123@mailinator.com", "phone": "8249742850", "mobileNo": "8249742850",
  "referenceIdentityNumber": "6789545678878", "version": "v1", "introducerRID": "212124324784879", "introducerUIN": "212124324784879", "category": "individualBiometrics", "requesttime": "$TIMESTAMP$"}, output={ "status": "ACTIVATED" }, inputTemplate={"request": {"registrationId": " ${registrationId} "}, "documents": [{"category": "${category}", "value": "${value}"}], "identity": {"gender": [{"language": "eng", "value": "MLE"}, {"language": "ara", "value": "MLE"}, {"language": "fra", "value": "MLE"}], "city": [{"language": "eng", "value": "TEST_CITYeng"}, {"language": "ara", "value": "TEST_CITYara"}, {"language": "fra", "value": "TEST_CITYfra"}], "postalCode": "${postalCode}", "fullName": [{"language": "eng", "value": "TEST_FULLNAMEeng"}, {"language": "ara", "value": "TEST_FULLNAMEara"}, {"language": "fra", "value": "TEST_FULLNAMEfra"}], "dateOfBirth": "${dateOfBirth}", "proofOfIdentity": " ${format} ", "type": "DOC001", "value": "fileReferenceID"}, "individualBiometrics": " ${format} ", "type": "cbeff", "version": 1, "value": "fileReferenceID"}, "IDSschemaVersion": 0.1, "province": [{"language": "eng", "value": "TEST_PROVINCEeng"}, {"language": "ara", "value": "TEST_PROVINCEara"}, {"language": "fra", "value": "TEST_PROVINCEfra"}], "zone": [{"language": "eng", "value": "TEST_ZONEeng"}, {"language": "ara", "value": "TEST_ZONEara"}, {"language": "fra", "value": "TEST_ZONEfra"}], "phone": "$PHONENUMBERFORIDENTITY$", "addressLine1": [{"language": "eng", "value": "TEST_ADDRESSLINE1eng"}, {"language": "ara", "value": "TEST_ADDRESSLINE1ara"}, {"language": "fra", "value": "TEST_ADDRESSLINE1fra"}], "addressLine2": [{"language": "eng", "value": "TEST_ADDRESSLINE2eng"}, {"language": "ara", "value": "TEST_ADDRESSLINE2ara"}, {"language": "fra", "value": "TEST_ADDRESSLINE2fra"}], "UIN": "${UIN}", "addressLine3": [{"language": "eng", "value": "TEST_ADDRESSLINE3eng"}, {"language": "ara", "value": "TEST_ADDRESSLINE3ara"}, {"language": "fra", "value": "TEST_ADDRESSLINE3fra"}], "region": [{"language": "eng", "value": "TEST_REGIONeng"}, {"language": "ara", "value": "TEST_REGIONara"}, {"language": "fra", "value": "TEST_REGIONfra"}], "email": "$EMAILVALUE$"}, "requesttime": " ${requesttime} ", "id": " ${id} ", "version": " ${version} "}, outputTemplate=idRepository/AddIdentity/addIdentityResult, restMethod=post, regenerateHbs=false, validityCheckRequired=false, auditLogCheck=false, checkErrorsOnlyInResponse=false, checkOnlyStatusCodeInResponse=false, allowedErrorCodes=null, kycFields=null, description=Creating UIN in Add Identity passing space value in DOB, uniqueIdentifier=TC_IDRepo_AddIdentity_32...

```

```
{{requesttime}}", "id": "{{id}}", "version": "{{version}}"}, outputTemplate=idRepository/AddIdentity/addIdentityResult, restMethod=post, regenerateHbs=false, validityCheckRequired=false, auditLogCheck=false, checkErrorsOnlyInResponse=false, checkOnlyStatusCodeInResponse=false, allowedErrorCodes=null, kycFields=null, description=Creating UIN in Add Identity passing onetimeuse VID, uniqueIdentifier=TC_IDRepo_AddIdentity_31
```

Messages

Request: (End Point URL: <https://api-internal.qatest1.mosip.net/idrepository/v1/identity/>)

No headers

```
{
  "request": {
    "registrationId": "27847713221815820250831214745",
    "documents": [
      {
        "category": "individualBiometrics",
    ]}
```

Response:

```
[Server=nginx, Date=Sun, 31 Aug 2025 21:47:46 GMT, Content-Type=application/json; charset=UTF-8, Transfer-Encoding=chunked, Connection=keep-alive, x-content-type-options=nosniff, x-xss-protection=1; mode=block, cache-control=no-cache, no-store, max-age=0, must-revalidate, pragma=no-cache]
```

```
{
  "id": "mosip.id.create",
  "version": "v1",
  "responseTime": "2025-08-31T21:47:46.102Z",
  "response": {
    "status": "ACTIVATED"
}]
```

Output validation: EXPECTED vs ACTUAL

FieldName	Expected Value	Actual Value	Status
response.status	ACTIVATED	ACTIVATED	PASS

[back to summary](#)

io.mosip.testrig.apirig.idrepo.testscripts.AddIdentity#IdRepository_AddIdentity_Positive_PDEA_smoke

Testcase Input

```
testCaseName=IdRepository_AddIdentity_Positive_PDEA_smoke, endPoint=/idrepository/v1/identity/, role=testrig, templateFields=null, input={ "value": "$BIOVALUE$", "id": "mosip.id.create", "registrationId": "$RID$", "addressCopy": "Y", "biometricReferenceId": "23452353", "UIN": "$UINS$", "dateOfBirth": "1992/04/15", "postalCode": "14022", "email": "mosipuser123@mailinator.com", "phone": "8249742850", "mobileNo": "8249742850", "referenceIdentityNumber": "6789545678878", "version": "v1", "introducerRID": "212124324784879", "introducerUIN": "212124324784879", "category": "individualBiometrics", "requestTime": "$TIMESTAMP$"}, output={ "status": "ACTIVATED" }, inputTemplate={"request": {"registrationId": "$registrationId$"}, "documents": [{"category": "{{category}}", "value": "{{value}}"}]}, identity={"gender": [{"language": "eng", "value": "MLE"}, {"language": "ara", "value": "MLE"}], "city": [{"language": "eng", "value": "TEST_CITYeng"}, {"language": "ara", "value": "TEST_CITYara"}], "language": {"fra": {"value": "TEST_CITYfra"}, "ara": {"value": "TEST_CITYara"}}, "postalCode": {"{{postalCode}}"}, "full Name": [{"language": "eng", "value": "TEST_FULLNAMEeng"}, {"language": "ara", "value": "TEST_FULLNAMEara"}, {"language": "fra", "value": "TEST_FULLNAMEfra"}], "dateOfBirth": {"{{dateOfBirth}}"}, "proofOfIdentity": {"format": "txt", "type": "DOC001", "value": "fileReferenceID"}, "individualBiometrics": {"format": "cbeff", "version": "1", "value": "fileReferenceID"}, "IDSchemeVersion": "0.1", "province": [{"language": "eng", "value": "TEST_PROVINCEeng"}, {"language": "ara", "value": "TEST_PROVINCEara"}, {"language": "fra", "value": "TEST_PROVINCEfra"}], "zone": [{"language": "eng", "value": "TEST_ZONEeng"}, {"language": "ara", "value": "TEST_ZONEara"}, {"language": "fra", "value": "TEST_ZONEfra"}], "phone": "$PHONE NUMBER FOR IDENTITY$"}, "addressLine1": [{"language": "eng", "value": "TEST_ADDRESSLINE1eng"}, {"language": "ara", "value": "TEST_ADDRESSLINE1ara"}, {"language": "fra", "value": "TEST_ADDRESSLINE1fra"}], "addressLine2": [{"language": "eng", "value": "TEST_ADDRESSLINE2eng"}, {"language": "ara", "value": "TEST_ADDRESSLINE2ara"}, {"language": "fra", "value": "TEST_ADDRESSLINE2fra"}], "UIN": "$UIN$"}, "addressLine3": [{"language": "eng", "value": "TEST_ADDRESSLINE3eng"}, {"language": "ara", "value": "TEST_ADDRESSLINE3ara"}, {"language": "fra", "value": "TEST_ADDRESSLINE3fra"}], "region": [{"language": "eng", "value": "TEST_REGIONeng"}, {"language": "ara", "value": "TEST_REGIONara"}, {"language": "fra", "value": "TEST_REGIONfra"}], "email": "$EMAIL VALUE$"}, "requestTime": "$requesttime$"}, "id": "{{id}}", "version": "{{version}}"}, outputTemplate=idRepository/AddIdentity/addIdentityResult, restMethod=post, regenerateHbs=false, validityCheckRequired=false, auditLogCheck=false, checkErrorsOnlyInResponse=false, checkOnlyStatusCodeInResponse=false, allowedErrorCodes=null, kycFields=null, description=Creating UIN in Add Identity passing valid parameters, uniqueIdentifier=TC_IDRepo_AddIdentity_05
```

Messages

Request: (End Point URL: <https://api-internal.qatest1.mosip.net/idrepository/v1/identity/>)

No headers

```
{
  "request": {
    "registrationId": "27847203800015420250831214728",
    "documents": [
      {
        "category": "individualBiometrics",
    ]}]
```

Response:

```
[Server=nginx, Date=Sun, 31 Aug 2025 21:47:29 GMT, Content-Type=application/json; charset=UTF-8, Transfer-Encoding=chunked, Connection=keep-alive, x-content-type-options=nosniff, x-xss-protection=1; mode=block, cache-control=no-cache, no-store, max-age=0, must-revalidate, pragma=no-cache]
```

```
{
  "id": "mosip.id.create",
  "version": "v1",
  "responsetime": "2025-08-31T21:47:29.219Z",
  "response": {
    "status": "ACTIVATED"
}
```

Output validation: EXPECTED vs ACTUAL

FieldName	Expected Value	Actual Value	Status
response.status	ACTIVATED	ACTIVATED	PASS

[back to summary](#)**io.mosip.testrig.apirig.idrepo.testscripts.AddIdentity#IdRepository_AddIdentity_Positive_PEXP_smoke****Testcase Input**

```
testCaseName=IdRepository_AddIdentity_Positive_PEXP_smoke, endPoint=/idrepository/v1/identity/, role=testrig, templateFields=null, input={ "value": "$BIOVALUE$", "id": "mosip.id.create", "registrationId": "$RID$", "addressCopy": "Y", "biometricReferenceld": "23452353", "UIN": "$UINS$", "dateOfBirth": "1992/04/15", "postalCode": "14022", "email": "mosipuser123@mailinator.com", "phone": "8249742850", "mobileNo": "8249742850", "referenceIdentityNumber": "6789545678878", "version": "v1", "introducerRID": "212124324784879", "introducerUIN": "212124324784879", "category": "individualBiometrics", "requesttime": "$TIMESTAMP$"}, output={ "status": "ACTIVATED" }, inputTemplate={"request": "registrationId": "${registrationId}"}, "documents": [{"category": "${category}"}, {"value": "${value}"}]}, "identity": {"gender": [{"language": "eng", "value": "MLE"}], [{"language": "ara", "value": "MLE"}], [{"language": "fra", "value": "MLE"}]}, "city": [{"language": "eng", "value": "TEST_CITYeng"}, {"language": "ara", "value": "TEST_CITYara"}, {"language": "fra", "value": "TEST_CITYfra"}], "postalCode": "{$postalCode}", "fullName": [{"language": "eng", "value": "TEST_FULLNAMEeng"}, {"language": "ara", "value": "TEST_FULLNAMEara"}, {"language": "fra", "value": "TEST_FULLNAMEfra"}], "dateOfBirth": "{$dateOfBirth}", "proofOfIdentity": {"format": "txt", "type": "DOC001", "value": "fileReferenceID"}, "individualBiometrics": {"format": "cbeff", "version": "1", "value": "fileReferenceID"}, "IDSchemeVersion": "0.1", "province": [{"language": "eng", "value": "TEST_PROVINCEeng"}, {"language": "ara", "value": "TEST_PROVINCEara"}, {"language": "fra", "value": "TEST_PROVINCEfra"}], "zone": [{"language": "eng", "value": "TEST_ZONEeng"}, {"language": "ara", "value": "TEST_ZONEara"}, {"language": "fra", "value": "TEST_ZONEfra"}], "phone": "$PHONE NUMBER FOR IDENTITY$", "addressLine1": [{"language": "eng", "value": "TEST_ADDRESSLINE1eng"}, {"language": "ara", "value": "TEST_ADDRESSLINE1ara"}, {"language": "fra", "value": "TEST_ADDRESSLINE1fra"}], "addressLine2": [{"language": "eng", "value": "TEST_ADDRESSLINE2eng"}, {"language": "ara", "value": "TEST_ADDRESSLINE2ara"}, {"language": "fra", "value": "TEST_ADDRESSLINE2fra"}], "UIN": "{$UIN}", "addressLine3": [{"language": "eng", "value": "TEST_ADDRESSLINE3eng"}, {"language": "ara", "value": "TEST_ADDRESSLINE3ara"}, {"language": "fra", "value": "TEST_ADDRESSLINE3fra"}], "region": [{"language": "eng", "value": "TEST_REGIONeng"}, {"language": "ara", "value": "TEST_REGIONara"}, {"language": "fra", "value": "TEST_REGIONfra"}], "email": "$EMAIL VALUE$"}, "requesttime": "{$requesttime}"}, "id": "{$id}"}, "version": "{$version}"}, outputTemplate=idRepository/AddIdentity/addIdentityResult, restMethod=post, regenerateHbs=false, validityCheckRequired=false, auditLogCheck=false, checkErrorsOnlyInResponse=false, checkOnlyStatusCodeInResponse=false, allowedErrorCodes=null, kycFields=null, description=Creating UIN in Add Identity passing valid parameters, uniqueIdentifier=TC_IDRepo_AddIdentity_04
```

Messages**Request:** (End Point URL: <https://api-internal.qatest1.mosip.net/idrepository/v1/identity/>)

No headers

```
{
  "request": {
    "registrationId": "27847108868530220250831214727",
    "documents": [
      {
        "category": "individualBiometrics",

```

Response:

```
[Server=nginx, Date=Sun, 31 Aug 2025 21:47:28 GMT, Content-Type=application/json; charset=UTF-8, Transfer-Encoding=chunked, Connection=keep-alive, x-content-type-options=nosniff, x-xss-protection=1; mode=block, cache-control=no-cache, no-store, max-age=0, must-revalidate, pragma=no-cache]
```

```
{
  "id": "mosip.id.create",
  "version": "v1",
  "responsetime": "2025-08-31T21:47:28.310Z",
  "response": {
    "status": "ACTIVATED"
}
```

Output validation: EXPECTED vs ACTUAL

FieldName	Expected Value	Actual Value	Status
response.status	ACTIVATED	ACTIVATED	PASS

[back to summary](#)**io.mosip.testrig.apirig.idrepo.testscripts.AddIdentity#IdRepository_AddIdentity_Positive_PRE_smoke****Testcase Input**

```
testCaseName=IdRepository_AddIdentity_Positive_PRE_smoke, endPoint=/idrepository/v1/identity/, role=testrig, templateFields=null, input={ "value": "$BIOVALUE$", "id": "mosip.id.create", "registrationId": "$RID$", "addressCopy": "Y", "biometricReferenceld": "23452353", "UIN": "$UINS$", "dateOfBirth": "1992/04/15", "postalCode": "14022", "email": "mosipuser123@mailinator.com", "phone": "8249742850", "mobileNo": "8249742850", "referenceIdentityNumber": "6789545678878", "version": "v1", "introducerRID": "212124324784879", "introducerUIN": "212124324784879", "category": "individualBiometrics", "requesttime": "$TIMESTAMP$"}, output={ "status": "ACTIVATED" }, inputTemplate={"request": "registrationId": "${registrationId}"}, "documents": [{"category": "${category}"}, {"value": "${value}"}]}, "identity": {"gender": [{"language": "eng", "value": "MLE"}], [{"language": "ara", "value": "MLE"}], [{"language": "fra", "value": "MLE"}]}, "city": [{"language": "eng", "value": "TEST_CITYeng"}, {"language": "ara", "value": "TEST_CITYara"}, {"language": "fra", "value": "TEST_CITYfra"}], "postalCode": "{$postalCode}", "fullName": [{"language": "eng", "value": "TEST_FULLNAMEeng"}, {"language": "ara", "value": "TEST_FULLNAMEara"}, {"language": "fra", "value": "TEST_FULLNAMEfra"}], "dateOfBirth": "{$dateOfBirth}", "proofOfIdentity": {"format": "txt", "type": "DOC001", "value": "fileReferenceID"}, "individualBiometrics": {"format": "cbeff", "version": "1", "value": "fileReferenceID"}, "IDSchemeVersion": "0.1", "province": [{"language": "eng", "value": "TEST_PROVINCEeng"}, {"language": "ara", "value": "TEST_PROVINCEara"}, {"language": "fra", "value": "TEST_PROVINCEfra"}], "zone": [{"language": "eng", "value": "TEST_ZONEeng"}, {"language": "ara", "value": "TEST_ZONEara"}, {"language": "fra", "value": "TEST_ZONEfra"}], "phone": "$PHONE NUMBER FOR IDENTITY$", "addressLine1": [{"language": "eng", "value": "TEST_ADDRESSLINE1eng"}, {"language": "ara", "value": "TEST_ADDRESSLINE1ara"}, {"language": "fra", "value": "TEST_ADDRESSLINE1fra"}], "addressLine2": [{"language": "eng", "value": "TEST_ADDRESSLINE2eng"}, {"language": "ara", "value": "TEST_ADDRESSLINE2ara"}, {"language": "fra", "value": "TEST_ADDRESSLINE2fra"}], "UIN": "{$UIN}", "addressLine3": [{"language": "eng", "value": "TEST_ADDRESSLINE3eng"}, {"language": "ara", "value": "TEST_ADDRESSLINE3ara"}, {"language": "fra", "value": "TEST_ADDRESSLINE3fra"}], "region": [{"language": "eng", "value": "TEST_REGIONeng"}, {"language": "ara", "value": "TEST_REGIONara"}, {"language": "fra", "value": "TEST_REGIONfra"}], "email": "$EMAIL VALUE$"}, "requesttime": "{$requesttime}"}, "id": "{$id}"}, "version": "{$version}"}, outputTemplate=idRepository/AddIdentity/addIdentityResult, restMethod=post, regenerateHbs=false, validityCheckRequired=false, auditLogCheck=false, checkErrorsOnlyInResponse=false, checkOnlyStatusCodeInResponse=false, allowedErrorCodes=null, kycFields=null, description=Creating UIN in Add Identity passing valid parameters, uniqueIdentifier=TC_IDRepo_AddIdentity_04
```

```

"1992/04/15", "postalCode": "14022", "email": "mosipuser123@mailinator.com", "phone": "8249742850", "mobileno": "8249742850",
"referenceIdentityNumber": "6789545678878", "version": "v1", "introducerRID": "212124324784879", "introducerUIN": "212124324784879", "category": "individualBiometrics", "requesttime": "$TIMESTAMP$"}, output={ "status": "ACTIVATED" }, inputTemplate="request",{"registrationId": "{{registrationId}}", "documents": [{"category": "{{category}}", "value": "{{value}}"}], "identity": {"gender": [{"language": "eng", "value": "MLE"}], "language": "ara", "value": "MLE"}, "city": [{"language": "eng", "value": "TEST_CITYeng"}, {"language": "ara", "value": "TEST_CITYara"}], "language": "fra", "value": "MLE"}, "postalCode": "{{postalCode}}", "fullName": "TEST_FULLNAMEeng", "language": "eng", "value": "TEST_FULLNAMEara"}, {"language": "fra", "value": "TEST_FULLNAMEfra"}, "dateOfBirth": "{{dateOfBirth}}", "proofOfIdentity": "TEST_ID", "format": "txt", "type": "DOC001", "value": "fileReferenceID"}, "individualBiometrics": {"format": "cbeff", "version": 1, "value": "fileReferenceID"}, "IDSchemaVersion": 0.1, "province": [{"language": "eng", "value": "TEST_PROVINCEeng"}, {"language": "ara", "value": "TEST_PROVINCEara"}, {"language": "fra", "value": "TEST_PROVINCEfra"}], "zone": [{"language": "eng", "value": "TEST_ZONEeng"}, {"language": "ara", "value": "TEST_ZONEara"}, {"language": "fra", "value": "TEST_ZONEfra"}], "phone": "$PHONENUMBERFORIDENTITY$", "addressLine1": [{"language": "eng", "value": "TEST_ADDRESSLINE1eng"}, {"language": "ara", "value": "TEST_ADDRESSLINE1ara"}, {"language": "fra", "value": "TEST_ADDRESSLINE1fra"}], "addressLine2": [{"language": "eng", "value": "TEST_ADDRESSLINE2eng"}, {"language": "ara", "value": "TEST_ADDRESSLINE2ara"}, {"language": "fra", "value": "TEST_ADDRESSLINE2fra"}], "UIN": "{{UIN}}", "addressLine3": [{"language": "eng", "value": "TEST_ADDRESSLINE3eng"}, {"language": "ara", "value": "TEST_ADDRESSLINE3ara"}, {"language": "fra", "value": "TEST_ADDRESSLINE3fra"}], "region": [{"language": "eng", "value": "TEST_REGIONeng"}, {"language": "ara", "value": "TEST_REGIONara"}, {"language": "fra", "value": "TEST_REGIONfra"}], "email": "$EMAILVALUES$"}, "requesttime": "$requesttime$"}, "id": "{{id}}", "version": "{{version}}"}, outputTemplate=idRepository/AddIdentity/addIdentityResult, restMethod=post, regenerateHbs=false, validityCheckRequired=false, auditLogCheck=false, checkErrorsOnlyInResponse=false, checkOnlyStatusCodeInResponse=false, allowedErrorCodes=null, kycFields=null, description=Creating UIN in Add Identity passing valid parameters, uniqueIdentifier=TC_IDRepo_AddIdentity_07

```

Messages

Request: (End Point URL: <https://api-internal.qatest1.mosip.net/idrepository/v1/identity/>)

No headers

Response:

```
[Server=nginx, Date=Sun, 31 Aug 2025 21:47:31 GMT, Content-Type=application/json; charset=UTF-8, Transfer-Encoding=chunked, Connection=keep-alive, x-content-type-options=nosniff, x-xss-protection=1; mode=block, cache-control=no-cache, no-store, max-age=0, must-revalidate, pragma=no-cache, Content-Length=111]
```

Output validation: EXPECTED vs ACTUAL

FieldName	Expected Value	Actual Value	Status
response.status	ACTIVATED	ACTIVATED	PASS

[back to summary](#)

io.mosip.testrig.apirig.idrepo.testsheets.AddIdentity#IdRepository_AddIdentity_Positive_TDEA_smoke

Testcase Input

```

testCaseName=IdRepository_AddIdentity_Positive_TDEA_smoke, endPoint=/idrepository/v1/identity/, role=testrig, templateFields=null, input={"value": "$BIOVALUE$", "id": "mosip.id.create", "registrationId": "$RID$", "addressCopy": "Y", "biometricReferenceId": "23452353", "UIN": "$UIN$", "dateOfBirth": "1992/04/15", "postalCode": "14022", "email": "mosipuser123@mailinator.com", "phone": "8249742850", "mobileNo": "8249742850", "referenceIdentityNumber": "6789545678878", "version": "V1", "introducerRID": "212124324784879", "introducerUIN": "212124324784879", "category": "individualBiometrics", "requesttime": "$TIMESTAMP$"}, output={"status": "ACTIVATED"}, inputTemplate={"request": {"registrationId": "}}, {"registrationId}}}, {"documents": [{"category": [{"category": "TEST_CITYeng", "value": [{"value": "TEST_CITYeng"}]}, {"category": "TEST_CITYara", "value": [{"value": "TEST_CITYara"}]}, {"category": "TEST_CITYfra", "value": [{"value": "TEST_CITYfra"}]}], "language": "eng", "value": "TEST_CITYeng"}, {"language": "ara", "value": "TEST_CITYara"}, {"language": "fra", "value": "TEST_CITYfra"}], "postalCode": "{$postalCode$}", "fullName": [{"language": "eng", "value": "TEST_FULLNAMEeng"}, {"language": "ara", "value": "TEST_FULLNAMEara"}, {"language": "fra", "value": "TEST_FULLNAMEfra"}], "dateOfBirth": "{$dateOfBirth$}", "proofOfIdentity": {"format": "txt", "type": "DOC001", "value": "fileReferenceID"}, "individualBiometrics": {"format": "cbeff", "version": "1", "value": "fileReferenceID"}, "IDSschemaVersion": "0.1", "province": [{"language": "eng", "value": "TEST_PROVINCEeng"}, {"language": "ara", "value": "TEST_PROVINCETweet"}, {"language": "fra", "value": "TEST_PROVINCETweet"}], "zone": [{"language": "eng", "value": "TEST_ZONEeng"}, {"language": "ara", "value": "TEST_ZONEara"}, {"language": "fra", "value": "TEST_ZONEfra"}], "phone": "$PHONE NUMBER FOR IDENTITY$", "addressLine1": [{"language": "eng", "value": "TEST_ADDRESSLINE1eng"}, {"language": "ara", "value": "TEST_ADDRESSLINE1ara"}, {"language": "fra", "value": "TEST_ADDRESSLINE1fra"}], "addressLine2": [{"language": "eng", "value": "TEST_ADDRESSLINE2eng"}, {"language": "ara", "value": "TEST_ADDRESSLINE2ara"}, {"language": "fra", "value": "TEST_ADDRESSLINE2fra"}], "UIN": "{$UIN$}", "addressLine3": [{"language": "eng", "value": "TEST_ADDRESSLINE3eng"}, {"language": "ara", "value": "TEST_ADDRESSLINE3ara"}, {"language": "fra", "value": "TEST_ADDRESSLINE3fra"}], "region": [{"language": "eng", "value": "TEST_REGIONeng"}, {"language": "ara", "value": "TEST_REGIONara"}, {"language": "fra", "value": "TEST_REGIONfra"}], "email": "$EMAILVALUE$"}, "requesttime": "{$requesttime$}", "id": "{$id$}", "version": "{$version$}"}, outputTemplate=idRepository/AddIdentity/addIdentityResult, restMethod=post, regenerateHbs=false, validityCheckRequired=false, auditLogCheck=false, checkErrorsOnlyInResponse=false, checkOnlyStatusCodeInResponse=false

```

allowedErrorCodes=null, kycFields=null, description=Creating UIN in Add Identity passing valid parameters, uniqueIdentifier=TC_IDRepo_AddIdentity_06

Messages

Request: (End Point URL: <https://api-internal.qatest1.mosip.net/idrepository/v1/identity/>)

No headers