Exercise 0.4

```
        Browser                                                              Server

            |  HTTP POST https://fullstack-exampleapp.herokuapp.com/new_note    |
            | --------------------------------------------------------------->  |
            |                                                                   |
            |                              The server asks the browser to do    |
            |                                 a new HTTP GET request to         |
            |                          the address defined in the header's Location |
            |                                                                   |
            |         Status code 302, URL redirect                            |
            | <---------------------------------------------------------------  |
            |                                                                   |
  The browser reload the current page                                          |
            |  HTTP GET https://fullstack-exampleapp.herokuapp.com/notes        |
            | --------------------------------------------------------------->  |
            |                          HTML code                                |
            | <---------------------------------------------------------------  |
            |  HTTP POST https://fullstack-exampleapp.herokuapp.com/main.css    |
            | --------------------------------------------------------------->  |
            |                          main.css                                 |
            | <---------------------------------------------------------------  |
            |  HTTP POST https://fullstack-exampleapp.herokuapp.com/main.js     |
            | --------------------------------------------------------------->  |
            |                          main.js                                  |
            | <---------------------------------------------------------------  |
  The browser excutes the js code
  that requests the JSON data from the server
            |  HTTP POST https://fullstack-exampleapp.herokuapp.com/data.json   |
            | --------------------------------------------------------------->  |
            | [{{content: "the new note for part0", date: "2019-07-06T13:12:10.356Z"}, ...}] |
            | <---------------------------------------------------------------  |
  The browser executes the event handler
  that renders notes to display
        Browser                                                              Server
```