

Jev implementation

Make the next decision explicit.

A tested Jev integration for a specific decision in your
system.

Service overview

fortitudo.agency



When a repeated decision controls what happens next.

For teams choosing a model, classifying requests, reviewing agent output or deciding when a workflow needs escalation.

Unstructured decisions

Your application needs a defined category or route, rather than another open-ended answer.

Unclear uncertainty

The workflow has no agreed rule for when to proceed, switch routes or ask for review.

An integration without evaluation

The decision logic has not been compared with representative, reviewed examples.

Context becomes a decision. The workflow knows what follows.

A defined decision schema and representative test examples

Jev API or supported LangChain integration in the application or harness

Thresholds, routing branches and fallback behavior

Evaluation results and documentation for maintaining the integration

Why work with us.

A decision your software can use

We define the schema and connect Jev to a specific branch in your system.

A deliberate fallback

Thresholds and uncertainty paths determine when a result needs another route or human review.

A testable implementation

Reviewed examples exercise the routes and failure cases before the integration is handed over.

From the first conversation to a clear handover.

- 01 Choose the decision and define the possible results.
- 02 Prepare examples and review the expected decisions.
- 03 Connect Jev and implement thresholds and fallback paths.
- 04 Evaluate the integration and document the operating tradeoffs.

A working result, checked together.

We agree what success looks like before delivery, then review the work against it.

Responses are parsed into the agreed decision schema.

Reviewed examples exercise each route and uncertainty path.

Provider errors and low-confidence outcomes reach the defined fallback.

Turn context into an actionable decision.

Model and task routing

Classify an incoming task and use the result to select the next model, worker or workflow branch.

Classification and prioritization

Turn context into typed decisions your software can act on, such as request category, priority or whether a review is needed.

Evaluate the result. Define the fallback.

Agent evaluation

Apply defined criteria to agent output or traces. Compare the decisions with reviewed examples before using the results to control a workflow.

Thresholds and fallback

Define how confidence affects the next action and what happens when the result is uncertain or the provider is unavailable.

Start at the right scale.

Jev decision integration

One defined decision, its application connection and a representative evaluation set.

We agree the deliverables, responsibilities and review points in a written proposal.

A clear scope before the work begins.

What we need from you

Representative inputs, expected decisions, application access and a TypeSafe AI account with the required access.

What shapes the scope

Number of decisions · Harness or application integration · Test data and evaluation depth

Scope and responsibilities

Jev returns structured decisions rather than generated text or media. We measure suitability on your examples; vendor speed and cost claims are not a project guarantee.

Your written proposal confirms price, timing, responsibilities, review points and final inclusions.

Before you decide.

Is Jev another content generator?

No. TypeSafe AI's Jev returns typed decisions and probabilities. It complements the models handling open-ended reasoning or generation.

Can this work inside a LangChain harness?

Yes. We can scope the supported LangChain integration or a direct API connection, then test it against your decision and failure cases.

Let's define the decision.

Show us where your system makes a repeated decision and what should happen next.

Start a conversation

hello@fortitudo.agency

fortitudo.agency/contact

