Name: Jhumu Akhter Ema

ID: 1931336042

Quiz: 1

Answer to the a: N:2

Hene,

$$A = \begin{bmatrix} 5 & -7 & 1 \\ -7 & 8 & 2 \\ 1 & 2 & -4 \end{bmatrix}$$

: A2 + 2A + +ma (AT)

$$A^{2} = \begin{bmatrix} 5 & -7 & 1 \\ -7 & 8 & 2 \\ 1 & 2 & -4 \end{bmatrix} \times \begin{bmatrix} 5 & -7 & 1 \\ -7 & 8 & 2 \\ 1 & 2 & -4 \end{bmatrix}$$

 $= \begin{bmatrix} 75 & -89 & -13 \\ -89 & 117 & 1 \\ -13 & 1 & 21 \end{bmatrix}$

$$2A = 2 \begin{bmatrix} 5 & -7 & 1 \\ -7 & 8 & 2 \\ 1 & 2 & -4 \end{bmatrix}$$

$$= \begin{bmatrix} 10 & -14 & 2 \\ -14 & 16 & 4 \\ 2 & 4 & -8 \end{bmatrix}$$

$$A^{T} = \begin{bmatrix} 5 & -7 & 1 \\ -7 & 8 & 2 \\ 1 & 2 & -4 \end{bmatrix}$$

$$= \begin{bmatrix} 5 & -7 & 1 \\ -7 & 8 & 2 \\ 1 & 2 & -4 \end{bmatrix}$$

$$frea(A^T) = 5 + 8 - 4$$
= 9

then compute,

$$= \begin{bmatrix} 75 & -89 & -13 \\ -89 & 117 & 1 \\ -13 & 1 & 21 \end{bmatrix} + \begin{bmatrix} 10 & -14 & 2 \\ -14 & 16 & 4 \\ 2 & 4 & -8 \end{bmatrix} + 9I$$

$$= \begin{bmatrix} 75 & -89 & -13 \\ -89 & 117 & 1 \\ -13 & 1 & 21 \end{bmatrix} + \begin{bmatrix} 10 & -14 & 2 \\ -14 & 16 & 4 \\ 2 & 4 & -8 \end{bmatrix} + \begin{bmatrix} 9 & 0 & 0 \\ 0 & 9 & 0 \\ 0 & 0 & 9 \end{bmatrix}$$

$$= \begin{bmatrix} -04 & -103 & -11 \\ -103 & 142 & 5 \\ -11 & 5 & 22 \end{bmatrix}$$

$$A^{2} + 2A + tra(A^{T}) = \begin{bmatrix} 94 & -103 & -11 \\ -103 & 142 & 5 \\ -11 & 5 & 22 \end{bmatrix}$$

Answer to the Q: N:1

Herre,

$$x_1 + 2x_2 - 3x_3 + 4x_4 = 2$$

$$2x_1 + 5x_2 - 2x_3 + x_4 = 1$$

$$5x_1 + 12x_2 - 7x_3 + 6x_4 = 3$$

Arrgumented matrix =
$$\begin{bmatrix} 1 & 2 & -3 & 4 & 2 \\ 2 & 5 & -2 & 1 & 1 \\ -5 & 12 & -7 & 6 & 3 \end{bmatrix}$$

Now, we have to solve this matrix by Gauss elimination and hence Gauss Jordan elimination method.

$$\begin{bmatrix} 1 & 2 & -3 & 42 \\ 2 & 5 & -2 & 11 \\ -5 & 12 & -7 & 63 \end{bmatrix}$$

$$= \begin{bmatrix} -2 & -4 & 6 & -8 & -4 \\ 0 & 1 & 4 & -7 & -3 \\ -5 & 12 & -7 & 6 & 3 \end{bmatrix}$$

$$= \begin{bmatrix} 1 & 2 & -3 & 4 & 2 \\ 0 & 1 & 4 & -7 & -3 \\ -5 & 12 & -7 & 6 & 3 \end{bmatrix}$$