



ميزان

mizan — the balance

An AI that answers Qur'an and hadith questions — then proves every quote it used.

Computed badges. Shown evidence. No guessing.

✓ VERIFIED

✗ REJECTED

? UNVERIFIABLE

```
$ bun install && bun run demo
```

both badges, under a second, offline

27,234

real records checked on this machine

Qur'an + 4 Sunan + Muwatta'

Track 04 · Knowledge & verification tools

AI invents religious text — and it looks real

Fluent words are not proof. A made-up quote fools even careful readers.



It writes fluently

Models invent hadith. The Arabic is perfect. The text does not exist.



You cannot tell by looking

To a reader, an invented quote and a real one look exactly the same.



Close is not good enough

A “close enough” checker accepts invented hadith as a good match. That is the trap.

Why it matters: in worship and belief a wrong quote is not a typo — it becomes false authority.

Measured by others, on news and medical text rather than religious text: more than 60% of the time, AI search tools put a quoted passage in the wrong source.

Why “close enough” is the wrong answer

The easy fix is the one that accepts the fabrications.

A “comparison” checker says:

an invented but believable hadith scores a HIGH match.

We tried it. It works right up until it does not.

So mizan uses one rule:

VERIFIED only if the quote sits literally inside the source it names.

Nothing else earns the badge.

✗ Similarity score

✗ Embedding model

✗ AI judge

✗ Fuzzy fallback

✗ Confidence percentage

✗ “probably right”

The verifier is the only thing that can print a badge — and it can only say yes when the exact words are really there.

Answer first — then prove every quote

Three badges, and only one rule behind them.

VERIFIED

The quote is really inside the source it names.

REJECTED

The source exists — but the quote is not in it.

UNVERIFIABLE

Cannot be checked: no citation, a paraphrase, a timeout. It names the reason.



Every badge ships with its evidence

the words checked · the record checked against · that record's own link

And when something goes wrong, the tool says so. It never fakes certainty.

Six checks — one single road to VERIFIED

Every claim walks the same path. The first failure decides the badge.



Step 5 is the whole product.

A quote passes only when the exact words appear inside the cited record — after normalising spelling marks, stretched letters and digit styles. Normalising never changes a letter, so a true quote passes with or without tashkeel and a one-word fake never passes.

A badge on its own asks you to trust it

So every badge brings its receipt to the screen.

```
[VERIFIED] ikhlas-1 — exact_containment
quoted: قُلْ هُوَ اللَّهُ أَحَدٌ
source: quran 6222 — tanzil.net/...
run: 14 of 14 folded characters
```

quoted

The exact words that were checked. Nothing tidied up.

source

The record it was checked against, and a link you can open.

run

Two integers you can count. Never a percentage.

The badge is one question only: are those words literally inside that record?

A build rule proves the badge cannot be built from those numbers — the checker has no access to the code that prints them.

Same quote, without any vowel marks, still passes. Nothing here needs a guess.

Real question in, real verdict out

Copied from an actual run on this machine. No mock, no canned answer.



```
$ bun run demo
transcript PRECOMPUTED (deterministic replay)

[VERIFIED] ikhlas-1 - exact_containment
quoted: قُلْ هُوَ اللَّهُ أَحَدٌ
source: quran 6222 - tanzil.net
run: 14 of 14 folded characters

[REJECTED] knowledge-fading-1 - quote_absent
quoted: ...يتقارب الزمان وينقصا...
source: abudawud 4255 - sunnah.com
run: 35 of 60 folded characters
```

Same words?

It passes — with or without the vowel marks.

One word changed?

REJECTED. There is no 95% escape hatch.

Only the meaning?

UNVERIFIABLE. Honest, and not accused of lying.

Three doors — one verifier behind each

Same six steps, same badges, three ways in.

A · Terminal

The shortest path. About a second, offline.

```
$ bun run demo
```

```
$ bun run ask "..."
```

No key · no download

B · Web page

Type a quote, see the badge. Arabic and English.

```
$ bun run demo-server
```

```
localhost:3000
```

No code needed

C · MCP server

Plug the verifier into any AI assistant.

```
$ bun run mcp
```


```
one tool: verify
```

Read-only · returns no source text

Same verifier, same rules. The surface changes; the verdict does not.

Seven rules a build cannot get past

Not promises. Each one fails the build, and each is tested to prove it can fail.



the build

G-1

The checker carries no fuzzy tools. One dependency, no clock, no network.

PASS

G-2

No raw HTML sinks. The checker cannot see the display-only code.

PASS

G-3

No obfuscation, no dynamic eval, no borrowed-code workarounds.

PASS

G-4

A secret scanner finds nothing — including a planted fake key.

PASS

G-5

Every source carries its licence, its publisher and its link.

PASS

G-6

Exactly one place in the code can say VERIFIED. A second breaks CI.

PASS

G-7

No percentage, no confidence number on the path that decides.

PASS

G-6 is the one that matters: it counts where VERIFIED can be written.

If anyone ever adds a second door, the build stops — before a judge ever sees it.

What we do NOT claim

In this field, an over-claim is a religious error — not a marketing one.

- ✓ On our own 40-fake test mizan answers “cannot check this” 40 times out of 40 — a human drew a marker into each fake, and real text nearby is not proof. We chose being unhelpful over being wrong.
- ✓ It never answers VERIFIED wrongly. That was the promise, and it is the one we kept.
- ✓ Bukhari and Muslim are missing — the two most-cited books. We say so rather than pretend.
- ✓ We check that the QUOTE exists. We do not rule on whether your reading of it is right.
- ✓ A hadith's grade belongs to the dataset. We store what it says, or nothing.
- ✓ Nothing we judged came from a live AI. The default run is a labelled recording.
- ✓ We have not read the judges' criteria. Nothing here claims compliance with them.

Every number on screen, re-runnable

Two commands, no account, no internet, no download. On a clean checkout.

```
$ bun install --frozen-lockfile
```

install, exactly as pinned

```
$ bun run demo
```

one second, offline, both badges

```
$ bun run ci
```

typecheck + tests + the seven gates

```
$ bun run check:docs
```

fails if a document disagrees with the code

```
$ bun run benchmark
```

re-runs every evaluation set

```
$ bun run mcp
```

the verifier as a read-only MCP server

A guard that cannot fail is not a guard.

THREE THINGS TO REMEMBER



PROBLEM

AI invents hadith that look completely real.

SOLUTION

Check every quote against the real source — exact match, nothing else.

WORKFLOW

ask → an answer → every claim gets a computed badge and its evidence.

```
$ bun install && bun run demo
```

We teach the machine, to serve the message — with proof.

mizan · Apache-2.0 for the code · corpus text under its own per-source licence

ميزان

من السؤال إلى الإثبات

ذكاء اصطناعي يجيب عن أسئلة القرآن والحديث، ثم يتحقق بنفسه من كل اقتباس.

شارات محسوبة • أدلة معروضة • بلا تخمين

مُتَحَقَّق ✓

مرفوض ✕

غير قابل للتحقق ?

27,234

سجلات حقيقية فُحصت على هذا الجهاز

القرآن • السنن الأربع • الموطّعة

المسار 04 • أدوات المعرفة والتحقق

شارتان في أقل من ثانية، بلا إنترنت

```
$ bun install && bun run demo
```

الذكاء الاصطناعي يخترع نصاً دينياً — ويبدو حقيقياً

الكلام السليم ليس دليلاً. والاقتباس المخلتق يخدع القارئ المتيقظ.



فاحصُ «تقريباً كافٍ» يقبل الحديث المخلتق تطابقاً عالياً.
فاحصُ «تقريباً كافٍ» يقبل الحديث المخلتق تطابقاً عالياً.



للعين، الاقتباس المخلتق والصحيح يبدوان متطابقين.
للعين، الاقتباس المخلتق والصحيح يبدوان متطابقين.



النماذج تخترع أحاديث. العربية سليمة، لكن النص غير موجود.
النماذج تخترع أحاديث. العربية سليمة، لكن النص غير موجود.

لماذا يهمّ: في العبادة والعقيدة، الاقتباس الخاطئ ليس خطأ مطبعياً، بل سلطة مزيفة.

قياس لواحدين، على نصوص أخبار وطبية لا على نص ديني: أكثر من 60% من الوقت تضع أدوات البحث المقتطف في مصدر خطأ.

لماذا "تقريبًا كافٍ" حل خاطئ

الحل السهل هو الذي يقبل الاختلاق.

إذن يستخدم ميزان قاعدة واحدة:

لا تكون الشارة "متحقق" إلا إذا وُجد الاقتباس بنصه داخل المصدر الذي ذُكر.

ولا شيء غير ذلك ينال الشارة.

فاحص المقارنة يقول:

حديثٌ مختلفٌ يبدو مقنعًا، فيحصل على درجة تطابق عالية.

جرّبناه. ينجح حتى لا ينجح.

× درجة تشابه

× نموذج لغوي

× حكم ذكاء اصطناعي

× مطابقة تقريبية

× نسبة ثقة

× «ربما صحيح»

المحقق هو الطرف الوحيد القادر على طباعة شارة، ولا يقول نعم إلا إذا كانت الكلمات موجودة حرفيًا.

نُجيب أولاً، ثم نُثبت كل اقتباس

ثلاث شارات، وقاعدة واحدة بينها.

غير قابل للتحقق

تعذر الفحص: لا مرجع، أو إعادة صياغة، أو انتهاء مهلة.
ويُذكر السبب.

مرفوض

المصدر موجود، لكن الاقتباس ليس فيه.

مُتحقق منه

الاقتباس موجود فعلياً في المصدر الذي ذكر.

كل شارة تأتي بدليها

الكلمات المأخوذة · السجل الذي قُورنت به · رابط ذلك السجل نفسه



وعند حدوث خطأ، يقول الأداة ذلك بوضوح. لا تتظاهر باليقين أبداً.

ست فحوص — طريق واحد إلى “متحقق”

كل ادعاء يمرّ بالمسار نفسه. أول تعثر يقرّر الشارة.



الخطوة الخامسة هي المشروع كله.

لا ينجح الاقتباس إلا إذا وردت كلماته حرفيًا داخل السجل المشار إليه، بعد توحيد رسم الحروف والعلامات. ولا يغير التوحيد حرفًا أبدًا؛ لذلك يمرّ الاقتباس الصحيح بوجود التشكيل أو بغيابه، ولا يمرّ الاقتباس المختلق مهما قلّ الفارق.

الشارة وحدها تطلب منك أن تُصدّق

لذلك تأتي كل شارةٍ ومعها إيصالها.

quoted

النص المأخوذ حرفيًا كما فُحص. لم يُنقَح شيء.

source

السجل الذي قُورن به، ورابط تفتحه بنفسك.

run

عددان صحيحان تستطيع عدّهما. ولا نسبة مئوية أبدًا؛ فالنسبة حكمٌ مقنّع.

```
[VERIFIED] ikhlas-1 - exact_containment
quoted: قُلْ هُوَ اللَّهُ أَحَدٌ
source: quran 6222 - tanzil.net/...
run: 14 of 14 folded characters
```

الشارة سؤال واحد فقط: هل هذه الكلمات موجودةً حرفيًا في ذلك السجل؟

وقاعدة بناءٍ تُثبت أنّ الشارة لا يمكن بناؤها من هذين العديدين — والمحقق لا وصول له إلى الشيفرة التي تطبعهما.

الاقتباس نفسه، بلا تشكيل، يمرّ أيضًا. لا شيء هنا يحتاج إلى تخمين.

مُدخل حقيقي ← ناتج حقيقي

منقول من تشغيل فعلي على هذا الجهاز. لا محاكاة، ولا جواب مُعد مسبقاً.

نفس الكلمات؟

يمرّ — بوجود الشدّات أو بغياها.

غُيّرت كلمة؟

مرفوض. ولا مخرج بنسبة 95%.

المعنى وحده؟

غير قابل للتحقق. بأمان، وبلا اتهام بالكذب.

```
$ bun run demo
transcript PRECOMPUTED (deterministic replay)

[VERIFIED] ikhlas-1 — exact_containment
quoted: قُلْ هُوَ اللَّهُ أَحَدٌ
source: quran 6222 — tanzil.net
run: 14 of 14 folded characters

[REJECTED] knowledge-fading-1 — quote_absent
quoted: ...يتقارب الزمان وينقصا
source: abudawud 4255 — sunnah.com
run: 35 of 60 folded characters
```

ثلاثة أبواب — ومحقق واحد خلفها

خطوات الست نفسها، والشارات نفسها، بثلاثة مداخل.

ج • خادم MCP

أدخل المحقق في أي مساعد ذكي.

```
$ bun run mcp
```

```
one tool: verify
```

قراءة فقط • لا يُعيد نص المصدر

ب • صفحة ويب

اكتب اقتباسًا وشاهد الشارة. بالعربية والإنجليزية.

```
$ bun run demo-server
```

```
localhost:3000
```

لا حاجة إلى كتابة كود

أ • الطرفية

أقصر طريق. نحو ثانية، بلا إنترنت.

```
$ bun run demo
```

```
$ bun run ask "..."
```

بلا مفتاح • بلا تنزيل

المحقق نفسه، والقواعد نفسها. تتغير الواجهة، ولا تتغير النتيجة.

سبعُ قواعدٍ لا يتجاوزها البناء

ليست وعودًا. كلُّ قاعدةٍ تُفشل البناء، ولكلُّ منها اختبارٌ يثبت أنها تستطيع أن تفشل.



البناء

PASS

G-2 لا مخارج HTML خام. والمحقق لا يرى شيفرة العرض.

G-2

PASS

G-1 لا أدوات تقريبية في المحقق. اعتمادية واحدة، ولا ساعة، ولا شبكة.

G-1

PASS

G-4 ممسح الأسرار لا يجد شيئًا — بما في ذلك مفتاح مزروع.

G-4

PASS

G-3 لا تشوية، ولا تنفيذًا ديناميكيًا، ولا حلولًا من شيفرة مستعارة.

G-3

PASS

G-6 موضع واحد فقط في الشيفرة يقول «متحقق». والثاني يُفشل البناء.

G-6

PASS

G-5 كل مصدرٍ يحمل ترخيصه وناسره ورابطه.

G-5

PASS

G-7 لا نسبة مئوية ولا رقم ثقة على المسار الذي يقرّر.

G-7

«تعدّ المواضيع التي يمكن أن تُكتب فيها كلمة «متحقق»: G-6 القاعدة المهمة هي

وإذا أضاف أحدهم مخرجًا ثانيًا، توقّف البناء — قبل أن يراه أحد.

ما لا ندّعيه

في هذا المجال، الإغراق في الادّعاء خطأً ديني، لا تسويقي.

في اختبارنا لأربعين نصًّا مختلفًا يجيب ميزان: «لا أستطيع الفحص» أربعين مرّة. لأنّ إنسانًا وضع علامة داخل كلّ نصّ مختلف، والنصّ الحقيقي القريب ليس برهانًا. اخترنا أن نكون أقلّ نفعًا لا أن نكون مخطئين.

لا يجيب «متحقّق» خطأً أبدًا. هذا كان الوعد، وهو الوحيد الذي حفظناه.

صحيحُ البخاري ومسلم غيرُ موجودين — وهما أكثر كتابين يُستشهد بهما. نقول ذلك ولا ندّعي خلافه.

نتحقّق من وجود الاقتباس. ولا نُفتي على صحّة قراءتك له.

درجةُ الحديث تُنسب إلى المجموعة التي رَوّته. نخزّن ما قالته المجموعة، أو لا شيء.

لا شيء ممّا حُكِم به جاء من نموذج حيّ. والتشغيل الافتراضي تسجيلٌ معلّم.

لم نقرأ معايير التحكيم. ولا شيء هنا يدّعي المطابقة لها.

كُلُّ رَقْمٍ على الشاشة يمكن إعادة تشغيله

أمران، بلا حساب، بلا إنترنت، بلا تنزيل. على نسخة نظيفة.

تثبيت مطابق للقفل

```
$ bun install --frozen-lockfile
```

عرض في ثانية، بلا إنترنت

```
$ bun run demo
```

فحص الأنواع + الاختبارات + القواعد السبع

```
$ bun run ci
```

يفشل إن خالف مستند الشيفرة

```
$ bun run check:docs
```

يعيد كَلَّ مجموعات التقييم

```
$ bun run benchmark
```

المحقق خادم MCP قراءة فقط

```
$ bun run mcp
```

الحارس الذي لا يستطيع أن يفشل ليس حارسًا

الذكاء الاصطناعي يخترع أحاديث تبدو حقيقية تمامًا.

المشكلة

نتحقّق من كلّ اقتباس أمام مصدره الحقيقي — مطابقة تامّة، لا شيء غيرها.

الحلّ

سؤال ← جواب ← لكلّ ادّعاءٍ شارةٌ محسوبة ودليّ لها.

طريقة العمل

```
$ bun install && bun run demo
```

نُعلّم الآلة ... لتخدم الرسالة — مع إثبات

ونصّ المصدور برخصته الخاصة لكل مصدر · Apache-2.0 ميزان · الشيفرة برخصة