

# Safety Data Sheet

Revision date: 02.08.2024

**Emirates lubricants**

Weave Oil

Page 1 of 13

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Weave Oil

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Lubricant and additive.

### 1.3. Details of the supplier of the safety data sheet

#### Manufacturer

Company name: Emirates lubricants

Street: Ras Al khaimah

Place: United Arab Emirates

Telephone: +971 55 105 2851 +971 52 660 6888

E-mail: info@emirateslubricant.

Contact person: Application Technology

Internet: www.emirateslubricant.com

Responsible Department: Emirates lubricants Application Technology

### 1.4. Emergency telephone number:

+971 52 660 6888 - This number is serviced during office hours.

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

#### GB CLP Regulation

Aquatic Chronic 2; H411

Full text of hazard statements: see SECTION 16.

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

### 2.2. Label elements

#### GB CLP Regulation Pictograms:



#### Hazard statements

H411 Toxic to aquatic life with long lasting effects.

#### Precautionary statements

P273 Avoid release to the environment.

P391 Collect spillage.

# Safety Data Sheet

## Emirates lubricants

Revision date: 02.08.2024

Weave Oil

Page 2 of 13

### Additional advice on labelling

Product is classified and labelled in accordance with EC regulations or the corresponding national laws.

### 2.3. Other hazards

Prolonged/repetitive skin contact may cause skin defatting or dermatitis.

Spilled product must not leak into the ground.

Do not allow uncontrolled leakage of product into the environment.

## SECTION 3: Composition/information on ingredients

P501

Dispose of contents/container to industrial incineration plant.

### 3.2. Mixtures

#### Chemical characterization

Mixture of synthetic base components and additives.

#### Relevant ingredients

| CAS No     | Chemical name                                           |          |                  | Quantity    |
|------------|---------------------------------------------------------|----------|------------------|-------------|
|            | EC No                                                   | Index No | REACH No         |             |
|            | Classification (GB CLP Regulation)                      |          |                  |             |
| 9003-29-6  | Polybutenes                                             |          |                  | 2.5 - < 5 % |
|            | 500-004-7                                               |          |                  |             |
|            | Asp. Tox. 1; H304                                       |          |                  |             |
| 68411-46-1 | alkylated diphenylamine                                 |          |                  | 1 - < 2.5 % |
|            | 270-128-1                                               |          | 01-2119491299-23 |             |
|            | Repr. 2; H361f                                          |          |                  |             |
| 68937-41-7 | Triaryl phosphate isopropylated                         |          |                  | 1 - < 2.5 % |
|            | 273-066-3                                               |          | 01-2119535109-41 |             |
|            | Repr. 2, STOT RE 2, Aquatic Chronic 1; H361fd H373 H410 |          |                  |             |

Full text of H and EUH statements: see section 16.

#### Specific Conc. Limits, M-factors and ATE

| CAS No     | EC No                                                                                           | Chemical name           | Quantity    |
|------------|-------------------------------------------------------------------------------------------------|-------------------------|-------------|
|            | Specific Conc. Limits, M-factors and ATE                                                        |                         |             |
| 9003-29-6  | 500-004-7                                                                                       | Polybutenes             | 2.5 - < 5 % |
|            | inhalation: LC50 = 4820 mg/l (vapours); dermal: LD50 = > 2000 mg/kg; oral: LD50 = > 10000 mg/kg |                         |             |
| 68411-46-1 | 270-128-1                                                                                       | alkylated diphenylamine | 1 - < 2.5 % |

## Safety Data Sheet

|            |                                                            |                                 |             |
|------------|------------------------------------------------------------|---------------------------------|-------------|
|            | dermal: LD50 = > 2000 mg/kg; oral: LD50 = > 5000 mg/kg     |                                 |             |
| 68937-41-7 | 273-066-3                                                  | Triaryl phosphate isopropylated | 1 - < 2.5 % |
|            | dermal: LD50 = > 10000 mg/kg Aquatic Chronic 1; H410: M=10 |                                 |             |

### Further Information

DMSO-Extract < 3 %; IP 346. Classification system: The classification corresponds to the current EC lists and is completed by information from specialist literature and company information.

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### General information

Self-protection of the first aider. Change contaminated clothing. Do not put any product-impregnated cleaning rags into your trouser pockets.

#### After inhalation

Provide fresh air. In case of breathing difficulties administer oxygen. Seek medical attention if problems persist.

## Emirates lubricants

Revision date: 02.08.2024

Weave Oil

Page 3 of 13

#### After contact with skin

After contact with skin, wash immediately with plenty of water and soap. In case of skin irritation, seek medical treatment.

#### After contact with eyes

In case of contact with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Subsequently consult an ophthalmologist.

#### After ingestion

Do NOT induce vomiting.

Rinse mouth thoroughly with water. Call a physician immediately.

### 4.2. Most important symptoms and effects, both acute and delayed

No information available.

### 4.3. Indication of any immediate medical attention and special treatment needed

First Aid, decontamination, treatment of symptoms.

## SECTION 5: Firefighting measures

## Safety Data Sheet

### **5.1. Extinguishing media**

#### **Suitable extinguishing media**

Foam. Extinguishing powder. Carbon dioxide (CO<sub>2</sub>). Atomized water.

#### **Unsuitable extinguishing media**

High power water jet.

### **5.2. Special hazards arising from the substance or mixture**

In case of fire may be liberated: Carbon monoxide. Carbon dioxide (CO<sub>2</sub>). Sulphur oxides. Nitrogen oxides (NO<sub>x</sub>). Phosphorus oxides. carbon black.

### **5.3. Advice for firefighters**

In case of fire: Wear self-contained breathing apparatus. Wear chemical resistant suit.

#### **Additional information**

Co-ordinate fire-fighting measures to the fire surroundings. Use water spray jet to protect personnel and to cool endangered containers. In case of fire and/or explosion do not breathe fumes. Contaminated fire-fighting water must be collected separately. Do not allow to enter into surface water or drains.

## **SECTION 6: Accidental release measures**

### **6.1. Personal precautions, protective equipment and emergency procedures**

#### **General advice**

High slip hazard because of leaking or spilled product. Remove all sources of ignition. Wear breathing apparatus if exposed to vapours/dusts/aerosols. Avoid contact with skin, eye and clothing. Directive 98/24/EC of 7 April 1998 on the protection of the health and safety of workers from the risks related to chemical agents at work

### **6.2. Environmental precautions**

Do not allow to enter into surface water or drains. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities. Prevent spread over a wide area (e.g. by containment or oil barriers).

### **6.3. Methods and material for containment and cleaning up**

#### **Other information**

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal. Clean contaminated articles and floor according to the environmental legislation.

### **6.4. Reference to other sections**

Safe handling: see section 7

Personal protection equipment: see section 8

## **Emirates lubricants**

Revision date: 02.08.2024

Weave Oil

Page 4 of 13

Section 12: Ecological Information (non-mandatory)

Disposal: see section 13

## **SECTION 7: Handling and storage**

## Safety Data Sheet

### **7.1. Precautions for safe handling**

#### **Advice on safe handling**

Work in well-ventilated zones or use proper respiratory protection. Avoid oil mist. If handled uncovered, arrangements with local exhaust ventilation have to be used. Avoid contact with skin, eye and clothing.

#### **Advice on protection against fire and explosion**

Keep away from sources of ignition - No smoking.

#### **Advice on general occupational hygiene**

Wash hands before breaks and after work. Take off immediately all contaminated clothing. Wash contaminated clothing prior to re-use. Do not eat, drink, smoke or sneeze at the workplace.

### **7.2. Conditions for safe storage, including any incompatibilities**

#### **Requirements for storage rooms and vessels**

Keep the packing dry and well sealed to prevent contamination and absorption of humidity. Provide adequate ventilation as well as local exhaust at critical locations. Keep/Store only in original container.

#### **Hints on joint storage**

Keep away from food, drink and animal feedingstuffs.  
Keep away from: Oxidizing agent

#### **Further information on storage conditions**

Protect against: UV-radiation/sunlight. Frost. Heat.  
Recommended storage temperature: 5 - 40°C

### **7.3. Specific end use(s)**

Further information: see technical data sheet.

## **SECTION 8: Exposure controls/personal protection**

### **8.1. Control parameters**

## Safety Data Sheet

## Emirates lubricants

Revision date: 02.08.2024

Weave Oil

Page 5 of  
13

## DNEL/DMEL values

| CAS No                   | Substance                       |                |          |                      |
|--------------------------|---------------------------------|----------------|----------|----------------------|
| DNEL type                |                                 | Exposure route | Effect   | Value                |
| 68411-46-1               | alkylated diphenylamine         |                |          |                      |
| Worker DNEL, long-term   |                                 | inhalation     | systemic | 0,6 mg/m³            |
| Worker DNEL, long-term   |                                 | dermal         | systemic | 0,08 mg/kg bw/day    |
| Consumer DNEL, long-term |                                 | inhalation     | systemic | 0,14 mg/m³           |
| Consumer DNEL, long-term |                                 | dermal         | systemic | 0,04 mg/kg bw/day    |
| Consumer DNEL, long-term |                                 | oral           | systemic | 0,04 mg/kg bw/day    |
| 68937-41-7               | Triaryl phosphate isopropylated |                |          |                      |
| Consumer DNEL, acute     |                                 | oral           | systemic | 50 mg/kg bw/day      |
| Worker DNEL, long-term   |                                 | inhalation     | systemic | 0,145 mg/m³          |
| Worker DNEL, acute       |                                 | inhalation     | systemic | 700 mg/m³            |
| Worker DNEL, long-term   |                                 | dermal         | systemic | 0,25 mg/kg bw/day    |
| Worker DNEL, acute       |                                 | dermal         | systemic | 2000 mg/kg bw/day    |
| Worker DNEL, acute       |                                 | dermal         | local    | 16 mg/cm²            |
| Consumer DNEL, acute     |                                 | inhalation     | systemic | 350 mg/m³            |
| Consumer DNEL, long-term |                                 | dermal         | systemic | 0,0298 mg/kg bw/day  |
| Consumer DNEL, acute     |                                 | dermal         | systemic | 100 mg/kg bw/day     |
| Consumer DNEL, acute     |                                 | dermal         | local    | 8 mg/cm²             |
| Consumer DNEL, long-term |                                 | oral           | systemic | 0,00835 mg/kg bw/day |

## PNEC values

| CAS No                    | Substance               |  |  |
|---------------------------|-------------------------|--|--|
| Environmental compartment | Value                   |  |  |
| 68411-46-1                | alkylated diphenylamine |  |  |

## Safety Data Sheet

### Emirates lubricants

Revision date: 02.08.2024

Weave Oil

Page 6 of  
13

|                                                  |                                 |
|--------------------------------------------------|---------------------------------|
| Freshwater                                       | 0,034 mg/l                      |
| Freshwater (intermittent releases)               | 0,51 mg/l                       |
| Marine water                                     | 0,003 mg/l                      |
| Freshwater sediment                              | 0,446 mg/kg                     |
| Marine sediment                                  | 0,045 mg/kg                     |
| Micro-organisms in sewage treatment plants (STP) | 10 mg/l                         |
| Soil                                             | 1,76 mg/kg                      |
| 68937-41-7                                       | Triaryl phosphate isopropylated |
| Freshwater                                       | 0 mg/l                          |
| Freshwater (intermittent releases)               | 0,015 mg/l                      |
| Marine water                                     | 0 mg/l                          |
| Freshwater sediment                              | 0,185 mg/kg                     |
| Marine sediment                                  | 0,018 mg/kg                     |
| Secondary poisoning                              | 1,85 mg/kg                      |
| Micro-organisms in sewage treatment plants (STP) | 100 mg/l                        |
| Soil                                             | 2,5 mg/kg                       |

#### Additional advice on limit values

Recommended limit value for oil mist

TWA: 5 mg/m<sup>3</sup>STEL: 10 mg/m<sup>3</sup>

The product does not contain any relevant quantities of substances with legally established exposure limitation.

#### 8.2. Exposure controls



#### Appropriate engineering controls

Provide adequate ventilation as well as local exhaust at critical locations.

#### Individual protection measures, such as personal protective equipment Eye/face protection

Tightly sealed safety glasses. German Industry Norms (DIN) / European Norms (EN): EN 166

#### Hand protection

Tested protective gloves are to be worn: German Industry Norms (DIN) / European Norms (EN): EN ISO 374

Duration of wearing with permanent contact: 480

min Suitable material: NBR (Nitrile rubber).

Thickness of glove material: 0.7 mm.

## Safety Data Sheet

Wearing time with occasional contact (splashes): 30 min

Suitable material: NBR (Nitrile rubber).

Thickness of glove material: 0.4 mm

### Emirates lubricants

Revision date: 02.08.2024

Weave Oil

Page 7 of 13

Protect skin by using skin protective cream.

#### Skin protection

Wear suitable protective clothing. Change contaminated clothing. Do not put any product-impregnated cleaning rags into your trouser pockets.

#### Respiratory protection

If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn. Breathing protection with filter against organic gases and vapours type A - boiling point > 65°C: A1: < 1000 ppm; A2: < 5000 ppm; A3: < 10000 ppm

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

|                  |                |
|------------------|----------------|
| Physical state:  | liquid         |
| Colour:          | yellow         |
| Odour:           | characteristic |
| Odour threshold: | not determined |

#### Test method

|                                                           |                                    |
|-----------------------------------------------------------|------------------------------------|
| Melting point/freezing point:                             | No data available                  |
| Boiling point or initial boiling point and boiling range: | not determined                     |
| Flammability:                                             | No data available                  |
| Lower explosion limits:                                   | No data available                  |
| Upper explosion limits:                                   | No data available                  |
| Flash point:                                              | > 275 °C DIN EN ISO 2592           |
| Auto-ignition temperature:                                | not determined                     |
| Decomposition temperature:                                | No data available                  |
| pH-Value:                                                 | No data available                  |
| Viscosity / kinematic:<br>(at 40 °C)                      | 290 mm <sup>2</sup> /s ASTM D 7042 |
| Water solubility:                                         | virtually insoluble                |
| Solubility in other solvents                              | No data available                  |
| Partition coefficient n-octanol/water:                    | No data available                  |
| Vapour pressure:                                          | No data available                  |
| Density (at 15 °C):                                       | 0,975 g/cm <sup>3</sup> DIN 51757  |

## Safety Data Sheet

Relative vapour density: No data available

Particle characteristics: No data available

### 9.2. Other information

#### Information with regard to physical hazard classes

Explosive properties

No data available

Self-ignition temperature

Solid:

No data available

Gas:

No data available

Oxidizing properties

No data available

#### Other safety characteristics

Evaporation rate: No data available

Pour point: -28 °C ASTM D 7346

## SECTION 10: Stability and reactivity

### Emirates lubricants

Revision date: 02.08.2024

Weave Oil

Page 8 of 13

### 10.1. Reactivity

The product is stable under storage at normal ambient temperatures.

### 10.2. Chemical stability

The mixture is chemically stable under recommended conditions of storage, use and temperature. **10.3. Possibility of hazardous reactions** No known hazardous reactions.

### 10.4. Conditions to avoid

Refer to chapter 7 No further action is necessary.

Do not overheat to avoid decomposition by heat.

### 10.5. Incompatible materials

Reacts with: Oxidising agent, strong. Acid.

### 10.6. Hazardous decomposition products

In case of fire may be liberated: Carbon monoxide. Carbon dioxide (CO<sub>2</sub>). Sulphur oxides. Nitrogen oxides (NO<sub>x</sub>). Phosphorus oxides. carbon black.

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in GB CLP Regulation

#### Acute toxicity

Based on available data, the classification criteria are not met.

Mixture not tested.

#### ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

| CAS No | Chemical name  |      |         |        |        |
|--------|----------------|------|---------|--------|--------|
|        | Exposure route | Dose | Species | Source | Method |

## Safety Data Sheet

|            |                                 |               |           |        |                                              |
|------------|---------------------------------|---------------|-----------|--------|----------------------------------------------|
| 9003-29-6  | Polybutenes                     |               |           |        |                                              |
|            | oral                            | LD50<br>mg/kg | > 10000   | Rat    | Study report (1986)<br>OECD Guideline 401    |
|            | dermal                          | LD50<br>mg/kg | > 2000    | Rat    | Study report (1996)<br>OECD Guideline 402    |
|            | inhalation (4 h) vapour         | LC50          | 4820 mg/l | Rat    |                                              |
| 68411-46-1 | alkylated diphenylamine         |               |           |        |                                              |
|            | oral                            | LD50<br>mg/kg | > 5000    | Rat    | Study report (1982)<br>OECD Guideline 401    |
|            | dermal                          | LD50<br>mg/kg | > 2000    | Rat    | Study report (1988)<br>OECD Guideline 402    |
| 68937-41-7 | Triaryl phosphate isopropylated |               |           |        |                                              |
|            | dermal                          | LD50<br>mg/kg | > 10000   | Rabbit | Study report (1976)<br>other: 16 CFR 1500.40 |

### Irritation and corrosivity

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

### Sensitising effects

Based on available data, the classification criteria are not met.

### Carcinogenic/mutagenic/toxic effects for reproduction

## Emirates lubricants

Revision date: 02.08.2024

Weave Oil

Page 9 of 13

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

### STOT-single exposure

Based on available data, the classification criteria are not met.

### STOT-repeated exposure

Based on available data, the classification criteria are not met.

Prolonged/repetitive skin contact may cause skin defatting or dermatitis.

### Aspiration hazard

Based on available data, the classification criteria are not met.

### 11.2. Information on other hazards

#### Endocrine disrupting properties

not applicable

## SECTION 12: Ecological information

### 12.1. Toxicity

Toxic to aquatic life with long lasting effects.

Mixture not tested.

## Safety Data Sheet

## Emirates lubricants

Revision date: 02.08.2024

Weave Oil

Page 10 of 13

| CAS No     | Chemical name                   |                      |           |                            |                            |                    |
|------------|---------------------------------|----------------------|-----------|----------------------------|----------------------------|--------------------|
|            | Aquatic toxicity                | Dose                 | [h]   [d] | Species                    | Source                     | Method             |
| 9003-29-6  | Polybutenes                     |                      |           |                            |                            |                    |
|            | Acute fish toxicity             | LC50 > 1,55 mg/l     | 96 h      | Cyprinus carpio            | Other company data (2002)  | OECD Guideline 203 |
|            | Acute algae toxicity            | ErC50 > 19,2 mg/l    | 72 h      | Desmodesmus subspicatus    | Other company data (2009)  | OECD Guideline 201 |
|            | Acute crustacea toxicity        | EC50 > 3,1 mg/l      | 48 h      | Daphnia magna              | Study report (2000)        | OECD Guideline 202 |
| 68411-46-1 | alkylated diphenylamine         |                      |           |                            |                            |                    |
|            | Acute fish toxicity             | LC50 > 100 mg/l      | 96 h      | Danio rerio                | Study report (1988)        | OECD Guideline 203 |
|            | Acute algae toxicity            | ErC50 > 100 mg/l     | 72 h      | Desmodesmus subspicatus    | Study report (2006)        | OECD Guideline 201 |
|            | Acute crustacea toxicity        | EC50 51 mg/l         | 48 h      | Daphnia magna              | Study report (2004)        | OECD Guideline 202 |
| 68937-41-7 | Triaryl phosphate isopropylated |                      |           |                            |                            |                    |
|            | Acute fish toxicity             | LC50 10,8 mg/l       | 96 h      | Pimephales promelas        | REACH Registration Dossier | OECD Guideline 203 |
|            | Acute algae toxicity            | ErC50 > 2,5 mg/l     | 72 h      | Raphidocelis subcapitata   | REACH Registration Dossier | EU Method C.3      |
|            | Acute crustacea toxicity        | EC50 1,5 mg/l        | 48 h      | Daphnia magna              | REACH Registration Dossier | OECD Guideline 202 |
|            | Fish toxicity                   | NOEC 0,0031 mg/l     | 33 d      | Pimephales promelas        | REACH Registration Dossier | OECD Guideline 210 |
|            | Crustacea toxicity              | NOEC 0,0415 mg/l     | 21 d      | Daphnia magna              | REACH Registration Dossier | OECD Guideline 211 |
|            | Acute bacteria toxicity         | EC50 > 1000 mg/l ( ) | 3 h       | activated sludge, domestic | REACH Registration Dossier | OECD Guideline 209 |

**12.2. Persistence and degradability**

Not easily bio-degradable (according to OECD-criteria). Do not allow to enter into surface water or drains.

**12.3. Bioaccumulative potential**

No data available

**Partition coefficient n-octanol/water**

| CAS No | Chemical name | Log Pow |
|--------|---------------|---------|
|--------|---------------|---------|

## Safety Data Sheet

|            |                                 |                |
|------------|---------------------------------|----------------|
| 9003-29-6  | Polybutenes                     | 7,6 - 7,8      |
| 68411-46-1 | alkylated diphenylamine         | 6,66           |
| 68937-41-7 | Triaryl phosphate isopropylated | 85000 - 150000 |

### BCF

| CAS No     | Chemical name                   | BCF        | Species             | Source               |
|------------|---------------------------------|------------|---------------------|----------------------|
| 9003-29-6  | Polybutenes                     | 314 - 1882 |                     | USEPA (2008)         |
| 68411-46-1 | alkylated diphenylamine         | 411        | Cyprinus carpio     | Study report (2000)  |
| 68937-41-7 | Triaryl phosphate isopropylated | 225        | Lepomis macrochirus | REACH Registration D |

### Emirates lubricants

Revision date: 02.08.2024

Weave Oil

Page 11 of 13

#### 12.4. Mobility in soil

Due to its low solubility in water the product is almost completely mechanically separated in biological waste water treatment plants.

#### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria.

#### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

#### 12.7. Other adverse

**effects** No data available

#### Further information

Do not allow uncontrolled leakage of product into the environment.

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

##### Disposal recommendations

Must not be disposed of with domestic refuse. Do not allow to enter into surface water or drains.

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

##### List of Wastes Code - residues/unused products

130206 OIL WASTES AND WASTES OF LIQUID FUELS (EXCEPT EDIBLE OILS, AND THOSE IN CHAPTERS 05, 12 AND 19); waste engine, gear and lubricating oils; synthetic engine, gear and lubricating oils; hazardous waste

##### Contaminated packaging

Contaminated packages must be completely emptied and can be re-used following proper cleaning. Dispose of waste according to applicable legislation. Packing which cannot be properly cleaned must be disposed of.

### SECTION 14: Transport information

#### Land transport (ADR/RID)

**14.1. UN number or ID number:** \_\_\_\_\_ -

**14.2. UN proper shipping name:** \_\_\_\_\_ -

**14.3. Transport hazard class(es):** \_\_\_\_\_ -

**14.4. Packing group:** \_\_\_\_\_ -

## Safety Data Sheet

### Inland waterways transport (ADN)

- 14.1. UN number or ID number: -  
 14.2. UN proper shipping name: -  
 14.3. Transport hazard class(es): -  
 14.4. Packing group: -

### Marine transport (IMDG)

- 14.1. UN number or ID number: -  
 14.2. UN proper shipping name: -  
 14.3. Transport hazard class(es): -  
 14.4. Packing group: -

### Air transport (ICAO-TI/IATA-DGR)

- 14.1. UN number or ID number: -  
 14.2. UN proper shipping name: -  
 14.3. Transport hazard class(es): -  
 14.4. Packing group: -

## Emirates lubricants

Revision date: 02.08.2024

Weave Oil

Page 12 of 13

### 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

### 14.6. Special precautions for user

Unless specified otherwise, general measures for safe transport must be followed.

### 14.7. Maritime transport in bulk according to IMO instruments

not applicable

### Other applicable information

No dangerous good in sense of these transport regulations.

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations

#### National regulatory information

Water hazard class (D): 3 - highly hazardous to water

### Regulations/legislation specific for the substance or mixture

### 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

## SECTION 16: Other information

### Changes

This data sheet contains changes from the previous version in section(s): 2,3,4,5,6,7,8,9,10,11,12,15,16.

### Abbreviations and acronyms

Asp. Tox: Aspiration hazard

Repr: Reproductive toxicity

STOT RE: Specific target organ toxicity - repeated exposure

Aquatic Chronic: Chronic aquatic hazard

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; ADN -

European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ASTM

- American Society for the Testing of Materials; ATE - Acute Toxicity Estimates; bw - Body weight; CAO -

## Safety Data Sheet

### Emirates lubricants

Revision date: 02.08.2024

Weave Oil

Page 13 of  
13

Cargo Aircraft Only; CAS - Chemical Abstracts Service; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DNEL - Derived No-Effect Level; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); EG - European Union; EN - European standards; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISO - International Organisation for Standardization; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; OECD - Organization for Economic Co-operation and Development; PBT - Persistent, Bioaccumulative and Toxic substance; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulation concerning the International Carriage of Dangerous Goods by Rail; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

#### Classification for mixtures and used evaluation method according to GB CLP Regulation

| Classification          | Classification procedure |
|-------------------------|--------------------------|
| Aquatic Chronic 2; H411 | Calculation method       |

#### Relevant H and EUH statements (number and full text)

|        |                                                                          |
|--------|--------------------------------------------------------------------------|
| H304   | May be fatal if swallowed and enters airways.                            |
| H361f  | Suspected of damaging fertility.                                         |
| H361fd | Suspected of damaging fertility. Suspected of damaging the unborn child. |
| H373   | May cause damage to organs through prolonged or repeated exposure.       |
| H410   | Very toxic to aquatic life with long lasting effects.                    |
| H411   | Toxic to aquatic life with long lasting effects.                         |

#### Further Information

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.

*(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*