

**Safety Data Sheet****Emirates lubricants**

Revision date: 16.01.2023

Multi-Purpose Grease L 2 G

Page 1 of 9

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1. Product identifier**

Multi-Purpose Grease L 2 G

**1.2. Relevant identified uses of the substance or mixture and uses advised against****Use of the substance/mixture**

Lubricant and additive. Parting agent.

**1.3. Details of the supplier of the safety data sheet****Manufacturer**

Company name: Emirates lubricants

Street: Ras Al khaimah

Place: United Arab Emirates

Telephone: +971 55 105 2851 +971 52 660 6888

e-mail: info@emirateslubricant.

Contact person: Application Technology

Internet: www.emirateslubricant.com

Responsible Department: Emirates lubricants Application Technology

**1.4. Emergency telephone number:** +971 52 660 6888 - This number is serviced during office hours.**SECTION 2: Hazards identification****2.1. Classification of the substance or mixture****GB CLP Regulation**

This mixture is not classified as hazardous in accordance with GB CLP Regulation.

**2.2. Label elements****GB CLP Regulation****Special labelling of certain mixtures**

EUH208 Contains Zinc naphthenate. May produce an allergic reaction.

EUH210 Safety data sheet available on request.

**Additional advice on labelling**

Product is classified and labelled in accordance with EC regulations or the corresponding national laws.

**2.3. Other hazards**

No risks worthy of mention.

If handled with proper care and at intended use, the product does not cause any harmful effects acc. to our experiences and available information.

**SECTION 3: Composition/information on ingredients**

## Safety Data Sheet

Revision date: 16.01.2023

Emirates lubricants  
Multi-Purpose Grease L 2 GPage 2 of  
9**3.2. Mixtures Chemical characterization**

Lithium soap grease based on mineral oil.

**Hazardous components**

| CAS No     | Chemical name                                                  |          |          | Quantity    |
|------------|----------------------------------------------------------------|----------|----------|-------------|
|            | EC No                                                          | Index No | REACH No |             |
|            | Classification (GB CLP Regulation)                             |          |          |             |
| 12001-85-3 | Zinc naphthenate                                               |          |          | 0.5 - < 1 % |
|            | 234-409-2                                                      |          |          |             |
|            | Eye Irrit. 2, Skin Sens. 1B, Aquatic Chronic 2; H319 H317 H411 |          |          |             |

Full text of H and EUH statements: see section 16.

**Specific Conc. Limits, M-factors and ATE**

| CAS No     | EC No                                    | Chemical name    | Quantity    |
|------------|------------------------------------------|------------------|-------------|
|            | Specific Conc. Limits, M-factors and ATE |                  |             |
| 12001-85-3 | 234-409-2                                | Zinc naphthenate | 0.5 - < 1 % |
|            | oral: LD50 = > 2000 mg/kg                |                  |             |

**Further Information**

DMSO-Extrakt &lt; 3 %, IP 346.

Classification system: The classification corresponds to the current EC lists and is completed by information from specialist literature and company information.

**SECTION 4: First aid measures****4.1. Description of first aid measures****General information**

Self-protection of the first aider. Change contaminated clothing. Do not put any product-impregnated cleaning rags into your trouser pockets. Avoid contact with skin, eyes and clothes.

**After inhalation**

Move victim to fresh air. Put victim at rest and keep warm. Seek medical attention if problems persist.

**After contact with skin**

After contact with skin, wash immediately with plenty of water and soap. Change contaminated clothing. In case of skin irritation, seek medical treatment.

**After contact with eyes**

In case of contact with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Subsequently consult an ophthalmologist.

**After ingestion**

Do NOT induce vomiting.

Rinse mouth thoroughly with water. Call a physician immediately.

**4.2. Most important symptoms and effects, both acute and delayed**

No information available.

## Safety Data Sheet

### **4.3. Indication of any immediate medical attention and special treatment needed**

First Aid, decontamination, treatment of symptoms.

## **SECTION 5: Firefighting measures**

### **5.1. Extinguishing media**

#### **Suitable extinguishing media**

Carbon dioxide (CO<sub>2</sub>). Extinguishing powder. Water spray. Foam. Co-ordinate fire-fighting measures to the fire surroundings.

#### **Unsuitable extinguishing media**

High power water jet.

### **5.2. Special hazards arising from the substance or mixture**

In case of fire may be liberated: Carbon monoxide Carbon dioxide (CO<sub>2</sub>). Nitrogen oxides (NO<sub>x</sub>). Sulfur oxides. carbon black.

### **5.3. Advice for firefighters**

In case of fire: Wear self-contained breathing apparatus.

#### **Additional information**

Co-ordinate fire-fighting measures to the fire surroundings. Use water spray/stream to protect personnel and to cool endangered containers. In case of fire and/or explosion do not breathe fumes. Contaminated fire-fighting water must be collected separately. Do not allow to enter into surface water or drains.

## **SECTION 6: Accidental release measures**

### **6.1. Personal precautions, protective equipment and emergency procedures**

#### **General advice**

High slip hazard because of leaking or spilled product. Avoid contact with skin, eye and clothing.

### **6.2. Environmental precautions**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

### **6.3. Methods and material for containment and cleaning up**

#### **Other information**

Take up mechanically. Dispose of waste according to applicable legislation. Clean contaminated articles and floor according to the environmental legislation.

### **6.4. Reference to other sections**

Safe handling: see section 7

Personal protection equipment: see section 8

Section 12: Ecological Information (non-mandatory)

Disposal: see section 13

## **SECTION 7: Handling and storage**

# Safety Data Sheet

## Emirates lubricants

Multi-Purpose Grease L 2 G

Revision date: 16.01.2023

Page 4 of  
9

### 7.1. Precautions for safe handling

#### Advice on safe handling

Avoid contact with skin, eyes and clothes.

#### Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking.

#### Advice on general occupational hygiene

Wash hands before breaks and after work. Take off immediately all contaminated clothing. Wash contaminated clothing prior to re-use. Do not eat, drink, smoke or sneeze at the workplace.

### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep the packing dry and well sealed to prevent contamination and absorption of humidity. Keep container tightly closed in a cool place. Keep/Store only in original container.

#### Hints on joint storage

Keep away from food, drink and animal feedingstuffs.

Keep away from: Oxidizing agents.

#### Further information on storage conditions

Protect against: UV-radiation/sunlight. frost.

Recommended storage temperature: 5 - 40°C

### 7.3. Specific end use(s)

Further information: see technical data sheet.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### DNEL/DMEL values

| DNEL/DNEL values         |                  |                |          |                  |
|--------------------------|------------------|----------------|----------|------------------|
| CAS No                   | Substance        |                |          |                  |
| DNEL type                |                  | Exposure route | Effect   | Value            |
| 12001-85-3               | Zinc naphthenate |                |          |                  |
| Worker DNEL, long-term   |                  | inhalation     | systemic | 1,18 mg/m³       |
| Worker DNEL, long-term   |                  | dermal         | systemic | 3,3 mg/kg bw/day |
| Consumer DNEL, long-term |                  | inhalation     | systemic | 0,29 mg/m³       |
| Consumer DNEL, long-term |                  | dermal         | systemic | 1,7 mg/kg bw/day |

#### PNEC values

| CAS No                             | Substance        |  |  |
|------------------------------------|------------------|--|--|
| Environmental compartment          | Value            |  |  |
| 12001-85-3                         | Zinc naphthenate |  |  |
| Freshwater                         | 0,004 mg/l       |  |  |
| Freshwater (intermittent releases) | 0,04 mg/l        |  |  |

## Safety Data Sheet

|                                                  |             |
|--------------------------------------------------|-------------|
| Marine water                                     | 0 mg/l      |
| Freshwater sediment                              | 0,015 mg/kg |
| Marine sediment                                  | 0,002 mg/kg |
| Micro-organisms in sewage treatment plants (STP) | 0,6897 mg/l |
| Soil                                             | 0,001 mg/kg |

### Additional advice on limit values

The product does not contain any relevant quantities of substances with legally established exposure limitation.

### 8.2. Exposure controls



#### Individual protection measures, such as personal protective equipment Eye/face protection

Tightly sealed safety glasses. German Industry Norms (DIN) / European Norms (EN): EN 166

#### Hand protection

Tested protective gloves are to be worn: German Industry Norms (DIN) / European Norms (EN): EN ISO 374

Duration of wearing with permanent contact: 480

min Suitable material: NBR (Nitrile rubber).

Thickness of glove material: 0.7 mm.

Wearing time with occasional contact (splashes): 30 min

Suitable material: NBR (Nitrile rubber).

Thickness of glove material: 0.4 mm

Protect skin by using skin protective

cream.

**Emirates lubricants**

Revision date: 16.01.2023

Multi-Purpose Grease L 2 G

Page 5 of  
9

#### Skin protection

Wear suitable protective clothing. Change contaminated clothing. Do not put any product-impregnated cleaning rags into your trouser pockets. **Respiratory protection**

With correct and proper use, and under normal conditions, breathing protection is not required.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

|                  |                |
|------------------|----------------|
| Physical state:  | solid          |
| Colour:          | black          |
| Odour:           | characteristic |
| Odour threshold: | not determined |

**Test method**

## Safety Data Sheet

### Changes in the physical state

|                                            |                          |
|--------------------------------------------|--------------------------|
| Melting point/freezing point:              | > 180 °C                 |
| Boiling point or initial boiling point and | > 250 °C                 |
| boiling range:                             |                          |
| Softening point:                           | No data available        |
| Flash point:                               | > 200 °C DIN EN ISO 2592 |

### Flammability

|               |                   |
|---------------|-------------------|
| Solid/liquid: | No data available |
| Gas:          | No data available |

### Explosive properties

evaluation: not Explosive.

|                            |                               |
|----------------------------|-------------------------------|
| Lower explosion limits:    | No data available             |
| Upper explosion limits:    | No data available             |
| Auto-ignition temperature: | No data available ASTM D 1929 |

### Self-ignition temperature

|        |                                   |
|--------|-----------------------------------|
| Solid: | incapable of spontaneous heating. |
| Gas:   | No data available                 |

|                            |                   |
|----------------------------|-------------------|
| Decomposition temperature: | No data available |
|----------------------------|-------------------|

|           |                |
|-----------|----------------|
| pH-Value: | not applicable |
|-----------|----------------|

|                                      |                                             |
|--------------------------------------|---------------------------------------------|
| Viscosity / kinematic:<br>(at 40 °C) | 110 mm <sup>2</sup> /s DIN 51562 - Base oil |
|--------------------------------------|---------------------------------------------|

|                   |                     |
|-------------------|---------------------|
| Water solubility: | virtually insoluble |
|-------------------|---------------------|

### Solubility in other solvents

No data available

|                                        |                   |
|----------------------------------------|-------------------|
| Partition coefficient n-octanol/water: | No data available |
| Vapour pressure:                       | No data available |

|                     |                                  |
|---------------------|----------------------------------|
| Density (at 20 °C): | 0,94 g/cm <sup>3</sup> DIN 51757 |
|---------------------|----------------------------------|

|                          |                   |
|--------------------------|-------------------|
| Relative vapour density: | No data available |
|--------------------------|-------------------|

### 9.2. Other information

#### Information with regard to physical hazard classes

Oxidizing properties  
No data available

#### Other safety characteristics

### Emirates lubricants

Revision date: 16.01.2023

Multi-Purpose Grease L 2 G

Page 6 of 9

|                   |                   |
|-------------------|-------------------|
| Evaporation rate: | No data available |
|-------------------|-------------------|

### Further Information

No data available

## Safety Data Sheet

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

The product is stable under storage at normal ambient temperatures.

#### 10.2. Chemical stability

The mixture is chemically stable under recommended conditions of storage, use and temperature. **10.3. Possibility of hazardous reactions** No known hazardous reactions.

#### 10.4. Conditions to avoid

Do not overheat to avoid decomposition by heat.

Refer to chapter 7 No further action is necessary.

#### 10.5. Incompatible materials

Reacts with: Oxidizing agents, strong acid.

#### 10.6. Hazardous decomposition products

In case of fire may be liberated: Carbon monoxide Carbon dioxide (CO<sub>2</sub>). Nitrogen oxides (NO<sub>x</sub>). Sulfur oxides. carbon black.

### SECTION 11: Toxicological information

#### 11.1. Information on hazard classes as defined in GB CLP Regulation

##### Acute toxicity

Based on available data, the classification criteria are not met.

Mixture not tested.

| CAS No     | Chemical name    |                   |         |                     |                    |
|------------|------------------|-------------------|---------|---------------------|--------------------|
|            | Exposure route   | Dose              | Species | Source              | Method             |
| 12001-85-3 | Zinc naphthenate |                   |         |                     |                    |
|            | oral             | LD50 > 2000 mg/kg | Rat     | Study report (2018) | OECD Guideline 423 |

##### Irritation and corrosivity

Based on available data, the classification criteria are not met.

##### Sensitising effects

Contains Zinc naphthenate. May produce an allergic reaction.

**Carcinogenic/mutagenic/toxic effects for reproduction** Based on available data, the classification criteria are not met.

##### STOT-single exposure

Based on available data, the classification criteria are not met.

##### STOT-repeated exposure

Based on available data, the classification criteria are not met.

Prolonged/repetitive skin contact may cause skin defatting or dermatitis.

##### Aspiration hazard

Based on available data, the classification criteria are not met.

##### Specific effects in experiment on an animal

No data available

## Safety Data Sheet

## Emirates lubricants

Revision date: 16.01.2023

Multi-Purpose Grease L 2 G

Page 7 of  
9**11.2. Information on other hazards****Endocrine disrupting properties**not applicable **Further  
information**

If handled with proper care and at intended use, the product does not cause any harmful effects acc. to our experiences and available information.

**SECTION 12: Ecological information****12.1. Toxicity**

No data available

Mixture not tested.

| CAS No     | Chemical name            |                 |           |                                                     |                                          |                    |
|------------|--------------------------|-----------------|-----------|-----------------------------------------------------|------------------------------------------|--------------------|
|            | Aquatic toxicity         | Dose            | [h]   [d] | Species                                             | Source                                   | Method             |
| 12001-85-3 | Zinc naphthenate         |                 |           |                                                     |                                          |                    |
|            | Acute fish toxicity      | LL50 > 100 mg/l | 96 h      | Cyprinus carpio                                     | REACH Registration Dossier               | OECD Guideline 203 |
|            | Acute algae toxicity     | ErC50 4 mg/l    | 72 h      | Pseudokirchneriella subcapitata                     | REACH Registration Dossier               | OECD Guideline 201 |
|            | Acute crustacea toxicity | EL50 35 mg/l    | 48 h      | Daphnia magna                                       | REACH Registration Dossier               | OECD Guideline 202 |
|            | Acute bacteria toxicity  | (EC50 5,2 mg/l) | 3 h       | activated sludge of a predominantly domestic sewage | Water research volume 17, nr10, 1363-136 | OECD Guideline 209 |

**12.2. Persistence and degradability**

Not easily bio-degradable (according to OECD-criteria). Do not allow to enter into surface water or drains.

**12.3. Bioaccumulative potential**

No data available

**Partition coefficient n-octanol/water**

| CAS No     | Chemical name    | Log Pow |
|------------|------------------|---------|
| 12001-85-3 | Zinc naphthenate | 0,8     |

**BCF**

| CAS No     | Chemical name    | BCF   | Species       | Source               |
|------------|------------------|-------|---------------|----------------------|
| 12001-85-3 | Zinc naphthenate | 69,48 | Capoeta fusca | Water Qual Expo Heal |

**12.4. Mobility in soil**

No data available

**12.5. Results of PBT and vPvB assessment**

The substances in the mixture do not meet the PBT/vPvB criteria.



## Safety Data Sheet

### **12.6. Endocrine disrupting properties**

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

### **12.7. Other adverse effects**

No data available

### **Further information**

Do not allow uncontrolled leakage of product into the environment.

## **Emirates lubricants**

Revision date: 16.01.2023

Multi-Purpose Grease L 2 G

Page 8 of 9

## **SECTION 13: Disposal considerations**

### **13.1. Waste treatment methods**

#### **Disposal recommendations**

Must not be disposed of with domestic refuse. Do not allow to enter into surface water or drains.

#### **List of Wastes Code - residues/unused products**

120112 WASTES FROM SHAPING AND PHYSICAL AND MECHANICAL SURFACE TREATMENT OF METALS AND PLASTICS; wastes from shaping and physical and mechanical surface treatment of metals and plastics; spent waxes and fats; hazardous waste

#### **Contaminated packaging**

Contaminated packages must be completely emptied and can be re-used following proper cleaning. Dispose of waste according to applicable legislation. Packing which cannot be properly cleaned must be thrown away.

## **SECTION 14: Transport information**

### **Land transport (ADR/RID)**

**14.1. UN number or ID number:** -

**14.2. UN proper shipping name:** -

**14.3. Transport hazard class(es):** -

**14.4. Packing group:** -

### **Inland waterways transport (ADN)**

**14.1. UN number or ID number:** -

**14.2. UN proper shipping name:** -

**14.3. Transport hazard class(es):** -

**14.4. Packing group:** -

### **Marine transport (IMDG)**

**14.1. UN number or ID number:** -

**14.2. UN proper shipping name:** -

**14.3. Transport hazard class(es):** -

**14.4. Packing group:** -

### **Air transport (ICAO-TI/IATA-DGR)**

**14.1. UN number or ID number:** -

## Safety Data Sheet

**14.2. UN proper shipping name:** -

**14.3. Transport hazard class(es):** -

**14.4. Packing group:** -

### **14.5. Environmental hazards**

ENVIRONMENTALLY HAZARDOUS: No

### **14.6. Special precautions for user**

Unless specified otherwise, general measures for safe transport must be followed.

### **14.7. Maritime transport in bulk according to IMO instruments**

not applicable

### **Other applicable information**

No dangerous good in sense of these transport regulations.

## **SECTION 15: Regulatory information**

### **15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

#### **National regulatory**

**information** Water hazard class

(D):

1 - slightly hazardous to water

#### **Changes**

This data sheet contains changes from the previous version in section(s): 3,4,6,7,9,11,12,16.

#### **Abbreviations and acronyms**

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ASTM - American Society for the Testing of Materials; ATE - Acute Toxicity Estimates; bw - Body weight; CAO - Cargo Aircraft Only; CAS - Chemical Abstracts Service; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DNEL - Derived No-Effect Level; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); EG - European Union; EN - European standards; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISO - International Organisation for Standardization; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; OECD - Organization for Economic Co-operation and Development; PBT - Persistent, Bioaccumulative and Toxic substance; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of

## Safety Data Sheet

**Emirates lubricants**

Revision date: 16.01.2023

Multi-Purpose Grease L 2 G

Page 9 of 9

**15.2. Chemical safety assessment**

Chemical safety assessments for substances in this mixture were not carried out.

**SECTION 16: Other information**

Chemicals; RID -Regulation concerning the International Carriage of Dangerous Goods by Rail; RQ - Reportable Quantity; SADT - Self- Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

**Relevant H and EUH statements (number and full text)**

|        |                                                              |
|--------|--------------------------------------------------------------|
| H317   | May cause an allergic skin reaction.                         |
| H319   | Causes serious eye irritation.                               |
| H411   | Toxic to aquatic life with long lasting effects.             |
| EUH208 | Contains Zinc naphthenate. May produce an allergic reaction. |
| EUH210 | Safety data sheet available on request.                      |

**Further Information**

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*