

Conditional Statements

if and *else* are two of the most frequently used conditionals in C/C++, and they enable you to execute zero or one conditional statement among many such dependent conditional statements. We use them in the following ways:

1. *if*: This executes the body of bracketed code starting with *statement1* if *condition* evaluates to *true*.

```
if (condition) {  
    statement1;  
    ...  
}
```

2. *if - else*: This executes the body of bracketed code starting with *statement1* if *condition* evaluates to *true*, or it executes the body of code starting with *statement2* if *condition* evaluates to *false*. Note that only *one* of the bracketed code sections will ever be executed.

```
if (condition) {  
    statement1;  
    ...  
}  
else {  
    statement2;  
    ...  
}
```

3. *if - else if - else*: In this structure, dependent statements are chained together and the *condition* for each statement is only checked if all prior conditions in the chain evaluated to *false*. Once a *condition* evaluates to *true*, the bracketed code associated with that statement is executed and the program then skips to the end of the chain of statements and continues executing. If each *condition* in the chain evaluates to false, then the body of bracketed code in the *else* block at the end is executed.

```
if(first condition) {  
    ...  
}  
else if(second condition) {  
    ...  
}  
.  
.  
.  
else if((n-1)'th condition) {  
    ....  
}  
else {  
    ...  
}
```

Given a positive integer *n*, do the following:

- If $1 \leq n \leq 9$, print the lowercase English word corresponding to the number (e.g., `one` for 1, `two` for 2, etc.).
- If $n > 9$, print `Greater than 9`.

Input Format

A single integer, n .

Constraints

- $1 \leq n \leq 10^9$

Output Format

If $1 \leq n \leq 9$, then print the lowercase English word corresponding to the number (e.g., `one` for **1**, `two` for **2**, etc.); otherwise, print `Greater than 9`.

Sample Input 0

```
5
```

Sample Output 0

```
five
```

Explanation 0

`five` is the English word for the number **5**.

Sample Input 1

```
8
```

Sample Output 1

```
eight
```

Explanation 1

`eight` is the English word for the number **8**.

Sample Input 2

```
44
```

Sample Output 2

```
Greater than 9
```

Explanation 2

$n = 44$ is greater than **9**, so we print `Greater than 9`.

