


Hands-On Lab: Implement Login & JWT Issuance

Backend Development Internship — Lab Submission

1. Login Endpoint


Tested the login endpoint by sending a request with an invalid email and password. The API correctly rejected the request and returned a 401 Unauthorized response.



Testing the login endpoint with invalid credentials.

2. JWT Issuance


Tested the login endpoint with correct credentials. The API returned a 200 OK response along with a JWT in the response body.



Successful login response with the issued JWT.

3. JWT Bearer Authentication

JWT Bearer authentication was configured in Program.cs to validate the token's issuer, audience, signing key, and lifetime. The issued token was then used to call a protected endpoint (/api/Customers) as a Bearer token, and the request was accepted with a 200 OK response.




Accessing a protected endpoint using the issued JWT as a Bearer token.

4. JWT Claims

The issued token was decoded using a JWT decoder to verify its claims. The following claims were visible in the decoded payload:

- User ID (sub claim)
- Email address
- Issuer (iss): Day2Api
- Audience (aud): Day2Client
- Expiration (exp)



Expired token rejected with 401 Unauthorized.

Conclusion

In this lab, the login endpoint, JWT issuance, and JWT Bearer authentication were implemented and tested. The token claims were verified using a JWT decoder, and token expiration was tested to confirm that expired tokens are rejected.