



# R2

- شحن سريع - ٣٦ دقيقة
- ٣٠٠ كيلو متر/ شحنة
- بروتوكول اوروبى و صينى
- تكييف فريون
- ٢ وسادة هوائية
- باور ستيرنج
- طارة متعددة التحكم
- زجاج كهرباء
- سينتر لوك
- تابلوة ديجيتال - تحكم كامل
- كاميرا خلفية
- جنوط رياضية
- ناقل حركة اليكترونى
- ابلكيشن تحكم كامل فى السيارة



# R2

سرعة 120 KM



شحن سريع - 36 دقيقة





- تكييف فريون
- باور ستيرينج
- طارة متعددة التحكم
- زجاج كهرباء
- سينتر لوك
- تابلوة ديجيتال
- كاميرا خلفية
- جنوط رياضية
- ناقل حركة اليكترونى
- شحن منزلى

١٥٠ كيلو فى الشحنة



٧٠ كيلو متر سرعة





8000 W



8000 W  
Speed 180 KM







**WEIHU 2-Steel Plate**

Cargo Box Size: 170" x 220mm x 500" x 220mm  
Suspension: 4X external spring shock absorption, Control 5072V 24Vdc  
Power system: 5072V 100Ah 50V x 50A x 50A x 50A Integrated 48V Permanent magnet D power  
Tires: Front: 400-12 Round-top Steel Wheel Rear: 450-12 Flat-top  
Other configurations: 180 Bay Six Gear: Thickened half shaft, Reinforced Cargo Box  
One Year 1 Year Warranty



Cargo Box Size: 1800\*1100mm/1800\*1200mm

**Suspension:** 37K38 external spring shock absorber Controller 6072V 160Ktu  
**Power system:** 6072V 1000w50hz1500N/CM Integrated shift Permanent magne  
**Tire:** 375-12 Round-Rip Rear: 400-12 Flat-top  
**Front: 400-12 Round-Rip Rear: 400-12 Flat-top**  
**Other configuration:** 160/160 One Foot Three Brakes: DONGDA Rear Axle



**WEBA Steel-First Class**

Other configuration: 160/80 Bikes, one foot three links DOHOBIA Rear Axle /  
 First-class Suspension (customised seat)



ZHANJIAN-180

Other configuration: 180 Brake COMBO Rear Axel



## حمولة ١ طن

