TaskFlow

Plan • Organize • Achieve

Key Performance Indicators (KPIs)

Personal & Collaborative Project Management Platform

PROGRAM	**DEPI**
DOCUMENT	**Key Performance Indicators**
VERSION	**1.0**
PREPARED	**14 October 2026**
TEAM SIZE	**5 members**
AI	**Out of scope**

Status of targets: All targets in this document are proposed acceptance targets for the student project. They are not measured results, official DEPI grading thresholds, or guarantees of production performance. The team should confirm them with the instructor, then replace them with actual measurements in the final test report.

1. Purpose

KPIs provide measurable evidence of whether TaskFlow meets its project objectives. The selected indicators cover functionality, performance, availability, adoption/usability, security, timer accuracy, client access isolation, deliverable review, testing, and documentation.

TaskFlow is intended for individuals, freelancers, teams, and companies. It includes project/task management, Kanban, Gantt scheduling, time tracking, optional client access and Project Live Room, deliverable review, change requests, handover notes, notifications, and rule-based project-health alerts. Public marketing pages are handled separately by Mostafa and are not part of the internal application KPIs except where explicitly stated.

2. KPI Summary

ID	KPI	Measurement / Formula	Proposed Target	Data Source / Evidence	Owner
KPI-01	**Core Requirement Completion**	Passed acceptance criteria ÷ total agreed Must-have acceptance criteria × 100	100% of Must-have criteria pass before the final demonstration	Requirements traceability matrix and acceptance test results	Mostafa coordinates; all module owners deliver evidence
KPI-02	**Functional Test Pass Rate**	Passed executed test cases ÷ total executed test cases × 100	At least 90% overall; 100% of critical-path cases pass	Test case register and final test report	All members; coordinated by Mostafa
KPI-03	**Common Operation Response Time**	95th percentile response time for selected operations, such as loading a project board, opening task details, and saving a task	Under 2 seconds under the documented test conditions	Browser/network timings or backend performance test results	Ahd supports measurement; relevant endpoint owner fixes issues
KPI-04	**Application Availability**	Successful health-check minutes ÷ total scheduled monitored minutes × 100	At least 99.5% during an agreed pilot/monitoring window, excluding planned maintenance	Health-check or hosting monitoring records	Mostafa coordinates deployment; all members resolve defects
KPI-05	**User Adoption Rate (Pilot)**	Pilot users who complete at least one defined core workflow during the pilot period ÷ invited pilot users × 100	At least 60% during a defined 7-day pilot, if a pilot group is available	Anonymized usage records or a pilot checklist	Mostafa coordinates; all members support onboarding/usability
KPI-06	**Core Journey Completion Rate**	Test participants who complete the defined journey without help ÷ all participants attempting it × 100	At least 80% for the main personal-user and client-review journeys in a small usability test	Observed usability test notes; record sample size	Mostafa and Eman; supported by QA contributions from all members
KPI-07	**Authorization Test Pass Rate**	Passed required authorization tests ÷ total required authorization tests × 100	100% of required tests pass; zero known critical/high-severity access-control defects at release	Positive and negative permission test results	Ahmed for workspace/project rules; Eman for client rules; Mostafa for auth conventions
KPI-08	**Client Data Isolation**	Count of successful unauthorized attempts to access another client's/private project's data in the test suite	0 successful unauthorized accesses	Direct URL/API, project, file, deliverable, comment, report, and time-data access tests	Eman, with Ahmed and all module owners
KPI-09	**Timer Calculation Accuracy**	Absolute difference between expected and recorded duration for controlled test sessions	Within 1 second in deterministic tests; no double-counted intervals	Automated/manual tests for start, pause, resume, stop, refresh, and duplicate actions	Ahd
KPI-10	**Time Entry Persistence**	Successfully saved and correctly retrieved valid time sessions ÷ valid sessions tested × 100	100% of valid test sessions are saved and retrieved correctly	Database assertions and time-entry test results	Ahd
KPI-11	**Real-Time Update Latency**	Time from successful server-side update to display on an authorized connected client	Under 2 seconds in the documented local/demo environment	Timestamped SignalR test logs	Mostafa for shared SignalR setup; event-producing module owner for fixes

ID	KPI	Measurement / Formula	Proposed Target	Data Source / Evidence	Owner
KPI-12	**Deliverable Review Workflow Completion**	Passed end-to-end review scenarios ÷ total agreed review scenarios × 100	100% of agreed core scenarios pass (submit, view, approve, request changes)	End-to-end test results and review audit records	Eman
KPI-13	**Change Request Audit Completeness**	Change requests with requester, description, status, decision maker, decision timestamp, and review notes where applicable ÷ test requests × 100	100% of test requests retain required history	Change-request records and workflow tests	Eman
KPI-14	**Project Progress Calculation Correctness**	Test projects whose displayed progress matches the documented formula ÷ test projects × 100	100% on the defined test dataset	Test dataset with known task states and expected calculation	Ahd for reporting; Ahmed/Alaa for project/task data contracts
KPI-15	**Defect Readiness**	Number of open critical/high-severity defects at release	0 known open critical/high-severity defects; lower-severity known issues documented	GitHub Issues/bug register and release checklist	All members; Mostafa coordinates
KPI-16	**Requirements Traceability**	In-scope functional requirements linked to at least one test case ÷ total in-scope functional requirements × 100	100% of Must-have functional requirements have test coverage	Requirements-to-test traceability matrix	Mostafa coordinates; each owner maps module requirements
KPI-17	**Documentation Completeness**	Required documents present and reviewed ÷ required documents for the milestone × 100	100% of required documents are in GitHub by their applicable deadline	GitHub repository checklist and review history	All members; Mostafa coordinates
KPI-18	**Task Handover Workflow Success**	Successful handover scenarios where notes, previous owner, new owner, and history are saved and visible to authorized users ÷ scenarios tested × 100	100% of agreed handover test cases pass	Handover feature test results	Alaa
KPI-19	**Project Health Alert Correctness**	Correctly triggered or suppressed alerts ÷ total alert rule test outcomes × 100	100% of agreed test cases behave as configured	Alert rule tests covering trigger and non-trigger conditions	Ahd
KPI-20	**Client Review Data Visibility**	Client-visible records correctly restricted to explicitly shared/approved information ÷ client-visibility test cases × 100	100% of required visibility test cases pass	Role-based portal tests and direct-access attempts	Eman with Ahmed and Alaa

3. KPI Definitions and Measurement Rules

3.1 Response Time

Measure a documented set of common operations, such as:

- Loading the project overview or Kanban board.
- Opening task details.
- Saving a task update.
- Loading the client Project Live Room.
- Loading the time report.

Record the machine/environment, data volume, request count, and test method. The 2-second target is a proposed target for the team's test environment, not a universal production guarantee. Report the 95th percentile where possible rather than relying only on one fast request.

3.2 System Availability

Availability is meaningful only when monitored over a stated time window. For a short DEPI demonstration, report the actual duration and number of failed health checks; do not claim long-term production uptime from a brief test. Planned maintenance should be identified separately.

3.3 User Adoption Rate

For a pilot, define the invited user group and period before collecting data. A pilot user counts as active if they complete a defined workflow, such as creating a project and task, logging a time session, or reviewing a shared deliverable. Report the number invited, number active, time period, and participant mix. A small convenience sample is useful for feedback but is not statistically representative of the whole market.

3.4 Timer Accuracy

The team must define timer semantics before testing: whether paused time is excluded, whether only one timer can be active per user, and how incomplete sessions or corrections are handled. Use controlled timestamps for deterministic test cases. Verify that refreshing or reopening a browser does not create duplicate or lost time entries. The server-side record is authoritative; the client-side display alone is not proof that time was saved.

3.5 Security and Client Data Isolation

Test both allowed and forbidden access. Include project IDs and task IDs supplied directly in URLs or requests, attachments, comments, deliverables, review records, time reports, and shared links. A client must be unable to access another client's project or internal-only information, even if they know the URL. Hiding links in the interface does not count as authorization.

3.6 Progress and Health Indicators

Document the project-progress formula, including how archived, cancelled, blocked, or weighted tasks are treated. For health alerts, test both trigger conditions and non-trigger conditions to avoid false alerts. The project's health indicators must be generated through explicit rules; TaskFlow does not use AI to infer project status.

4. Measurement Schedule

When	Activities	Output
During requirements and design	Confirm KPI definitions, identify data sources, and agree which features are Must-have	Approved KPI list and acceptance criteria
During each module implementation	Run feature-level tests for functionality, permissions, timer/data behavior, and error cases	Test evidence and issue records
During integration	Run cross-module journeys and verify SignalR, client boundaries, timers, and review workflows	Integration test results
Before release candidate (30 Nov 2026 target)	Run regression and performance checks; review critical/high defects	Release readiness checklist
Before final submission (4 Dec 2026)	Consolidate actual measurements, limitations, and evidence links	Final KPI results section in the project report

5. KPI Ownership by Team Member

Team member	KPIs primarily coordinated or measured
Mostafa Mohamed Mahmoud Mohamed — Team Lead	Core requirement completion, common response-time test coordination, availability/deployment evidence, adoption/usability coordination, real-time update integration, documentation completeness, and overall KPI reporting
Ahmed Reda Ahmed Sedik	Workspace/project authorization tests and project data-isolation checks
Alaa Essam Hamed Abdelkader	Task workflow tests, task handover success, task/task-comment/attachment access cases, and data needed for progress calculations
Ahd Ammar Eisa El-Baqary	Timer accuracy, time-entry persistence, Gantt/report correctness, project-progress metrics, and project-health alert correctness
Eman Mohamed Masad El-Metwally	Client data isolation, client-visible content checks, deliverable-review completion, and change-request audit completeness

All members are responsible for supplying evidence from their own modules and resolving defects that affect their assigned functionality.

6. Final KPI Reporting Template

For every KPI included in the final report, record:

- **KPI ID and name:**
- **Approved target:**
- **Actual result:**
- **Date and environment measured:**
- **Sample size / test conditions:**
- **Status:** Pass / Partial / Fail / Not Measured
- **Evidence:** GitHub test, report, log, or screenshot link
- **Limitations / follow-up action:**

Do not fill the `Actual result` field with the proposed target. If a metric was not measured—for example, long-term uptime or market-wide user adoption—mark it as `Not Measured` and explain why.

7. Approval

Reviewer	Name	Status / Date
Team Lead	Mostafa Mohamed Mahmoud Mohamed	Pending team review
Team Representative	To be confirmed	Pending
DEPI Instructor / Reviewer	To be confirmed	Pending