

NAME		
NAME		

## 46 Multiple choice questions

1. Consists of an outer loop and one or more inner loops

CORRECT

- ✓ Nested Loop
- 2. A loop statement that executes infinitely

CORRECT

- ✓ Infinite Loop
- 3. Only can be invoked from a specific string instance

CORRECT

- ✓ Instance Method
- 4. When there are two methods have the same name but different parameter lists within one class

CORRECT

- ✓ Method Overloading
- 5. When there are are two or more possible matches for the invocation of a method, but the compiler is unable to determine the best match

CORRECT

- ✓ Ambiguous Invocation
- 6. Specifies how an item should be displayed, which may be a numeric value, character, Boolean value, or string. Begins with %

CORRECT

- ✓ Format Specifier
- 7. Separating the use of a method from its implementation

CORRECT

- Method Abstraction
- 8. Do-While Loop; the condition is checked after the loop body is executed

CORRECT

- ✓ Post-Test Loop
- 9. A simple, incomplete version of a method

CORRECT

- ✓ Stub
- 10. While & For Loops; the continuation condition is checked before the loop body is executed

CORRECT

✓ Pre-Test Loop

9/22/2018 Test: Introduction to Java Programming - 10th Edition - Y. Daniel Liang - Ch. 4 - Ch. 7 Definitions | Quizlet 11. \\ (two backslashes) CORRECT ✓ Escape Sequence 12. A predefined class in the Java library, not a primitive type, a reference type, also an object CORRECT ✓ String 13. \ (the backslash) CORRECT ✓ Escape Character 14. Only ends a current iteration CORRECT ✓ Continue Statement 15. The method name and the parameter list CORRECT ✓ Method Signature 16. How characters are encoded CORRECT ✓ Encoding Scheme 17. Stores a fixed-size sequential collection of elements in the same type CORRECT ✓ Array 18. The program takes the input from the file Input.TXT rather than having the user type the data from the keyword at runtime CORRECT ✓ Input Redirection 19. Using a method without knowing how it is implemented CORRECT ✓ Information Hiding/Encapsulation 20. Executing a loop one more/less time accidentally INCORRECT × Off-by-One Error (Arrays) THE ANSWER Off-by-One Error (Loops)

21. The actual value that is passed into the method by a caller

CORRECT

✓ Actual Parameter/Argument

22. A technique of writing software where you gradually add error checking and functionality

CORRECT

- ✓ Divide-and-Conquer / Stepwise Refinement
- 23. The part of the loop that contains the statements to be repeated

CORRECT

- ✓ Loop Body
- 24. the variable inside the brackets, []

CORRECT

- ✓ Indexed Variable
- 25. A one-time execution of a loop body

CORRECT

- ✓ Iteration
- 26. The variable used in a method to stand for the value that is passed into the method by a caller

CORRECT

- ✓ Formal Parameter/Parameter
- 27. When one references the first element in an array with index [1], but it should be [0]

CORRECT

- ✓ Off-by-One Error (Arrays)
- 28. Mapping a character to its binary representation

CORRECT

- ✓ Encoding
- 29. A numeric association to an element in a collection of data; the position of an object in an array

CORRECT

- ✓ Index
- **30**. The part of the program where the variable is accessible

CORRECT

- ✓ Scope of a Variable
- 31. The value of the argument passed to the parameter when a method is invoked with an argument

CORRECT

- ✓ Pass-By-Value
- **32.** similar to while loop; executes

the loop body first and then checks the loop-continuation-condition to decide whether to continue or to terminate

CORRECT

✓ Do-While Loop

33. Controls how many times an operation or sequence of operations performed in succession

CORRECT

✓ Loop

**34.** Used to execute a loop body a fixed number of times; has three parts: initial action that initializes a control variable, the loop-continuation-condition, and execution after each iteration and is often used to adjust the control variable

INCORRECT

× Pre-Test Loop

THE ANSWER

For Loop

35. Immediately ends the innermost loop

CORRECT

- ✓ Break Statement
- 36. Sends the output to a file rather than displaying it on the console

CORRECT

- ✓ Output Redirection
- **37.** Checks the loop-continuation-condition first. If the condition is true, its body is executed; if it is false, it terminates

CORRECT

- ✓ While Loop
- 38. When there is no explicit reference variable for an array

CORRECT

- ✓ Anonymous Array
- 39. An automatic memory management feature that is collected by the Java Virtual Machine

CORRECT

- ✓ Garbage Collection
- 40. A special value that signifies the end of the loop

CORRECT

- ✓ Sentinel Value
- 41. combines the declaration, creation, and initialization of an array in one statement

CORRECT

- ✓ Array Initializer
- 42. Keywords such as public, static, and final

CORRECT

✓ Modifier

43. The process of looking for a specific element in an array

CORRECT

✓ Searching

44. A group of statements to perform a specific task

CORRECT

✓ Method

45. A character data type used to represent a single character

CORRECT

✓ Char type

46. A non-instant method that can be invoked without using an object

INCORRECT

X Instance Method

THE ANSWER

Static Method