

```
1.<script type="text/javascript">
x=4+"4";
document.write(x);
</script>
```

What is the output?

- (a) 44
- (b) 8
- (c) 4
- (d) Error output

Correct answer (a)

```
2.<script type="text/javascript" language="javascript">
var qpt = "Qualiyt Point Technologies";
var result = qpt.split(" ");
document.write(result);
</script>
```

- (a) Quality
- (b) Q,u,a,l,i,t,y,P,o,i,n,t,T,e,c,h,n,o,l,o,g,i,e,s
- (c) Qualiyt,Point,Technologies
- (d) QualityPointTechnologies

Correct answer (c)

3.Is it possible to nest functions in JavaScript?

- (a) True
- (b) False
- (c)
- (d)

Correct answer (a)

```
4.<script>
document.write(navigator.appCodeName);
</script>
```

What is the output?

- (a) Get code name of the browser of a visitor
- (b) set code name of the browser of a visitor
- (c) None of the above
- (d)

Correct answer (a)

5.Which of the following is true?

- (a) If onKeyDown returns false, the key-press event is cancelled.
- (b) If onKeyPress returns false, the key-down event is cancelled.
- (c) If onKeyDown returns false, the key-up event is cancelled.
- (d) If onKeyPress returns false, the key-up event is canceled.

Correct answer (a)

6.Scripting language are?

- (a) High Level Programming language
- (b) Assembly Level programming language
- (c) Machine level programming language
- (d) None of the above

Correct answer (a)

7.Which best explains getSelection()?

- (a) Returns the VALUE of a selected OPTION.
- (b) Returns document URL of the window in focus.
- (c) Returns the value of cursor-selected text

(d) Returns the VALUE of a checked radio input.

Correct answer (c)

```
8.<script language="javascript">
function x()
{
var s= "Good 100%";
var pattern = /\D/g;
var output= s.match(pattern);
document.write(output);
}
</script>
```

What is the output?

(a) Good %

(b) 1,0,0

(c) G,o,o,d,%

(d) Error

Correct answer (c)

```
9.<script language="javascript">
var qpt="QUALITY POINT TECHNOLOGIES";
alert(qpt.charAt(qpt.length-1));
</script>
```

What is the output?

(a) P

(b) E

(c) S

(d) Error

Correct answer (c)

10.Choose the client-side JavaScript object:

- (a) Database
- (b) Cursor
- (c) Client
- (d) FileUpload

Correct answer (d)

11.Are java and javascript the same?

- (a) No
- (b) Yes
- (c)
- (d)

Correct answer (a)

12.Syntax for creating a RegExp object:

- (a). `var txt=new RegExp(pattern,attributes);`
- (b). `var txt=/pattern/attributes;`

- (a) (a) only
- (b) (b) only
- (c) Both (a) and (b)
- (d) None of the above

Correct answer (c)

```
13.<script language="javascript">
function x(z,t)
{
alert(x.length);
}
</script>
```

What is the output?

- (a) Error
- (b) 2
- (c) 1
- (d) 3

Correct answer (b)

14.What is mean by "this" keyword in javascript?

- (a) It refers current object
- (b) It refers previous object
- (c) It is variable which contains value
- (d) None of the above

Correct answer (a)

15.In JavaScript, Window.prompt() method return true or false value ?

- (a) False
- (b) True
- (c) None of the above
- (d)

Correct answer (a)

16.Math. round(-20.51)=?

- (a) 20
- (b) -21
- (c) 19
- (d) None

Correct answer (b)

```

17.<script language="javascript">
function x()
{
var s = "Quality 100%!{[!!";
var pattern = /\w/g;
var output = s.match(pattern);
document.write(output);
}
</script>

```

What is the output?

- (a) %,!,{,[,!,!
- (b) Q,u,a,l,i,t,y,1,0,0
- (c) Quality 100
- (d) Error

Correct answer (b)

```

18.<script type="text/javascript" language="javascript">
var qpt= new Array();
qpt[0] = "WebDevelopment";
qpt[1]="ApplicationDevelopment"
qpt[2]="Testing"
qpt[3] = "QualityPointTechnologies";
document.write(qpt[0,1,2,3]);
</script>

```

What is the output?

- (a) Error
- (b) QualityPointTechnologies
- (c) WebDevelopment
- (d)

WebDevelopmnet,ApplicationDevelopment,Testing,QualityPointTechnologies

Correct answer (b)

19.Choose the server-side JavaScript object:

- (a) FileUpLoad
- (b) Function
- (c) File
- (d) Date

Correct answer (c)

20. `parseFloat(9+10)=?`

- (a) 19
- (b) 910
- (c) None
- (d) Error

Correct answer (c)

```
21.<script language="javascript">
function x()
{
document.write(2+5+"8");
}
</script>
```

- (a) 258
- (b) Error
- (c) 7
- (d) 78

Correct answer (d)

22. \_\_\_\_\_ keyword is used to declare variables in javascript.

- (a) Var
- (b) Dim
- (c) String

(d) None of the above

Correct answer (a)

23. In Javascript, Which of the following method is used to evaluate the regular expression?

(a) eval(2\*(3+5))

(b) evaluate(2\*(3+5))

(c) evalu(2\*(3+5))

(d) None of the above

Correct answer (a)

```
24.<script language="javascript">
function x()
{
var s= "quality 100%";
var pattern = /\d/g;
var output= s.match(pattern);
document.write(output);
}
</script>
```

(a) 100

(b) 1,0,0

(c) q,u,a,l,i,t,y,%

(d) Error

Correct answer (b)

```
25.<script type="text/javascript" language="javascript">

qpt=((45%2)==0)? "hello" : "bye";
document.write(qpt);

</script>
```



What is the output?

- (a) hello
- (b) bye
- (c) Error in string handling
- (d) None of the above

Correct answer (b)

```
26.<script language="javascript">
function x()
{
var qpt = "QualityPointTechnologies";
var pattern = new RegExp("POIiNT","i");
document.write(qpt.match(pattern));
}
</script>
```

What is the output?

- (a) Error
- (b) POIiNT
- (c) Point
- (d) Null

Correct answer (d)

27.How do you create a new object in JavaScript?

- (a) var obj = {};
- (b) var obj = Object();
- (c) var obj=new {};
- (d) None of the above

Correct answer (a)

28.In Javascript, What does isNaN function do?

- (a) Return true if the argument is not a number.
- (b) Return false if the argument is not a number.
- (c) Return true if the argument is a number.
- (d) None of the above

Correct answer (a)

29.If  $x=103$  &  $y=9$  then  $x\%=y$  , what is the value of  $x$  after executing  $x\%=y$ ?

- (a) 4
- (b) 3
- (c) 2
- (d) 5

Correct answer (a)

30.Choose the external object:

- (a) Date
- (b) Option
- (c) Layer
- (d) Check box

Correct answer (d)

31.Choose the four symbol pairs that represent RegExp properties lastMatch, lastParent, leftContext, and rightContext, respectively:

- (a)  $\$&$ ,  $\$+$ ,  $\$`$ ,  $\$'$
- (b)  $\$+$ ,  $\$&$ ,  $\$'$ ,  $\$`$
- (c)  $\$&$ ,  $\$~$ ,  $\$`$ ,  $\$'$
- (d)  $\$+$ ,  $\$&$ ,  $\$`$ ,  $\$'$

Correct answer (a)

32.parseInt("15",10)=?

- (a) 15
- (b) 10
- (c) 151
- (d) 150

Correct answer (a)

33.Which JavaScript feature uses JAR files?

- (a) Object signing
- (b) Style sheets
- (c) Netcaster channels
- (d) Image rollovers

Correct answer (a)

34.How to assign a function to a variable with the JavaScript Function constructor ?

- (a) var f=Function("x","y","return x+y");
- (b) var f=Function(x,y){ return x+y;}
- (c) var f= new Function("x", "y", "return x + y");
- (d) None of the above

Correct answer (c)

35.In JavaScript, Window.alert() is used to allow user to enter something

- (a) True
- (b) False

(c) None of above

(d)

Correct answer (b)

```
36.<script language="javascript">
function x()
{
var qpt = "We are fast growing Software Company located in
Chennai, India.";
var pattern = new RegExp("in","gi");

document.write(pattern.exec(qpt) + " ");
document.write(pattern.exec(qpt) + " ");
document.write(pattern.exec(qpt) + " ");
}

</script>
```

(a) in in In

(b) in in in

(c) in in null

(d) in null null

Correct answer (a)

37.Is Javascript has any date data type?

(a) Yes

(b) No

(c) None of the above

(d)

Correct answer (b)

38. `Math. round(-20.5)=?`

- (a) -21
- (b) 20
- (c) -20
- (d) 21

Correct answer (c)

39. `?_name` is it valid javascript identifier?

- (a) Yes
- (b) No
- (c) None of the above
- (d)

Correct answer (b)

```
40.<script language="javascript">
function x()
{
var qpt = "First come, first served";
var pattern = /first/gi;
document.write(qpt.match(pattern) [1]);
}
</script>
```

What is the out put?

- (a) first
- (b) undefined
- (c) First
- (d) Error

Correct answer (a)

41. (a). // , /\* ..... \*\*/  
(b). / , /\*\* ...../ , /\*  
(c). /\*.....\*/ , //  
(d). \\*.....\*\ , //

In javascript, Which of the above Comments lines are used ?

- (a) Only (d)
- (b) Only (c)
- (c) Either (c) or (d)
- (d) Only (b)

Correct answer (b)

```
42.<script language="javascript">
function x()
{
var s = "Give 100%![!!";
var pattern = /\W/g;
var output = s.match(pattern);
document.write(output);
}
</script>
```

- (a) ,%,!,{,[,!,!
- (b) G,i,v,e,1,0,0
- (c) Give 100
- (d) Error

Correct answer (a)

43.Which best describes void?

- (a) A method
- (b) A function

(c) A statement

(d) An operator

Correct answer (d)

```
44.<script type="text/javascript" language="javascript">
var qpt="QualityPointTechnologies";
var result =qpt.lastIndexOf("l");
document.write(result);
</script>
```

What is the output?

(a) 3

(b) 18

(c) 17

(d) 19

Correct answer (b)

```
45.) <script language="javascript">
function x()
{
var qpt = "First come, first served";
var pattern = /first/g;
document.write(qpt.match(pattern) [1]);
}
</script>
```

What is the output

(a) first

(b) First

(c) undefined

(d) None of the above

Correct answer (c)

```
46.<script language="javascript">
function sum(x)
{
function add(y)
{
return x+y;
}
return add;
}
function callme() { result=sum(5)(5); alert(result); }
</script>
```

If you call the function callme(), what will happen ?

- (a) 10
- (b) Error in calling Function
- (c) 5
- (d) None of the above

Correct answer (a)

47.) Who invented the javascript programming language?

- (a) Tennis Ritchie
- (b) James Gosling
- (c) Brendan Eich
- (d) None of the above

Correct answer (c)

```
48.<script type="text/javascript">
document.write("<h1>This is a heading</h1>");
document.write("<p>This is a paragraph.</p>");
document.write("<p>This is another paragraph.</p>");
</script>
```

Can you write HTML tag inside the javascript ?

- (a) No



- (b) Yes
- (c) Impossible
- (d) None of the above

Correct answer (b)

49.Which feature is supported in MSIE 3.x?

- (a) split()
- (b) document.clear()
- (c) join()
- (d) charAt()

Correct answer (d)

50.How to speicfy the color of the hypertext links with JavaScript ?

- (a) document.linkColor="#00FF00";
- (b) document.LColor="#00FF00";
- (c) document.LinkC="#00FF00";
- (d) document.hyperTextLink="#00FF00";

Correct answer (a)

```
51.script language="javascript">
function x()
{
var qpt = "QualityPointTechnologies";
var pattern = /point/;

var output= qpt.search(pattern);

document.write("Position: " + output);
}
</script>
```

What is the output?

- (a) Position-7
- (b) Position-1
- (c) Null
- (d) Error

Correct answer (b)

52.----- method returns the number of milliseconds in a date string?

- (a) setHours()
- (b) setMinutes()
- (c) parse()
- (d) None of the above

Correct answer (c)

53.----- converts a string to floating point numbers.

- (a) eval
- (b) parseInt
- (c) parseFloat
- (d) None

Correct answer (c)

54.----- attempts to evaluate a string representing any javascript literals or variables, converting it to a number.

- (a) eval
- (b) parseFloat
- (c) parseInt

(d) None

Correct answer (a)

55.Which is not an attribute of the cookie property?

(a) path

(b) host

(c) secure

(d) domain

Correct answer (b)

56.How do `substring()` and `substr()` differ?

(a) One is not a method of the String object.

(b) `substr()` takes three arguments, `substring()` only two.

(c) Only one accepts a desired string length as an argument.

(d) Besides the spelling, nothing.

Correct answer (c)

57.Which is not a reserved word?

(a) interface

(b) short

(c) program

(d) throws

Correct answer (c)

58.In Javascript, Which of the following method is used to find out the character at a position in a string?

(a) `charAt()`

- (b) CharacterAt()
- (c) CharPos()
- (d) characAt()

Correct answer (a)

```
59.<script type="text/javascript" language="javascript">

var qpt = "QualityPointTechnologies";
var result =qpt.substring(7,8);
document.write(result);

</script>
```

What is the output

- (a) Po
- (b) yP
- (c) oi
- (d) P

Correct answer (d)

60.How do you delete an element from an options array?

- (a) Set it to false.
- (b) Set it to null.
- (c) Set it to undefined.
- (d) Set it to -1

Correct answer (b)

61.Is javaScript case sensitive ?

- (a) Yes
- (b) No
- (c) None of the above

(d)

Correct answer (a)

62. JavaScript RegExp Object has modifier 'i' to \_\_\_\_\_ ?

(a) Perform case-sensitive matching

(b) Perform case-insensitive matching

(c) Perform both case-sensitive&case-insensitive matching

(d) None of the above

Correct answer (b)

63. What are the following looping structures available in javascripts?

a) for, foreach

(a) for, foreach

(b) foreach, whileloop

(c) do-while loop, foreach

(d) for , while loop

Correct answer (d )

64. Which of these is not a method of the Math object?

(a) atan()

(b) atan2()

(c) eval()

(d) acos()

Correct answer (c)

65. <script type="text/javascript">

```
var s = "9123456 or 80000?";  
var pattern = /\d{4}/;  
var output = s.match(pattern);  
document.write(output);  
</script>
```

What is the output?

- (a) 9123
- (b) 91234
- (c) 80000
- (d) None of the above

Correct answer (a)

66. In javascript, RegExp Object Method `test()` is used to search a string and returns \_\_\_\_\_?

- (a) true or false
- (b) found value
- (c) index
- (d) None of the above

Correct answer (a)

67. What property would you use to redirect a visitor to another page?

- (a) `document.URL`
- (b) `window.location.href`
- (c) `document.location.href`
- (d) `link.href`

Correct answer (b)

68. a.) `var qpt="Quality Point Technologies";`

b.) `var qpt=new String("Quality Point Technologies");`

Question:

In javascript, which of the above statement can used for string declaration ?

- (a) ) Either (a) or (b)
- (b) Only (a)
- (c) Neither (a) nor (b)
- (d) Only (b)

Correct answer (a)

```
69.<script type="text/javascript" language="javascript">
var qpt = "QualityPointTechnologies";
var result =qpt.indexOf("Tech");
document.write(result);
</script>
```

What is the output?

- (a) 11
- (b) 12
- (c) 15
- (d) 13

Correct answer (b)

```
70.script language="javascript">
function x()
{
var s = "Eat to live, but do not live to eat";
var pattern = new RegExp("eat$");
document.write(pattern.exec(s));
}
</script>
```

What is the output?

- (a) Eat
- (b) eat
- (c) undefined
- (d) Eat eat

Correct answer (b)

```
71.<script language="javascript">
function x()
{
var qpt = "We are fast growing Software Company located in
Chennai, India.";
var pattern = new RegExp("in","g");

document.write(pattern.exec(qpt) + " ");
document.write(pattern.exec(qpt) + " ");
document.write(pattern.exec(qpt) + " ");
}

</script>
What is the output?
```

- (a) in in In
- (b) in in in
- (c) in in null
- (d) in null null

Correct answer (c)

72.----- method is used to remove focus from the specified object.

- (a) blur()
- (b) focus()
- (c) None
- (d)

Correct answer (a)



73.`parseFloat("FF2")=?`

- (a) 152
- (b) FF2
- (c) NaN
- (d) None

Correct answer (c)

74.`eval((20*4)=?`

- (a) Nan
- (b) 204
- (c) 24
- (d) 80

Correct answer (d)

```
75.)<script language="javascript">
function x()
{
var qpt = "QualityPointTechnologies";
var pattern = new RegExp("TECHNOLOGIES","i");
document.write(qpt.match(pattern));
}
</script>
```

What is the output?

- (a) null
- (b) Technologies
- (c) TECHNOLOGIES
- (d) Error

Correct answer (b)

76. Javascript is a \_\_\_\_\_ typed language.

- (a) tightly
- (b) loosely
- (c) None of the above
- (d)

Correct answer (b)

77. Inside which HTML element do we put the JavaScript?

- (a)
- (b)