

**EXERCISE: ILLUMINATION**NAME Jason Jongwon Lee

Using one of the light meters on reserve in the Fine Arts Library make the following measurements.

1. Take the following measurements in a room on or near campus (not in Meyerson) to which you have easy access (classroom, coffeeshop, your apartment, etc.).




Measure the horizontal illuminance two times during the day and once after dark (you can calculate the amount of daylight if the same lights are on for both measurements by subtracting the nighttime measurement from the daytime one).

Measure the horizontal illuminance outdoors at the same time as the daytime measurement.

Take a photograph of the light conditions and add your evaluation of the light level: **too low, low, enough, high, too high**

Room Name: Van Pelt Library LobbyTime 1. 3:00 PM Indoor Illuminance (FC) 12.4Outdoor Illuminance (FC) 132Evaluation Both Indoor & Outdoor Enough EvaluationTime 2. 5:00 PM Indoor illuminance (FC) 6.5Outdoor Illuminance (FC) 67.3Evaluation Both Indoor & Outdoor low EvaluationNighttime. 8:00 PM Indoor illuminance (FC) 4.7Outdoor Illuminance (FC) 0.8Evaluation Both Indoor & Outdoor very low Evaluation

Photos



3:00 PM

5:00 PM

8:00 PM