

Sample Survey Codebook

Lance Couzens

2025-12-14

6 variables documented

Table of Contents

respondent_id	3
age	4
gender	5
education	6
income	7
satisfaction	8

Unique identifier for each survey respondent

Type: Int64

Summary Statistics

Count	100
Valid	100
Missing	0 (0.0%)
Unique	100

Respondent's age in years at time of survey


Type: Int64

Summary Statistics

Count	100
Valid	90
Missing	10 (10.0%)
Unique	10
Mean	35.22
Std Dev	6.50
Min	25
Max	45

Value Frequency

28	10
38	10
45	10
43	10
33	10
25	10
30	10
40	10
35	10



Self-reported gender identity

Type: Int64

Summary Statistics


Count	100
Valid	90
Missing	10 (10.0%)
Unique	3

Value Frequency

1	50
2	40

Value Labels

1	Male
2	Female



Highest level of education completed


Type: String

Summary Statistics

Count	100
Valid	100
Missing	0 (0.0%)
Unique	4
Min	BA
Max	PhD

Value Frequency

HS	30
BA	30
MA	20
PhD	20



Annual household income in USD

Type: Float64


Note: Values are top-coded at \$200,000. All values above this threshold are set to \$200,000.

Summary Statistics

Count	100
Valid	90
Missing	10 (10.0%)
Unique	10
Mean	61666.67
Std Dev	19401.15
Min	35000.0
Max	95000.0

Value Frequency

40000.0	10
85000.0	10
35000.0	10
75000.0	10
60000.0	10
45000.0	10
65000.0	10
55000.0	10
95000.0	10



Overall life satisfaction rating (1-5 scale)

Type: Int64

Note: This is a validated 5-point Likert scale measure.

Summary Statistics

Count	100
Valid	90
Missing	10 (10.0%)
Unique	5
Mean	3.67
Std Dev	0.95
Min	2
Max	5

Value Frequency

3	30
4	30
5	20
2	10

Value Labels

1	Very Dissatisfied
2	Dissatisfied
3	Neutral
4	Satisfied
5	Very Satisfied

