



Subject: Operating System Lab

Submitted by: Motashma Noor

Department: BSCS (5)

SAP_ID: 55232

Lab: 3

Riphah International University
Islamabad Campus

Task 1:

```
ubuntu@ubuntu:~$ mkdir Books
ubuntu@ubuntu:~$ mkdir Books/Maths
ubuntu@ubuntu:~$ mkdir Books/Physics
ubuntu@ubuntu:~$ mkdir Books/Computer
ubuntu@ubuntu:~$ mkdir Books/Maths/Trinometry
ubuntu@ubuntu:~$ mkdir Books/Maths/Calculus
ubuntu@ubuntu:~$ mkdir Books/Physics/quantum

ubuntu@ubuntu:~$ mkdir Books/Physics/Classical
ubuntu@ubuntu:~$ mkdir Books/Physics/nuclear
ubuntu@ubuntu:~$ cd Books
ubuntu@ubuntu:~/Books$ pwd
/home/ubuntu/Books
ubuntu@ubuntu:~/Books$ ls
Computer  Maths  Physics
ubuntu@ubuntu:~/Books$ mkdir Chemistry
ubuntu@ubuntu:~/Books$ ls
Chemistry  Computer  Maths  Physics
ubuntu@ubuntu:~/Books$ cd /
ubuntu@ubuntu:/$ cd
ubuntu@ubuntu:~$ pwd
/home/ubuntu
ubuntu@ubuntu:~$
```

Task 2:

```
ubuntu@ubuntu:~$ cd Books/Chemistry
ubuntu@ubuntu:~/Books/Chemistry$ cd
ubuntu@ubuntu:~$ pwd
/home/ubuntu
ubuntu@ubuntu:~$
```

Books/Chemistry is a relative path because it does not start with a root directory (/). It's relative to your current directory.

Task 3:

```
ubuntu@ubuntu:~$ cd Books/Physics/Classical
ubuntu@ubuntu:~/Books/Physics/Classical$ cd
ubuntu@ubuntu:~$ pwd
/home/ubuntu
ubuntu@ubuntu:~$ mkdir Books/Computer/Graphics
ubuntu@ubuntu:~$ cd
ubuntu@ubuntu:~$ pwd
/home/ubuntu
```

Task 4:

```
ubuntu@ubuntu:~$ cd Books/Physics
ubuntu@ubuntu:~/Books/Physics$ rm -r quantum
ubuntu@ubuntu:~/Books/Physics$ cd
ubuntu@ubuntu:~$ pwd
/home/ubuntu
ubuntu@ubuntu:~$ cd Books/Computer
ubuntu@ubuntu:~/Books/Computer$ cd
ubuntu@ubuntu:~$ pwd
/home/ubuntu
ubuntu@ubuntu:~$ cd Books/Maths
ubuntu@ubuntu:~/Books/Maths$ rm -r Calculus
ubuntu@ubuntu:~/Books/Maths$ cd
ubuntu@ubuntu:~$ pwd
/home/ubuntu
```

Task 5:

Linux Directory Commands:

ls (list): Displays the files and folders inside the current directory.

cd (change directory): Used to move from one directory to another.

Pwd (print working directory): Shows the current location in the file system where you are working. It shows the path according to current state

mkdir (make directory): This command creates new, empty directories.

rmdir (remove directories): This command removes empty directories.