Host Scan

```
┌──(kali㉿kali)-[~]
└─$ nmap -sP 192.168.42.1-255
Starting Nmap 7.95 ( https://nmap.org ) at 2026-02-04 05:10 EST
Nmap scan report for 192.168.42.1
Host is up (0.00034s latency).
MAC Address: 00:50:56:C0:00:08 (VMware)
Nmap scan report for 192.168.42.2
Host is up (0.00046s latency).
MAC Address: 00:50:56:E9:EC:2B (VMware)
Nmap scan report for 192.168.42.133
Host is up (0.00087s latency).
MAC Address: 00:0C:29:21:32:18 (VMware)
Nmap scan report for 192.168.42.254
Host is up (0.00039s latency).
MAC Address: 00:50:56:E8:04:34 (VMware)
Nmap scan report for 192.168.42.132
Host is up.
Nmap done: 255 IP addresses (5 hosts up) scanned in 2.08 seconds

┌──(kali㉿kali)-[~]
└─$
```

Port scan /TCP scan

```
┌──(kali㉿kali)-[~]
└─$ nmap -p1-1000 192.168.42.133
Starting Nmap 7.95 ( https://nmap.org ) at 2026-02-04 05:13 EST
Nmap scan report for 192.168.42.133
Host is up (0.0022s latency).
Not shown: 988 closed tcp ports (reset)
PORT     STATE SERVICE
21/tcp   open  ftp
22/tcp   open  ssh
23/tcp   open  telnet
25/tcp   open  smtp
53/tcp   open  domain
80/tcp   open  http
111/tcp  open  rpcbind
139/tcp  open  netbios-ssn
445/tcp  open  microsoft-ds
512/tcp  open  exec
513/tcp  open  login
514/tcp  open  shell
MAC Address: 00:0C:29:21:32:18 (VMware)

Nmap done: 1 IP address (1 host up) scanned in 0.37 seconds

┌──(kali㉿kali)-[~]
└─$
```

Port Service name

```
Session  Actions  Edit  View  Help
┌──(kali㉿kali)-[~]
└─$ nmap -p msrpc 192.168.42.133
Starting Nmap 7.95 ( https://nmap.org ) at 2026-02-04 05:16 EST
Nmap scan report for 192.168.42.133
Host is up (0.00035s latency).

PORT     STATE  SERVICE
135/tcp closed msrpc
MAC Address: 00:0C:29:21:32:18 (VMware)

Nmap done: 1 IP address (1 host up) scanned in 0.30 seconds

┌──(kali㉿kali)-[~]
└─$
```

UDP Scan

```
┌──(kali㉿kali)-[~]
└─$ nmap -sU -p 80 192.168.42.133
Starting Nmap 7.95 ( https://nmap.org ) at 2026-02-04 05:21 EST
Nmap scan report for 192.168.42.133
Host is up (0.00056s latency).

PORT   STATE  SERVICE
80/udp closed http
MAC Address: 00:0C:29:21:32:18 (VMware)

Nmap done: 1 IP address (1 host up) scanned in 0.43 seconds

┌──(kali㉿kali)-[~]
```

Version Scan

```
└─$ nmap -sV 192.168.42.133
Starting Nmap 7.95 ( https://nmap.org ) at 2026-02-04 05:26 EST
Nmap scan report for 192.168.42.133
Host is up (0.0014s latency).
Not shown: 977 closed tcp ports (reset)
PORT     STATE SERVICE     VERSION
21/tcp   open  ftp         vsftpd 2.3.4
22/tcp   open  ssh         OpenSSH 4.7p1 Debian 8ubuntu1 (protocol 2.0)
23/tcp   open  telnet      Linux telnetd
25/tcp   open  smtp        Postfix smtpd
53/tcp   open  domain      ISC BIND 9.4.2
80/tcp   open  http        Apache httpd 2.2.8 ((Ubuntu) DAV/2)
111/tcp  open  rpcbind     2 (RPC #100000)
139/tcp  open  netbios-ssn Samba smbd 3.X - 4.X (workgroup: WORKGROUP)
445/tcp  open  netbios-ssn Samba smbd 3.X - 4.X (workgroup: WORKGROUP)
512/tcp  open  exec        netkit-rsh rexecd
513/tcp  open  login
514/tcp  open  tcpwrapped
1099/tcp open  java-rmi    GNU Classpath grmiregistry
1524/tcp open  bindshell   Metasploitable root shell
2049/tcp open  nfs         2-4 (RPC #100003)
2121/tcp open  ftp         ProFTPD 1.3.1
3306/tcp open  mysql       MySQL 5.0.51a-3ubuntu5
5432/tcp open  postgresql  PostgreSQL DB 8.3.0 - 8.3.7
5900/tcp open  vnc         VNC (protocol 3.3)
```

Fast Scan

```
└─$ nmap -F 192.168.42.133
Starting Nmap 7.95 ( https://nmap.org ) at 2026-02-04 05:30 EST
Nmap scan report for 192.168.42.133
Host is up (0.00021s latency).
Not shown: 82 closed tcp ports (reset)
PORT     STATE SERVICE
21/tcp   open  ftp
22/tcp   open  ssh
23/tcp   open  telnet
25/tcp   open  smtp
53/tcp   open  domain
80/tcp   open  http
111/tcp  open  rpcbind
139/tcp  open  netbios-ssn
445/tcp  open  microsoft-ds
513/tcp  open  login
514/tcp  open  shell
2049/tcp open  nfs
2121/tcp open  ccproxy-ftp
3306/tcp open  mysql
5432/tcp open  postgresql
5900/tcp open  vnc
6000/tcp open  X11
8009/tcp open  ajp13
```

Timing Template Scan

```
└─$ nmap -T5 192.168.42.133
Starting Nmap 7.95 ( https://nmap.org ) at 2026-02-04 05:33 EST
Nmap scan report for 192.168.42.133
Host is up (0.0011s latency).
Not shown: 977 closed tcp ports (reset)
PORT     STATE SERVICE
21/tcp   open  ftp
22/tcp   open  ssh
23/tcp   open  telnet
25/tcp   open  smtp
53/tcp   open  domain
80/tcp   open  http
111/tcp  open  rpcbind
139/tcp  open  netbios-ssn
445/tcp  open  microsoft-ds
512/tcp  open  exec
513/tcp  open  login
514/tcp  open  shell
1099/tcp open  rmiregistry
1524/tcp open  ingreslock
```

Aggressive Scan

```
┌──(kali㉿kali)-[~]
└─$ nmap -A 192.168.42.133
Starting Nmap 7.95 ( https://nmap.org ) at 2026-02-04 05:35 EST
Nmap scan report for 192.168.42.133
Host is up (0.00100s latency).
Not shown: 977 closed tcp ports (reset)
PORT     STATE SERVICE     VERSION
21/tcp   open  ftp         vsftpd 2.3.4
|_ftp-anon: Anonymous FTP login allowed (FTP code 230)
| ftp-syst:
|   STAT:
| FTP server status:
|      Connected to 192.168.42.132
|      Logged in as ftp
|      TYPE: ASCII
|      No session bandwidth limit
|      Session timeout in seconds is 300
|      Control connection is plain text
|      Data connections will be plain text
|      vsFTPd 2.3.4 - secure, fast, stable
|_End of status
22/tcp   open  ssh         OpenSSH 4.7p1 Debian 8ubuntu1 (protocol 2.0)
```

```
|   Capabilities flags: 43564
|   Some Capabilities: SwitchToSSLAfterHandshake, ConnectWithDatabase, SupportsTransacti
olNew, LongColumnFlag
|   Status: Autocommit
|_  Salt: :Twy}(J~\0y6=n5[MM{D
5432/tcp open  postgresql  PostgreSQL DB 8.3.0 - 8.3.7
|_ssl-date: 2026-02-04T10:36:01+00:00; +5s from scanner time.
| ssl-cert: Subject: commonName=ubuntu804-base.localdomain/organizationName=OCOSA/stateO
vName=XX
| Not valid before: 2010-03-17T14:07:45
|_Not valid after:  2010-04-16T14:07:45
5900/tcp open  vnc         VNC (protocol 3.3)
| vnc-info:
|   Protocol version: 3.3
|   Security types:
|_    VNC Authentication (2)
6000/tcp open  X11         (access denied)
6667/tcp open  irc         UnrealIRCd
8009/tcp open  ajp13       Apache Jserv (Protocol v1.3)
|_ajp-methods: Failed to get a valid response for the OPTION request
8180/tcp open  http        Apache Tomcat/Coyote JSP engine 1.1
|_http-server-header: Apache-Coyote/1.1
|_http-title: Apache Tomcat/5.5
|_http-favicon: Apache Tomcat
MAC Address: 00:0C:29:21:32:18 (VMware)
Device type: general purpose
Running: Linux 2.6.X
OS CPE: cpe:/o:linux:linux_kernel:2.6
```

Exclude Scan

```
┌──(kali㉿kali)-[~]
└─$ nmap -F 192.168.42.110-255 --exclude 192.168.42.133
Starting Nmap 7.95 ( https://nmap.org ) at 2026-02-04 06:08 EST
Nmap scan report for 192.168.42.254
Host is up (0.00064s latency).
All 100 scanned ports on 192.168.42.254 are in ignored states.
Not shown: 100 filtered tcp ports (no-response)
MAC Address: 00:50:56:E8:04:34 (VMware)

Nmap scan report for 192.168.42.132
Host is up (0.000018s latency).
Not shown: 99 closed tcp ports (reset)
PORT   STATE SERVICE
22/tcp open  ssh

Nmap done: 145 IP addresses (2 hosts up) scanned in 7.37 seconds

┌──(kali㉿kali)-[~]
└─$
```