Smarty Mode 0.0.5

A GNU XEmacs mode for editing Smarty templates

Vincent DEBOUT

Copyright © 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002, 2003, 2004, 2005, 2006 Free Software Foundation, Inc.

This manual is free documentation; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2, or (at your option) any later version.

This manual is distributed in the hope that it will be useful, but WITHOUT ANY WAR-RANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License, the file 'COPYING', along with Smarty Mode. If not, see http://www.gnu.org/licenses/gpl or write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301, USA.

1 Introduction

Smarty-Mode is a mode allowing easy edit of Smarty templates: highlight, templates, navigation into source files...

Features (new features in **bold**):

- Completion
- Customizable
- Highlight
- Menu
- Stuttering
- Templates
 - Built-in Functions
 - User Functions
 - Variable Modifiers
 - Plugin (Functions)
 - BlockRepeatPlugin
 - ClipCache
 - Smarty Formtool
 - Smarty Paginate
 - Smarty Validate
 - Plugin (Variable Modifiers)
 - AlternativeDateModifierPlugin
 - B2Smilies
 - BBCodePlugin
 - Fonctions Non-Smarty

This manual describes Smarty Mode version 0.0.5.

2 Installation

2.1 Requirements

Smarty Mode is a XEmacs major mode that needs the following software/packages:

- XEmacs.
- 'font-lock' mode generaly installed with XEmacs.
- 'assoc' mode generaly installed with XEmacs.
- 'easymenu' mode generaly installed with XEmacs.
- 'hippie-exp' mode generaly installed with XEmacs.

Before continuing, you must be sure to have all this packages installed.

2.2 Download

Two internet address to download Smarty Mode:

- Principal: Smarty-Mode 0.0.5 (http://deboutv.free.fr/lisp/smarty/)
- Secondary: Smarty-Mode 0.0.5 (http://www.morinie.fr/lisp/smarty/)
- Old releases: Smarty-Mode (http://deboutv.free.fr/lisp/smarty/)

2.3 Installation

2.3.1 Installation

To install Smarty Mode you need to choose an installation directory (for example '/usr/local/share/lisp' or 'c:\lisp'). The administrator must have the write rights on this directory.

With your favorite unzip software, unzip the archive in the installation directory.

Example:

```
cd /usr/local/share/lisp
tar zxvf smarty-0.0.5.tar.gz
```

Now you have a 'smarty' directory in the installation directory. This directory contains 2 files 'smarty-mode.el' and 'smarty-mode.elc' and another directory 'docs' containing the documentation.

You need to configure XEmacs. open you initialization file 'init.el' (open the file or start XEmacs then choose the *Options* menu and *Edit Init File*). Add the following lines (the installation directory in this example is 'usr/local/share/lisp'):

2.3.2 Update

The update is easy. You need to unzip the archive in the installation directory to remove the old release.

Example:

```
cd /usr/local/share/lisp
rm -rf smarty
tar zxvf smarty-0.0.5.tar.gz
```

2.4 Invoke Smarty-Mode

You have two possibilities to invoke the Smarty Mode.

 Manually: At each file opening you need to launch Smarty Mode with the following command:

```
M-x smarty-mode
```

- Automatically: Add the following linesin your initialization file 'init.el':

3 Customization

This chapter describes the differents parameters and functions that you can change to customize Smarty Mode. To do that, open a Smarty file, click on the *Smarty* menu and choose *Options* then *Browse Options*....

3.1 Parameters

3.1.1 Mode

Smarty Mode has 2 modes allowing to simplify the writing of Smarty templates. You can enable/disable each mode individually.

'smarty-electric-mode'

Type: boolean
Default value: 't'

Description: If 't'; enable automatic generation of template. If 'nil'; template generators can still be invoked through key bindings and menu. Is indicated in the modeline by "/e" after the mode name and can be toggled by 'smarty-electric-mode'.

'smarty-stutter-mode'

Type: boolean
Default value: 't'

Description: If 't'; enable the stuttering. Is indicated in the modeline by "/s" after the mode name and can be toggled by 'smarty-stutter-mode'.

3.1.2 Menu

Smarty Mode has also 1 menu that you can enable/disable. The menu *Sources* is specific to each Smarty files opened.

'smarty-source-file-menu'

Type: boolean
Default value: 't'

Description: If 't'; the *Sources* menu is enabled. This menu contains the list of Smarty file located in the current directory. The *Sources* menu scans the directory when a file is opened.

3.1.3 Menu

'smarty-highlight-plugin-functions'

Type: boolean
Default value: 't'

Description: If 't'; the functions described in the smarty plugins are highlighted.

3.1.4 Templates

3.1.4.1 Header

Default value: "",

```
'smarty-file-header'
           Type: string
           Default value: '""
           Description: String or file to insert as file header. If the string specifies an
           existing file name the contents of the file is inserted; otherwise the string itself
           is inserted as file header.
           Type 'C-j' for newlines.
           The following keywords are supported:
           <filename>: replaced by the file name.
           <author>: replaced by the user name and email address.
           <login>: replaced by 'user-login-name'.
           <company>: replaced by 'smarty-company-name' content.
           <date>: replaced by the current date.
           <year>: replaced by the current year.
           <copyright>: replaced by 'smarty-copyright-string' content.
           <cursor>: final cursor position.
'smarty-file-footer'
           Type: string
           Default value: "",
           Description: String or file to insert as file footer. See 'smarty-file-header'
'smarty-company-name'
           Type: string
           Default value: '""
           Description: Name of the company to insert in file header.
'smarty-copyright-string'
           Type: string
           Default value: "",
           Description: Coryright string to insert in file header.
'smarty-date-format'
           Type: string
           Default value: ""%Y-%m-%d"
           Description: Date format.
'smarty-modify-date-prefix-string'
           Type: string
```

Description: Prefix string of modification date in Smarty file header.

'smarty-modify-date-on-saving'

Type: bool

Default value: 'nil'

Description: If 't'; update the modification date when the buffer is saved.

3.1.5 Miscellaneous

'smarty-left-delimiter'

Type: string

Default value: "",

Description: Left escaping delimiter for Smarty templates.

'smarty-right-delimiter'

Type: string

Default value: "",

Description: Right escaping delimiter for Smarty templates.

'smarty-intelligent-tab'

Type: bool

Default value: 't'

Description: If 't'; TAB does indentation; completion and insert tabulations.

If 'nil'; TAB does only indentation.

'smarty-word-completion-in-minibuffer'

Type: bool

Default value: 't'

Description: If 't'; enable completion in the minibuffer.

'smarty-word-completion-case-sensitive'

Type: bool

Default value: 'nil'

Description: If 't'; completion is case sensitive.

3.2 Functions

3.2.1 Mode

'smarty-electric-mode'

Menu: Smarty -> Options -> Mode -> Electric Mode

Keybinding: C-c C-m C-e

Description: This functions is used to enable/disable the electric mode.

'smarty-stutter-mode'

Menu: Smarty -> Options -> Mode -> Stutter Mode

Keybinding: C-c C-m C-s

Description: This function is used to enable/disable the stutter mode.

Chapter 4: Menus 7

4 Menus

There are 2 menus: *Smarty* and *Sources*. All theses menus can be accessed from the menubar or from the right click. This chapter describes each menus.

4.1 Smarty

This is the main menu of Smarty Mode. It allows an easy access to the main features of the Smarty Mode: *Templates* (see Chapter 6 [Templates], page 10) and *Options* (see Chapter 3 [Customization], page 4).

This menu contains also 3 functions that are discussed in the next part.

4.1.1 Functions

'smarty-show-messages'

Menu: Smarty -> Show Messages

Keybinding: C-c M-m

Description: This function opens the *Messages* buffer to display previous error messages.

'smarty-doc-mode'

Menu: Smarty -> Smarty Mode Documentation

Keybinding: C-c C-h

Description: This function opens the *Help* buffer and prints in it the Smarty

Mode documentation.

'smarty-version'

Menu: Smarty → Version Keybinding: C-c C-v

Description: This function displays in the minibuffer the current Smarty Mode

version with the timestamp.

4.2 Sources

The *Sources* menu shows the Smarty files in the current directory. If you add or delete a file in the current directory, you need to refresh the menu.

4.2.1 Customization

'smarty-source-file-menu'

Type: boolean
Default value: 't'

Description: If 't'; the *Sources* menu is enabled. This menu contains the list of Smarty file located in the current directory. The *Sources* menu scans the directory when a file is opened.

Chapter 4: Menus 8

4.2.2 Functions

`smarty-add-source-files-menu'

Menu: Sources → *Rescan*
Keybinding: C-c C-s C-u

Description: This function is used to refresh the *Sources* menu.

5 Stuttering

The stutter mode is a mode that affects a function to a key. For example, when you use the *ENTER* key, the associated function will create a new line and indent it.

5.1 Customization

`smarty-stutter-mode'

Type: boolean
Default value: 't'

Description: If 't'; enable the stuttering. Is indicated in the modeline by "/s" after the mode name and can be toggled by 'smarty-stutter-mode'.

5.2 Functions

SPACE If in comment, indent the comment and add new line if necessary. In other case, add a space.

(If the previous character is a '(', the '((' will be replaced by '['. If the previous character is a '[', the '[(' will be replaced by '{'. In other case, insert a '('.

If the previous character is a ')', the '))' will be replaced by ']'.

If the previous character is a ']', the '])' will be replaced by '}'.

In other case, insert a ')'.

6 Templates

In the Smarty Mode, the Smarty functions (like if, while, for, fopen, fclose) are predefined in functions called "Templates".

Each template can be invoked by the function name or by using the $\langle \text{SPACE} \rangle$ key after the Smarty function name in the buffer (Note, using $M-\langle \text{SPACE} \rangle$ disable the template).

A template can be aborted by using the *C-g* or by lefting empty the tempate prompt (in the minibuffer).

6.1 Customization

'smarty-electric-mode'

Type: boolean
Default value: 't'

Description: If 't'; enable automatic generation of template. If 'nil'; template generators can still be invoked through key bindings and menu. Is indicated in the modeline by "/e" after the mode name and can be toggled by 'smarty-electric-mode'.

For a complete description of the template customizable variables, see Section 3.1.4 [Cu01-Pa01-Template], page 5

6.2 Functions

6.2.1 Built-in Functions

```
'smarty-template-capture'
```

Menu: Smarty -> Templates -> Build-in Functions -> capture

Keybinding: *C-c C-t C-b* a **Description**: See the manual.

'smarty-template-config-load'

Menu: Smarty -> Templates -> Build-in Functions -> config_load

Keybinding: C-c C-t C-b c **Description**: See the manual.

'smarty-template-else'

Menu: Smarty -> Templates -> Build-in Functions -> else

Keybinding: C-c C-t C-b M-e Description: See the manual.

'smarty-template-elseif'

Menu: Smarty -> Templates -> Build-in Functions -> elseif

Keybinding: C-c C-t C-b C-e **Description**: See the manual.

'smarty-template-foreach'

Menu: Smarty → Templates → Build-in Functions → foreach

Keybinding: C-c C-t C-b C-f Description: See the manual.

'smarty-template-foreachelse'

Menu: Smarty -> Templates -> Build-in Functions -> foreachelse

Keybinding: C-c C-t C-b M-f Description: See the manual.

'smarty-template-if'

Menu: Smarty -> Templates -> Build-in Functions -> if

Keybinding: C-c C-t C-b f Description: See the manual.

'smarty-template-include'

Menu: Smarty → Templates → Build-in Functions → include

Keybinding: C-c C-t C-b C-i Description: See the manual.

'smarty-template-include-php'

Menu: Smarty -> Templates -> Build-in Functions -> include_php

Keybinding: C-c C-t C-b M-i Description: See the manual.

'smarty-template-insert'

Menu: Smarty -> Templates -> Build-in Functions -> insert

Keybinding: C-c C-t C-b i Description: See the manual.

'smarty-template-ldelim'

Menu: Smarty -> Templates -> Build-in Functions -> ldelim

Keybinding: C-c C-t C-b 1 Description: See the manual.

'smarty-template-literal'

Menu: Smarty → Templates → Build-in Functions → literal

Keybinding: C-c C-t C-b C-1 Description: See the manual.

'smarty-template-php'

Menu: Smarty → Templates → Build-in Functions → php

Keybinding: C-c C-t C-b p Description: See the manual.

'smarty-template-rdelim'

Menu: Smarty -> Templates -> Build-in Functions -> rdelim

Keybinding: C-c C-t C-b r Description: See the manual.

'smarty-template-section'

Menu: Smarty -> Templates -> Build-in Functions -> section

Keybinding: C-c C-t C-b C-s

Description: See the manual.

'smarty-template-sectionelse'

Menu: Smarty -> Templates -> Build-in Functions -> sectionelse

Keybinding: C-c C-t C-b M-s **Description**: See the manual.

'smarty-template-strip'

Menu: Smarty -> Templates -> Build-in Functions -> strip

Keybinding: C-c C-t C-b s Description: See the manual.

6.2.2 Custom Functions

'smarty-template-assign'

Menu: Smarty -> Templates -> Custom Functions -> assign

Keybinding: C-c C-t C-c a **Description**: See the manual.

'smarty-template-counter'

Menu: Smarty -> Templates -> Custom Functions -> counter

Keybinding: C-c C-t C-c o **Description**: See the manual.

'smarty-template-cycle'

Menu: Smarty -> Templates -> Custom Functions -> cycle

Keybinding: *C-c C-t C-c c* **Description**: See the manual.

'smarty-template-debug'

Menu: Smarty -> Templates -> Custom Functions -> debug

Keybinding: C-c C-t C-c d Description: See the manual.

'smarty-template-eval'

Menu: Smarty -> Templates -> Custom Functions -> eval

Keybinding: *C-c C-t C-c e* **Description**: See the manual.

'smarty-template-fetch'

Menu: Smarty -> Templates -> Custom Functions -> fetch

Keybinding: C-c C-t C-c f Description: See the manual.

'smarty-template-html-checkboxes'

Menu: Smarty -> Templates -> Custom Functions -> html_checkboxes

Keybinding: C-c C-t C-c C-h c **Description**: See the manual.

'smarty-template-html-image'

Menu: Smarty -> Templates -> Custom Functions -> html_image

Keybinding: C-c C-t C-c C-h i Description: See the manual.

'smarty-template-html-options'

Menu: Smarty -> Templates -> Custom Functions -> html_options

Keybinding: C-c C-t C-c C-h o **Description**: See the manual.

'smarty-template-html-radios'

Menu: Smarty -> Templates -> Custom Functions -> html_radios

Keybinding: C-c C-t C-c C-h r Description: See the manual.

'smarty-template-html-select-date'

 $\mathbf{Menu:}\ Smarty \to Templates \to Custom\ Functions \to html_select_date$

Keybinding: C-c C-t C-c C-h d **Description**: See the manual.

'smarty-template-html-select-time'

Menu: Smarty -> Templates -> Custom Functions -> html_select_time

Keybinding: C-c C-t C-c C-h m **Description**: See the manual.

'smarty-template-html-table'

Menu: Smarty -> Templates -> Custom Functions -> html_table

Keybinding: C-c C-t C-c C-h t Description: See the manual.

'smarty-template-mailto'

Menu: Smarty -> Templates -> Custom Functions -> mailto

Keybinding: C-c C-t C-c i Description: See the manual.

'smarty-template-math'

Menu: Smarty -> Templates -> Custom Functions -> math

Keybinding: C-c C-t C-c h Description: See the manual.

'smarty-template-popup'

Menu: Smarty → Templates → Custom Functions → popup

Keybinding: C-c C-t C-c C-p **Description**: See the manual.

'smarty-template-popup-init'

Menu: Smarty → Templates → Custom Functions → popup_init

Keybinding: *C-c C-t C-c M-p* **Description**: See the manual.

'smarty-template-textformat'

Menu: Smarty -> Templates -> Custom Functions -> textformat

Keybinding: C-c C-t C-c t Description: See the manual.

6.2.3 Variable Modifiers

'smarty-template-capitalize'

Keybinding: *C-c C-t C-v p* **Description**: See the manual.

'smarty-template-cat'

Menu: Smarty -> Templates -> Variable Modifiers -> cat

Keybinding: *C-c C-t C-v c* **Description**: See the manual.

'smarty-template-count-characters'

Menu: Smarty -> Templates -> Variable Modifiers -> count_characters

Keybinding: C-c C-t C-v C-c c **Description**: See the manual.

'smarty-template-count-paragraphs'

Menu: Smarty -> Templates -> Variable Modifiers -> count_paragraphs

Keybinding: C-c C-t C-v C-c p Description: See the manual.

'smarty-template-count-sentences'

Menu: Smarty -> Templates -> Variable Modifiers -> count_sentences

Keybinding: C-c C-t C-v C-c s **Description**: See the manual.

'smarty-template-count-words'

Menu: Smarty -> Templates -> Variable Modifiers -> count_words

Keybinding: C-c C-t C-v C-c w **Description**: See the manual.

'smarty-template-date-format'

Menu: Smarty -> Templates -> Variable Modifiers -> date_format

Keybinding: *C-c C-t C-v f* **Description**: See the manual.

'smarty-template-default'

Menu: Smarty -> Templates -> Variable Modifiers -> default

Keybinding: *C-c C-t C-v d* **Description**: See the manual.

'smarty-template-escape'

Menu: Smarty -> Templates -> Variable Modifiers -> escape

Keybinding: C-c C-t C-v e **Description**: See the manual.

'smarty-template-indent'

Menu: Smarty -> Templates -> Variable Modifiers -> indent

Keybinding: C-c C-t C-v i Description: See the manual.

'smarty-template-lower'

Menu: Smarty -> Templates -> Variable Modifiers -> lower

Keybinding: *C-c C-t C-v 1* **Description**: See the manual.

'smarty-template-nl2br'

Menu: Smarty → Templates → Variable Modifiers → nl2br

Keybinding: *C-c C-t C-v n* **Description**: See the manual.

'smarty-template-regex-replace'

Menu: Smarty -> Templates -> Variable Modifiers -> regex_replace

Keybinding: *C-c C-t C-v x* **Description**: See the manual.

'smarty-template-replace'

Menu: Smarty -> Templates -> Variable Modifiers -> replace

Keybinding: C-c C-t C-v C-p Description: See the manual.

'smarty-template-spacify'

Menu: Smarty -> Templates -> Variable Modifiers -> spacify

Keybinding: *C-c C-t C-v y* **Description**: See the manual.

'smarty-template-string-format'

Menu: Smarty -> Templates -> Variable Modifiers -> string_format

Keybinding: C-c C-t C-v s
Description: See the manual.

'smarty-template-vstrip'

Menu: Smarty -> Templates -> Variable Modifiers -> strip

Keybinding: C-c C-t C-v C-s **Description**: See the manual.

'smarty-template-strip-tags'

Menu: Smarty -> Templates -> Variable Modifiers -> strip_tags

Keybinding: C-c C-t C-v M-s **Description**: See the manual.

'smarty-template-truncate'

Menu: Smarty -> Templates -> Variable Modifiers -> truncate

Keybinding: C-c C-t C-v t Description: See the manual.

'smarty-template-upper'

Menu: Smarty → Templates → Variable Modifiers → upper

Keybinding: *C-c C-t C-v u* **Description**: See the manual.

'smarty-template-wordwrap'

Menu: Smarty -> Templates -> Variable Modifiers -> wordwrap

Keybinding: C-c C-t C-v w Description: See the manual.

6.2.4 Plugins Functions

6.2.4.1 BlockRepeatPlugin

'smarty-template-repeat'

Menu: Smarty → Templates → Plugins (Functions) → BlockRepeatPlugin →

repeat

Keybinding: none

Description: See the plugin manual.

'smarty-template-str-repeat'

Menu: Smarty → Templates → Plugins (Functions) → BlockRepeatPlugin →

 str_repeat

Keybinding: none

Description: See the plugin manual.

6.2.4.2 ClipCache

'smarty-template-clipcache'

Menu: Smarty -> Templates -> Plugins (Functions) -> ClipCache -> clipcache

Keybinding: none

Description: See the plugin manual.

'smarty-template-include-clipcache'

Menu: Smarty -> Templates -> Plugins (Functions) -> ClipCache -> in-

clude_clipcache
Keybinding: none

Description: See the plugin manual.

6.2.4.3 Smarty Formtool

'smarty-template-formtool-checkall'

Menu: Smarty -> Templates -> Plugins (Functions) -> SmartyFormtool ->

formtool_checkall Keybinding: none

Description: See the plugin manual.

'smarty-template-formtool-copy' Menu: Smarty -> Templates -> Plugins (Functions) -> SmartyFormtool -> formtool_copy Keybinding: none **Description**: See the plugin manual. 'smarty-template-formtool-count-chars' Menu: Smarty -> Templates -> Plugins (Functions) -> SmartyFormtool -> $formtool_count_chars$ Keybinding: none **Description**: See the plugin manual. 'smarty-template-formtool-init' Menu: Smarty -> Templates -> Plugins (Functions) -> SmartyFormtool -> $formtool_init$ Keybinding: none **Description**: See the plugin manual. 'smarty-template-formtool-move' Menu: Smarty -> Templates -> Plugins (Functions) -> SmartyFormtool -> $formtool_move$ Keybinding: none **Description**: See the plugin manual. 'smarty-template-formtool-moveall' Menu: Smarty -> Templates -> Plugins (Functions) -> SmartyFormtool -> $formtool_move all$ Keybinding: none **Description**: See the plugin manual. 'smarty-template-formtool-movedown' Menu: Smarty -> Templates -> Pluqins (Functions) -> SmartyFormtool -> $formtool_movedown$ Keybinding: none **Description**: See the plugin manual. 'smarty-template-formtool-moveup' Menu: Smarty -> Templates -> Plugins (Functions) -> SmartyFormtool -> $formtool_moveup$ Keybinding: none **Description**: See the plugin manual. 'smarty-template-formtool-remove' Menu: Smarty -> Templates -> Plugins (Functions) -> SmartyFormtool -> $formtool_remove$ Keybinding: none **Description**: See the plugin manual. 'smarty-template-formtool-rename' Menu: Smarty -> Templates -> Plugins (Functions) -> SmartyFormtool -> $formtool_rename$

Keybinding: none

Description: See the plugin manual.

'smarty-template-formtool-save'

Menu: Smarty -> Templates -> Plugins (Functions) -> SmartyFormtool ->

formtool_save
Keybinding: none

Description: See the plugin manual.

'smarty-template-formtool-selectall'

 $\mathbf{Menu:} \ \ \mathit{Smarty} \ {\color{red} \rightarrow} \ \ \mathit{Templates} \ {\color{red} \rightarrow} \ \ \mathit{Plugins} \ \ (\mathit{Functions}) \ {\color{red} \rightarrow} \ \ \mathit{SmartyFormtool} \ {\color{red} \rightarrow} \ \ \\$

formtool_selectall
Keybinding: none

Description: See the plugin manual.

6.2.4.4 Smarty Paginate

'smarty-template-paginate-first'

 $\mathbf{Menu:} \ \ \mathit{Smarty} \ {\color{red} \rightarrow} \ \ \mathit{Templates} \ {\color{red} \rightarrow} \ \ \mathit{Plugins} \ \ (\mathit{Functions}) \ {\color{red} \rightarrow} \ \ \mathit{SmartyPaginate} \ {\color{red} \rightarrow} \ \ \mathit{Implates} \ \ \mathit{Implates} \ {\color{red} \rightarrow} \ \ \mathit{Implates} \ \ \ \mathit{Implates} \ \ \ \mathit{Implates} \ \ \mathit{Implates}$

paginate_first
Keybinding: none

Description: See the plugin manual.

'smarty-template-paginate-last'

 $\mathbf{Menu:} \ \ \mathit{Smarty} \ {\color{red} \rightarrow} \ \ \mathit{Templates} \ {\color{red} \rightarrow} \ \ \mathit{Plugins} \ \ (\mathit{Functions}) \ {\color{red} \rightarrow} \ \ \mathit{SmartyPaginate} \ {\color{red} \rightarrow} \ \ \\$

paginate_last
Keybinding: none

Description: See the plugin manual.

'smarty-template-paginate-middle'

Menu: Smarty -> Templates -> Plugins (Functions) -> SmartyPaginate ->

paginate_middle
Keybinding: none

Description: See the plugin manual.

'smarty-template-paginate-next'

Menu: Smarty -> Templates -> Plugins (Functions) -> SmartyPaginate ->

paginate_next
Keybinding: none

Description: See the plugin manual.

'smarty-template-paginate-prev'

Menu: Smarty -> Templates -> Plugins (Functions) -> SmartyPaginate ->

paginate_prev
Keybinding: none

Description: See the plugin manual.

6.2.4.5 Smarty Validate

'smarty-template-validate'

 $\mathbf{Menu:} \ \ \mathit{Smarty} \ {\color{red} \rightarrow} \ \ \mathit{Templates} \ {\color{red} \rightarrow} \ \ \mathit{Plugins} \ \ (\mathit{Functions}) \ {\color{red} \rightarrow} \ \ \mathit{SmartyValidate} \ {\color{red} \rightarrow} \ \$

validate

Keybinding: none

Description: See the plugin manual.

6.2.5 Plugins Variable Modifiers

6.2.5.1 AlternativeDateModifierPlugin

'smarty-template-date-formatto'

Menu: Smarty -> Templates -> Plugins (Variable Modifiers) -> Alternative-

 $DateModifierPlugin \rightarrow date_format2$

Keybinding: none

Description: See the plugin manual.

6.2.5.2 B2Smilies

'smarty-template-btosmilies'

Menu: Smarty -> Templates -> Pluqins (Variable Modifers) -> B2Smilies ->

B2Smilies

Keybinding: none

Description: See the plugin manual.

6.2.5.3 bbcode2html

'smarty-template-bbcodetohtml'

 $\mathbf{Menu:}\ \mathit{Smarty} \ {\color{red} {\color{blue} {\color{b} {\color{blue} {\color{bu} {\color{blue} {\color{bu} }} {\color{blue} {\color{blue} {\color{blue} {\color{blue} {\color{blue} {\color{blue} {\color{blue} {\color{blue} {\color{blue} {\color$

-> bbcode2html
Keybinding: none

Description: See the plugin manual.

6.2.6 Non-Smarty Functions

'smarty-template-header'

Menu: Smarty -> Templates -> Insert Header

Keybinding: C-c C-t C-h

Description: This function is used to insert a header in the current buffer.

'smarty-template-footer'

Menu: Smarty -> Templates -> Insert Footer

Keybinding: C-c C-t C-f

Description: This function is used to insert a footer in the current buffer.

'smarty-template-insert-date'

Menu: Smarty -> Templates -> Insert Date

Keybinding: C-c C-t C-d i

Description: This function is used to insert the date in the current buffer.

'smarty-template-modify'

Menu: Smarty -> Templates -> Modify Date

Keybinding: C-c C-t C-d m

Description: This function is used to modify the last modification date in the

current buffer.

7 Bugs, Help

- To report bugs: Bugtracker
- To obtain help you can post on the dedicated forum: Forum

Index

A	Menu Sources
AlternativeDateModifierPlugin	Miscellaneous 6 Mode 4, 6
В	
B2Smilies	N
bbcode2html 19 BlockRepeatPlugin 16 Bugs 21	Non-Smarty Functions
Built-in Functions	P
\mathbf{C}	Paramters 4 Plugins Functions 16
ClipCache	Plugins Variable Modifiers
Custom Functions 12 Customization 7, 9, 10	
Customization	\mathbf{S}
F	Smarty Formtool
Functions 6, 7, 8, 9, 10	Smarty Paginate
, , , ,	Stuttering
H	
Header 5	${f T}$
Help	Templates
\mathbf{M}	**
Menu	\mathbf{V}
Menu Smarty 7	Variable Modifiers

Customizations variables Index

smarty-compay-name 5	smarty-left-delimiter
smarty-copyright-string 5	smarty-modify-date-on-saving
smarty-date-format 5	smarty-modify-date-prefix-string
smarty-electric-mode	smarty-right-delimiter
smarty-file-footer 5	smarty-source-file-menu 4, 7
smarty-file-header 5	smarty-stutter-mode
smarty-highlight-plugin-functions 4	smarty-word-completion-case-sensitive
smarty-intelligent-tab 6	smarty-word-completion-in-minibuffer

Functions Index 24

Functions Index

smarty-template-html-options	
smarty-template-html-radios	
$\verb smarty-template-html-select-time$	13
<pre>smarty-template-html-table</pre>	13
smarty-template-if	11
<pre>smarty-template-include</pre>	
<pre>smarty-template-include-clipcache</pre>	16
<pre>smarty-template-include-php</pre>	
smarty-template-indent	14
smarty-template-insert	11
smarty-template-insert-date	19
smarty-template-paginate-last	
· -	
· · · · · · · · · · · · · · · · · · ·	
smarty-version	7
	smarty-template-html-radios smarty-template-html-select-date smarty-template-html-select-time smarty-template-html-table smarty-template-if smarty-template-include smarty-template-include-clipcache smarty-template-include-php smarty-template-indent smarty-template-insert smarty-template-lisert smarty-template-literal smarty-template-literal smarty-template-lower smarty-template-mailto smarty-template-math smarty-template-math smarty-template-modify smarty-template-nl2br smarty-template-paginate-first

Stuttering Index 25

C+11++	oning	Tno	1037
Stutte	ering	THU	lex

()	Ć
` (9		
	\mathbf{S}	
	SPACE	ć

Short Contents

1	Introduction	1
2	Installation	2
3	Customization	4
4	Menus	7
5	Stuttering	9
6	Templates	0
7	Bugs, Help	21
Inde	ex	22
Cus	tomizations variables Index	23
Fun	ctions Index	24
Stut	ttering Index	25

Table of Contents

1	Intro	oduction 1
2	Insta	allation
	2.1	Requirements
	2.2	Download
	2.3	Installation
		2.3.1 Installation
		2.3.2 Update
	2.4	Invoke Smarty-Mode
3	Cust	$\mathbf{z}_{\mathbf{comization}}$
	3.1	Parameters
	0.1	3.1.1 Mode
		3.1.2 Menu
		3.1.3 Menu
		3.1.4 Templates
		3.1.4.1 Header
		3.1.5 Miscellaneous
	3.2	Functions
		3.2.1 Mode 6
4	Men	us
	4.1	Smarty
	1.1	4.1.1 Functions
	4.2	Sources
		4.2.1 Customization
		4.2.2 Functions
5	Stut	tering
0		Customization
	5.1 5.2	Functions
	3.2	runctions
6	Tem	plates
	6.1	Customization
	6.2	Functions
		6.2.1 Built-in Functions
		6.2.2 Custom Functions
		6.2.3 Variable Modifiers
		6.2.4 Plugins Functions
		6.2.4.1 BlockRepeatPlugin
		6.2.4.2 ClipCache

			6.2.4.3	Smarty Formtool	ĵ
			6.2.4.4	Smarty Paginate	3
			6.2.4.5	Smarty Validate	3
		6.2.5	Plugins	Variable Modifiers	9
				AlternativeDateModifierPlugin 19	
			6.2.5.2	B2Smilies	9
			6.2.5.3	bbcode2html	9
		6.2.6	Non-Sm	arty Functions	9
7 Ind	0 ,	-			
Cu	ıstomiz	ation	ıs varia	ables Index	3
Fu	nctions	s Inde	e x		Ł
Sta	utterin	g Ind	ex		í