Java script 17/09/2022 black chain changed. < script type a text-form fext / pavascrept mode about DOM free downth Global Scope the Daw indust (head) downent get Element 13, HTM => Object 9 Unique id button

Aginsowy. Today Agende -> Input -> uses 1) HTML forms [ ex \_ google search input function onclick = ordering data to dotabase

- add data to blockehing son colabtions # DOM input

1) form-input. Hamle Lh2> Talk input from uses in HTM3 forms
 L'input place holdes = "entes anything" i d="kxts"

hind Linput type= "passward" i'd = "text 2" plawball

= "passward" > (b/s)

Chulton onclick = "function" i'd = "btmi" > click

her click < script type = "text/parascript"> function funct () of let Sts = downent get Element By Ed ("text 1"). Value

| į. | - |   |
|----|---|---|
|    |   | 1 |
| 1  | 2 | 1 |
|    | 2 | / |

DATE: / /
PAGE NO.:

| 11.  |  |  |
|--|--|--|
| ,  | windows alert (" +   | re westers is" +5+1);  |
|  |  |  |
| 4 1 1  | N. 1916  |  |
|  | o Blockehoin   | Control of the contro |
|  | o Salidity   | 0  |
|  |  | Radjo Button   |
|  | o Sanguevan  | m <sup>2</sup>   |
| A CAN  | o Telus Kn   | only one selected  |
| 4 1  |  | Then other unselectied   |
|  |  |  |
| 12. By   | 3 - 1. Marilla 1. 12.  | 1  |
| 9  | the transfer of  |  |
| 33.55  | 15 4 . 10/1 B. A. J.   |  |
| 0 1  | ladio Betton. html.  | Now to De C  |
| (2) k  | The state of the s | A  |
|  | Chr > man  | nipulate reglio button using   |
| 12.  | 11.6   | dom M2)  |
|  | A Land   |  |
|  | <pre></pre>  | = "rd1" name = "grp1"  |
| 20   | Linput id-   | = nd1  |
| T1   | type =   | "radio" Value = "Blockehim)  |
| 1  | Blo  | (11 chain Clinpet)   |
| 1 1  | A Contract of the second   | 16.2   |
|  | Lings id =   | rd2 nom = grp 1 type= Red  |
| **************************************   | Valle -  | "Salidity" > Salidity  |
|  |  |  |
|  | hutton once  | ich = "fn 1 ()" id = "bdn1"  |
| and the state of t |  |  |
| - Andrews  | 25 cript type = "hex   | 1 Javas Ossipi   |
|  | Function f   |  |
| (d <sub>by</sub> )   | function f   | t trol 1 = downent. get Elemetby [   |
|  | <u>Je</u>  | ("rd1" g   |
|  |  | to down to   |

if (rd). checked== true) & alert (" the topic for to lay class is + reds. value else it (rdz. checked = = true) } alent (" the topic for today class is + Ird? Value) alert ("no reponse is selected"); Multiple of option choose one

3) Select box within all a dick then - for 1 / 1/20d> Linguet id not the second (Select idea "Selectbox 40ption Value = "Blockehen > Blockher Yopks Value = "Ineuren" > Ineuron Lophion Loption Value = "Solidity" solidity

Loption Value = "hout" > Meysay 2/Select > Intel solar 2 button onclick = from ()"> Chave ofthe -394 tans / 1/42/100 - Tenethers St. 1 1 4

(Stor What works) PAGE NO.: 250ript type=" text Jovess'" function fnK) of let selected = downers get Element by Id Windows aleast (selected options [ Selected . Selected India) Blockehain Development Web 3 App MML, + CSS + Java Soript (Dapper)
Solidity State Monagement Very beautiful in React JS. Blockchain Jesting node 75 Big chain DB -> mongo DB. > Decembralized