IDE

24 Aug 2022

HTML

HTML → (Hyper Text Markup Language)

HTML is the standard markup language for creating web pages.

- HTML describes the structure of web pages
- HTML consists of a series of element.
- HTML element tells the browser how to display the content
- HTML element are represented tags.

```
<html>
<head>
        <title> HTML CSS Course </title>
</head>
<body>
        <h1> Armian Tech </h1>
        <h2></h2>
        .
        <h6> </h6>
</body>
</html>
```

HTML headline

<h1> Armian.Tech </h1>
<h2> Armian.Tech </h2>
<h3> Armian.Tech </h3>
<h4> Armian.Tech </h4>
<h5> Armian.Tech </h5>
<h6> Armian.Tech </h6>

HTML paragraph

<P> I guranteed in Youtube this
course is best by Thapa
Technical </P>

Text Formating

	<b>	Bold text
	<strong>	Important text
	<i>	Italic text
	<em>	Emphasized text
	<mark>	Marked Text
	<small>	Small Text
(Strike) —	<del>	Deleted Text
H_2O ←	<sub>	Subscript Text
$x^2 + y^2$ ←	<sup>	Super script Text

⇒ HTML5 & CSS3

Mateeulleh azmi ⇒ `<del>` Mateulleh Azmi `</del>`

$x^2 + y^2$ ⇒ `<p>` x `<sup>`2`</sup>` + y `<sup>`2`</sup>` `</p>`

H_2O ⇒ `<p>` H `<sub>`2`<sub>` `</p>`

HTML Comment

`<! -- //Comut -- !>`

Style - → open tag
tage - `<h1>` `</h1>` → closed
element - `<h1>` Mateeulleh Azmi `</h1>`
→ Element is the a data & tag combination.

Style → ad style
`<h1 style="color: blue;>` Welcome to HTML & CSS course`</h1>`

HTML link

It is hyper link
`<button>` `</button>` — button icon [button]
target = "_blank" — new tab open
title = " click to visit "—

HTML Images

Which are the not close tage.

alt = " Pictures erss time"

<img src=" images/profile.png >

```
<hr>  —   horizontal line
<br>  —      break
```

HTML Tables

YouTube	Topic	Degree	Suscriber
Motculls Dm	PS Tech	B.Tech	2

```
<table > —
<tr>   —   Table Row
<th>   —   Table heading
<td>   —   Table Data
```

```
<table border = "1"   cellspacing = "0"   cellpadding = "10"
   style = "text-align: center;" >

   <tr>
        <th colspan = "2" > Youtube Name </th>
```

Youtub Name	
Motcllls	Tech

✱ colspan = two space of column.
   Rowspan = two space of row

youtube Name	
Motiullh 📈	Progra
	Tech

HTML List

<UL> - ○ unorder list
<LI> → List item

<ul type= " _____ " >
   1. ▢ square
   2. ○ Circle
   3. ● Disc

OL — order list
<ol typ= " _____ " >
   1. "A"
   2. "a"
   3. '1'
   4 "1"   Start = "s"

HTML Form

username

```
<lable > usesname: </lable >
<input   type = text        place holed = "Enter a usesnao">
```

placehalder

It with a display input form.

Password
```
<input  type ="password>
```
[• • •]

Email
```
<input    type = "text ">
```
[xyz@gmal]

Mobile N.
```
<input   type  ="number">
```
[1 2 3 4 5 6]

Selection
```
<option > B.ranch </option>
<option value = " CS"> CS   </option>
<option  vahe ="IT> IT   </option>
```

Text Area
```
<textxarea   cols ="30"  rows "10" > </texfarea>
```

Radio
```
<input   typ= "radio"   name = "gender" > Male
<input     type = "radio"   name = "gender" > Female
```

> * Without name both are selected. If name same only one selected.

<u>check box</u> → Read all ☑

<input type = "checkbox" name > yes, Iam read >

<u>Sumbit</u>

<input type = "sumbit" name = "sumbit"

value = "SUMBIT">

| SUMBIT |