

	//_
#	Interview question
***	Difference between null Vs undefined?
,	
	var iAm Useless = null;
,	console. log (iamuselses) i -> mill
,	console log (type of (inmuselus)); > Object
5	112nd javoscript bug
-	[112101 July 2009]
)	
	Var i Am Stand By;
	console. log. (iAm Stand By); -> undefined
•	console. log (type of (iAMStandby)); -> undefined
•	
**	
2 =>	What is NaN? (Not-a-Number)
•	You are two String subtract is NaN - output
)	ex ("Moteculler" - "Armi");
-	Colobal
3	· It is a property of object. Or
•	· It is a variable in Global Scope
3	· The initial Value of NaN - Not-a-Number.
5	and the second of the second o
3	Programme var my Phone Number = 9151512555;
	Var my Name = "Motecullet Prmi";
•	
D	Console. log (is NaN (my Phone Number)); -> False
5 44	(onsole log (is NaN (my Name)); -> True
2	
	if (is NaN (my Name) &
	if (is NaiN (my Name) & (onsale.log ('Plz enter valid phone numbes');
,	Comment of the commen

3 ⇒ Challenge Time - (Non Practice)

⇒ NaN === NaN ⇒ false
⇒ Number. Nan === NaN; ⇒ false
⇒ is Nan (NaN); ⇒ True
⇒ is NaN (Number. Nam) ⇒ True
⇒ Numbers. is NaN (NaN) ⇒ True