

Airport Flight Board & Scheduler

Java Source Code

```
import java.util.Scanner;

public class AirportFlightBoard {

    static Scanner sc = new Scanner(System.in);

    static String[] flightNo = new String[50];
    static String[] airline = new String[50];
    static String[] source = new String[50];
    static String[] destination = new String[50];
    static String[] departure = new String[50];
    static String[] arrival = new String[50];
    static String[] terminal = new String[50];
    static String[] gate = new String[50];
    static String[] status = new String[50];

    static int count = 0;

    static void addFlight() {
        System.out.println("\n--- Add Flight ---");

        System.out.print("Enter Flight Number: ");
        flightNo[count] = sc.nextLine();

        System.out.print("Enter Airline Name: ");
        airline[count] = sc.nextLine();

        System.out.print("Enter Source: ");
        source[count] = sc.nextLine();

        System.out.print("Enter Destination: ");
        destination[count] = sc.nextLine();

        System.out.print("Enter Departure Time: ");
        departure[count] = sc.nextLine();

        System.out.print("Enter Arrival Time: ");
        arrival[count] = sc.nextLine();

        System.out.print("Enter Terminal Number: ");
        terminal[count] = sc.nextLine();

        System.out.print("Enter Gate Number: ");
        gate[count] = sc.nextLine();

        status[count] = "Scheduled";
        count++;

        System.out.println("Flight added successfully!");
    }

    static void updateStatus() {
        System.out.print("\nEnter Flight Number: ");
        String number = sc.nextLine();

        int index = -1;

        for (int i = 0; i < count; i++) {
            if (flightNo[i].equalsIgnoreCase(number)) {
                index = i;
                break;
            }
        }

        if (index == -1) {
            System.out.println("Flight not found!");
            return;
        }

        System.out.println("1. Boarding");
        System.out.println("2. Departed");
        System.out.println("3. Arrived");
        System.out.println("4. Delayed");
        System.out.println("5. Cancelled");
    }
}
```

```

System.out.print("Enter new status: ");
int choice = Integer.parseInt(sc.nextLine());

switch (choice) {
    case 1:
        status[index] = "Boarding";
        break;
    case 2:
        status[index] = "Departed";
        break;
    case 3:
        status[index] = "Arrived";
        break;
    case 4:
        status[index] = "Delayed";
        break;
    case 5:
        status[index] = "Cancelled";
        break;
    default:
        System.out.println("Invalid choice!");
        return;
}

System.out.println("Flight status updated successfully.");
}

static void searchFlight() {
    System.out.print("\nEnter Flight Number to search: ");
    String number = sc.nextLine();

    boolean found = false;

    for (int i = 0; i < count; i++) {
        if (flightNo[i].equalsIgnoreCase(number)) {
            System.out.println("\nFlight Number: " + flightNo[i]);
            System.out.println("Airline: " + airline[i]);
            System.out.println("Source: " + source[i]);
            System.out.println("Destination: " + destination[i]);
            System.out.println("Departure: " + departure[i]);
            System.out.println("Arrival: " + arrival[i]);
            System.out.println("Terminal: " + terminal[i]);
            System.out.println("Gate: " + gate[i]);
            System.out.println("Status: " + status[i]);
            found = true;
            break;
        }
    }

    if (!found) {
        System.out.println("Flight not found!");
    }
}

static void showFlightBoard() {
    System.out.println("\n===== FLIGHT BOARD =====");

    if (count == 0) {
        System.out.println("No flights available.");
        return;
    }

    for (int i = 0; i < count; i++) {
        System.out.println("-----");
        System.out.println("Flight No : " + flightNo[i]);
        System.out.println("Airline : " + airline[i]);
        System.out.println("From : " + source[i]);
        System.out.println("To : " + destination[i]);
        System.out.println("Departure : " + departure[i]);
        System.out.println("Arrival : " + arrival[i]);
        System.out.println("Terminal : " + terminal[i]);
        System.out.println("Gate : " + gate[i]);
        System.out.println("Status : " + status[i]);
    }
    System.out.println("=====");
}

public static void main(String[] args) {
    while (true) {
        System.out.println("\n===== AIRPORT FLIGHT BOARD & SCHEDULER =====");

```

```

System.out.println("1. Add Flight Schedule");
System.out.println("2. Update Flight Status");
System.out.println("3. Search Flight");
System.out.println("4. Show Flight Board");
System.out.println("5. Exit");

System.out.print("Enter your choice: ");
int choice = Integer.parseInt(sc.nextLine());

switch (choice) {
    case 1:
        addFlight();
        break;

    case 2:
        updateStatus();
        break;

    case 3:
        searchFlight();
        break;

    case 4:
        showFlightBoard();
        break;

    case 5:
        System.out.println("Thank you!");
        return;

    default:
        System.out.println("Invalid choice! Try again.");
}
}
}
}
}

```