Input Interface of “Welcome”
ARRAY holds: Lettuce, Tomato, Onion, Cucumber, Corn, Potato, Soy bean, Thyme
Void welcomeDisplay
Input Interface of “DayTaken” to show a random date that is taken
Input “Random” package to generate random days
Int randDay
Int randMonth
Int randHour
Int year
Void dayDisplay
Void changeDay that takes ranDay, randMonth, randHour
Input “Scanner” package to read user input
Input “File” package to make file
Input “FileWriter” to write to file
Input “IOException” to throw expectations
Input class “CreateFile” that creates the file “Receipt.txt”
Public void “fileMake”

    IF the file is created
        Tells user the file was created
    ELSE
        Tells user the file already exists
    CATCH
        If an error occurrs

Input class “Write” to write on the file “Receipt.txt”
Calls class “Info”
Calls class “Appointment”
Calls class “Donations”
Public void “writeFile”

    TRY
        Calls class “FileWriter”
        Writes getFirstName(), getLastName(), getEmail(), getNumber(), getMonth(), getDay(),
        getYear(), getHour(), getTime(), getMon(), getSeed(), getSoil(), getFert(), getLab(),
        getTools()
        Tells user that the file was written to
    CATCH
        If an error occurrs

Input class “Display” that implements “DayTaken” and “Welcome”
Public void “dayDisplay”

    Outputs the produce from the array

Input class “Info”
Static Scanner userS
Public static string “firstName”
Public static string “lastName”
Private static string “email”

Private static string “number”
Static void setEmail to set the email variable
String getEmail to return the email
Static void setNumber to set the number variable
String getNumber to return the number
String getFirstName to return the first name
String getLastName to return the last name
Public static void Questions
  Asks user for first name
  firstName equals userS.nextLine()
  Asks user for last name
  lastName equals userS.nextLine()
  Asks for email
  setEmail(userS.nextLine())
  Asks for number
  setNumber(userS.nextLine());
Class “Appointment” that extends “Info”
Info inf variable
public static int day
public static int month
public static int year
public static int hour
public static char time
int getDay that returns day
int getMonth that returns month
int getYear that returns year
int getHour that returns hour
char getTime that return time
Public void showInfo
  Outputs user’s name
  Outputs user’s email
  Outputs user’s number
  Outputs user’s the date the user chose
  Outputs user’s the hour chosen
Class “Donations”
Scanner userS to read user input
public static double money set to 0
public static int seeds set to 0
public static float soil set to 0
public static float fert set to 0
public static int labor set to 0
public static int tools set to 0
public static int choice set to 0
Public void donos

Outputs what the user would like to donate
Choice equals user input
WHILE Choice equals 0 or is over 7
    Program will tell user the number is invalid and ask to input again
WHILE choice does not equal 7
    SWITCH choice
        Case 1 asks how much money the user wants to donate
        Money adds to itself
        Break
        Case 2 asks how many seed bags the user wants to donate
        Seeds adds to itself
        Break
        Case 3 asks how much soil user wants to donate
        Soil adds to itself
        Break
        Case 4 asks how much fertilizer user wants to donate
        Fert adds to itself
        Break
        Case 5 asks how many hours of labor user wants to give
        Labor adds to itself
        Break
        Case 6 asks how many tools the user wants to donate
        Tools adds to itself
        break
    Asks user what else they would like to donate
    Choice equals user input
Outputs a thank you for user
public Double getMon returns money
public int getSeed returns seeds
public Float getSoil returns soil
public Float getFert returns fert
public int getLab returns labor
public int getTools returns tools
Class “Output” as the main class
Have public static void main(String args[])
try Scanner userS
Info info
Appointment app
Display dis
Donations dono
CreateFile file
Write text
char choice
Outputs a welcome for the user

Calls the dayDisplay void
Calls the welcomeDisplay void
Outputs the user to get read to start writing
Calls Questions void
DO
  Asks user for the month they want to go
  App.month equals user input
  Asks user the day they want to go
  App.day equals user input
 WHILE app.getMonth equals 2 and app.getDay equals 29 or app.getMonth equals 2 and app.getDay equal 30 or app.getMonth equals 2 and app.getDay equals 31
    Output the day is invalid and ask user to try again
    App.day equals user input
  WHILE app.getMonth equals 2 and app.getDay equals 31 or app.getMonth equals 4 and app.getDay eqausl 31 or app.getMonth equals 6 and app.getDay equals 31 or app.getMonth equals and app.getDay equals 31 or app.getMonth equals 11 and app.getDay equals 31
    Output the day is invalid for the user to try again
    App.day equals user input
  WHILE app.getDay is greater than 31
    Output the day is invalid for the user to try again
    App.day equals user input
  Ask user to input the year the user wants to go
  WHILE app.getYear is greater than 2025
    Output that the year is invalid and asks the user to try again
    app.getYear equals user input
  Ask user to input at hour they want to go
  App.hour equals user input
  Ask if the user if they want to go at am or p
  app.time equals user input
  IF app.getTime() does not equal a or app.getTime does not equal A or app.getTime does not equal p or app.getTime does not equal P
    Tell user that the character is invalid
    App.time equals user input
  IF app.getMonth equals DayTaken.randMonth and app.getDay equals DayTaken.randDay and app.getHour equals DayTaken.randHour
    Tell user the date is already taken and to try again
  WHILE app.getMonth equals DayTaken.randMonth and app.getDay equals DayTaken.randDay and app.getHour equals DayTaken.randHour
Call showInfo
Output asking if the user would like to donate
Choice equals user input
IF choice does not equal y or choice does not equal Y or choice does not equal n or choice does not equal N
    Output that the input is invalid and for the user to try again

```
        Choice equals user input
SWITCH choice
        Case n: Output a thank you to the user
                Call fileMake
                Call writeFile
                Break
        Case N: Output a thank you to the user
                Call fileMake
                Call writeFile
                Break
        Case y: Call donos
                Output a thank you to the user
               Call fileMake
                Call writeFile
                Break
        Case Y:Call donos
                Output a thank you to the user
               Call fileMake
                Call writeFile
                Break
```