

Motion graphics with Claude Code

How I make the animated parts of my reels. Every prompt inside was run and checked before it went in here.



What this is

I don't use After Effects for the cards and counters in my videos. I tell Claude Code what I want, it writes the animation as a small web page, and a free tool called HyperFrames turns that page into a video file.

This guide is that whole process, step by step. You don't need to know code. You need to copy, paste and say what you want changed.

prompts.md

every prompt in this PDF, same numbers

sfx/

9 click and pop sounds I made in code

fonts/

the free fonts the 4 styles use

clip.mp4

an 18-second practice clip. He's AI-generated, not a real person.

Before you start a project, copy the kit's fonts folder into it (and the sfx folder for page 17). The prompts point at those files. Copy prompts from prompts.md on your computer: PDFs mess up line breaks.

New to Claude Code?

You need a paid Claude plan (Pro, Max, Team or Enterprise) or an API account. Install it with one line in your terminal, then make an empty folder, open a terminal in it and type

`claude`.

Mac `curl -fsSL https://claude.ai/install.sh | bash`

Windows (PowerShell) `irm https://claude.ai/install.ps1 | iex`

Full guide: code.claude.com/docs

One prompt sets up **your computer**

HyperFrames is open source, made by HeyGen. It isn't built into Claude, so the first time you need a few things on your computer. You don't need to know what they are. Paste this and Claude checks what you have and installs what's missing. You only do this once per computer.

PROMPT 01 Setup

[copy from prompts.md](#)

Set up this computer so I can make videos with HyperFrames. First work out if I'm on a Mac or on Windows, then:

1. Check I have Node.js 22 or newer. If not, install it (Homebrew on Mac, winget on Windows).
2. Check I have FFmpeg. If not, install it the same way.
3. Check I have whisper-cpp, which turns speech into timed text. If not, install it (Homebrew on Mac; on Windows use the latest release from github.com/ggml-org/whisper.cpp and add it to PATH).
4. Install the HyperFrames skills for Claude Code with `npx hyperframes skills`.
5. Run `npx hyperframes doctor` and read the result.

Ignore anything doctor calls optional (Docker, Kokoro, MusicGen). If something needs my password or admin rights, stop and give me the exact command to run myself.

When you're done, tell me in plain words: what was already there, what you installed, and anything I still need to do.

Then restart

Close Claude Code and open it again. The new skills only load on a fresh start, and it's the easiest step to skip.

If it fails

Windows can't find node or ffmpeg after installing: open a new terminal. Something needs your password: Claude gives you the command, you run it, then tell Claude done. I tested this on a Mac. Windows should work the same way, but I haven't run it there yet.

Your first video, about 2 minutes

Make a new empty folder, start Claude Code inside it, paste this.

PROMPT 02

First render

copy from prompts.md

Make me a 6-second video with HyperFrames in this folder, 1920x1080 at 30 fps.

One white frosted-glass card in the middle of a soft purple-to-blue gradient background. On the card: a small grey label that says MY FIRST RENDER, a big number that counts up from 0 to 100, and a green pill that says Made with Claude Code.

The card rises in at the start. The number counts up over 2 seconds. The green pill pops in at 4 seconds.

Use the Inter font. Render it to renders/first.mp4 and tell me where the file is.



THE ACTUAL FILE IT MADE IN AN EMPTY FOLDER · 1920×1080 · 30 FPS · 6 S

It's a web page that turns into a video

Three pieces, that's all.

1

index.html

The page. What's on screen.

2

The timeline

What moves, when, and how fast.


3

The render

Chrome takes a picture of every frame. FFmpeg glues them into an MP4.

Because the video is a file of text, you never drag keyframes around. You talk to it. **Slower.** **Move it up.** **Make the number bigger.** Claude edits the file and renders again.

Every project folder has an index.html. You can open it in a browser if you're curious. You don't have to.




Turn the knobs

This is the part I'd learn first. After any render, stay in the same session and say what you want different. These are the exact lines I tested on the first render, and each one worked first time.

Surface	Change the card from frosted glass to a solid purple-to-pink gradient card with white text.
Colour	Use my brand colours: background #111111, card #ff5a1f, text white.
Type	Switch the number to a serif font (Instrument Serif from Google Fonts) and make it 30% bigger.
Motion	Make every animation bouncier, with a bit of overshoot.
Timing	Make the green pill appear at 2 seconds instead of 4.
Layout	Move the card to the top-left corner and make it 20% smaller.


I ended every one with: `Keep everything else the same and render again to renders/first.mp4.`



10 moves I use all the time

Name the move and Claude knows what to do. Want all 10 in one video? PROMPT 03 makes a 14-second demo of every one.

Rise	fades in while moving up a little.
Pop	scales up from small with a small overshoot.
Count-up	a number rolls to its value. For any stat.
Checklist tick	lines get a green tick one by one.
Typewriter	text types itself.
Slide-in	comes in from the side.
Blur-in	blurry to sharp.
Punch-in	the whole frame zooms in fast. For the line people should remember.
Reframe	your video shrinks into a card and something new appears.
Bar fill	a progress bar fills up.



FROM THE PROMPT 03 DEMO • REFRAME FROM THE PRACTICE CLIP. I TESTED ASKING BY NAME: ADD A BLUR-IN, USE THE REFRAME MOVE. BOTH WORKED.

Kinetic Type

The words are the whole video: huge, all caps, slamming in on the beat. 2026 trend reports call it the most-cited motion trend of the year. Good for hooks and short punchy scripts.

PROMPT 04

Kinetic Type

paste under 08 to 11

STYLE: Kinetic Type

- The text is the whole video. No cards, no boxes.
- Font: Archivo Black (fonts/ArchivoBlack-400.woff2), all caps, huge. The main word fills most of the width.
- Colours: black background, white text, one accent colour #c6ff3d for the most important word on each screen.
- Motion: words slam in one by one, fast and snappy (power4.out, 0.25 to 0.4 seconds). Mix the moves: slide in from the side, stretch from squashed to full height, split the letters apart and back together. Each screen exits fast before the next one hits.
- Cut the screens on the rhythm of the words, like a beat.



SAME SCRIPT, SAME BASE PROMPT (PROMPT 08), ONLY THE STYLE BLOCK CHANGES • REAL FRAMES

Liquid Glass

The Apple look: frosted cards, soft colours, calm motion. It's close to what I use on my own reels, so if you've seen those, you know it.


PROMPT 05

Liquid Glass

paste under 08 to 11

STYLE: Liquid Glass

- Frosted glass cards: white at about 80% opacity, 30px background blur, thin white border, big rounded corners (32px), soft shadow.
- Background: soft light gradient with two or three blurred colour blobs (pale blue, lilac, peach) drifting slowly.
- Font: Inter (fonts/Inter-700.woff2 for headings, fonts/Inter-400.woff2 for small text). Dark grey text #1d1d1f, small uppercase grey labels above headings.
- Accent: green #34c759, only for ticks and checks.
- Motion: calm and smooth. Cards rise 30px and fade in with power3.out over 0.6 seconds, scaling up slightly from 0.96. Text arrives piece by piece. Nothing bounces.



SAME SCRIPT, SAME BASE PROMPT (PROMPT 08), ONLY THE
STYLE BLOCK CHANGES • REAL FRAMES

Editorial Grain

Serif type, paper, film grain, cut-out shapes. Hand-made texture is one of this year's big trends, a reaction to glossy AI-looking video. I'd use it for stories and opinions.

PROMPT 06

Editorial Grain

paste under 08 to 11

STYLE: Editorial Grain

- It should look like a printed magazine page, not a screen.
- Background: warm paper colour #efe8dc with visible film grain over everything (an animated SVG noise layer at about 12% opacity).
- Font: Instrument Serif (fonts/InstrumentSerif-400.woff2 and fonts/InstrumentSerif-400-italic.woff2) for headlines, large, mixing upright and italic words. Small labels in Inter (fonts/Inter-400.woff2), uppercase, letter-spaced.
- Colours: ink black #1a1a1a and one deep red accent #c2412d.
- Shapes: cut-out paper rectangles behind key words, slightly rotated (1 to 3 degrees), thin rules, and small page numbers in the corners.
- Motion: unhurried and a bit imperfect. Staggered timings that are not perfectly even, gentle slides and wipes, no bounces.



Heads up: grain makes big files. One of my 15-second tests came out at 124 MB, and rendering again with --crf 23 brought it to 69 MB.

SAME SCRIPT, SAME BASE PROMPT (PROMPT 08), ONLY THE
STYLE BLOCK CHANGES • REAL FRAMES

Pop Bold

Loud on purpose. Flat neon, chunky type, black outlines, and everything bounces. This is the one for when the video has to stop the scroll.


PROMPT 07

Pop Bold

paste under 08 to 11

STYLE: Pop Bold

- Loud, playful, flat colour. No gradients, no glass.
- Font: Bricolage Grotesque ExtraBold (fonts/BricolageGrotesque-800.woff2), big and chunky.
- Colours: flat blocks of #c6ff3d (lime), #8a3cff (purple), #ff4fd8 (pink) and #111111, with 4px black outlines and hard 8px offset shadows with no blur.
- Extras: rotating star and circle stickers, little arrows, a few simple shapes drawn in CSS.
- Motion: bouncy and springy. Things pop in with back.out(2.5), overshoot, wobble a little, squash and stretch. Stickers spin slowly the whole time.



SAME SCRIPT, SAME BASE PROMPT (PROMPT 08), ONLY THE STYLE BLOCK CHANGES • REAL FRAMES

A video with **only text**

No camera, no footage. You give it a script, it puts one sentence per screen and animates them. Swap my script for yours. On its own it uses frosted cards. Put any style block under it to change the look.

PROMPT 08

Text-only video

copy from prompts.md


Make a 15-second vertical video (1080x1920, 30 fps) with HyperFrames in this folder, made only of animated text. No footage.

Script:

Most product videos lose people in 2 seconds. Here's how to keep them. Show the result first. Cut every pause. One idea on screen at a time. Then tell them what to do next.

Use my exact words. Don't rewrite or shorten the script. Show one sentence per screen, big enough to read on a phone. If a sentence is long, wrap it over two or three lines on the same screen. Each screen stays up long enough to read. Keep all text inside the middle 80% of the width so phones don't crop it. If there is a STYLE section below, follow it. If not, use clean white frosted cards on a soft light gradient, with the Inter font.

Render to renders/text.mp4.



THE PROMPT 08 TEST RENDER, NO STYLE BLOCK · 1080×1920 · 15 S

A product launch video

Tally isn't real. I made it up for the test, and Claude built the app screen, the phone and the logo in code. Swap in your product, and give it your real numbers or it will invent example ones. If you have a product photo, call it product.png and put it in the folder.

PROMPT 09

Product video

copy from prompts.md

Make a 12-second product launch video with HyperFrames in this folder, 1920x1080 at 30 fps.


The product is Tally, an app that shows what your online shop really earns after fees. If there is a product.png in this folder, use it as the hero image. If not, build the product in HTML and CSS (an app screen, a logo, or a phone with the app on it).

Structure:

- 0 to 2 seconds: the logo or product name is revealed.
- 2 to 9 seconds: three feature moments, one at a time. Each one shows the product doing the thing, not just a sentence. Features: connects to your store in one click / shows profit after fees, ads and refunds / sends you one number every morning.
- 9 to 12 seconds: end card with the product name, one short line and a call to action: Join the waitlist.

If there is a STYLE section below, follow it. If not, use clean white frosted cards on a soft light gradient.

Render to renders/product.mp4.



THE PROMPT 09 TEST RENDER · 1920×1080 · 30 FPS · 12 S

A promo for **your SaaS**

Got an app or a SaaS? Put screenshots of it in a folder called screenshots and let Claude build the promo around them. The three screens in my test are made up, Tally isn't real, but the prompt is the one I'd use for a real product.

PROMPT 10

SaaS promo

copy from prompts.md

You're an amazing motion graphics designer. Make a 1-minute promo video for my SaaS with HyperFrames, in this folder, 1920x1080 at 30 fps.

The product is Tally, an app that shows online shops what they really earn after fees, ads and refunds. The screenshots folder has real screens from the app.

1. Look at every screenshot first and work out what each one shows.
2. Build the video around them. Open with a short hook, then show each screen and zoom into the part that matters (the number, the chart, the button) with a short line of text that says what it does for the customer.
3. Use the screenshots as they are. Don't redraw them.
4. Kinetic style: fast zooms and pans into the screenshots, big bold words between the screens, cuts on a steady beat.
5. End on the logo, one short line and a call to action: Start your free trial.

Render to renders/promo.mp4.



THE PROMPT 10 TEST RENDER · 1920×1080 · 30 FPS · 60 S ·
REAL SCREENSHOTS, ZOOMED

Graphics on **your own video**

This is what I do on my reels. Claude watches the whole clip first, works out what matters, and adds a graphic made for that moment, on the exact word. One style, nothing in the first 3 seconds, nothing on your face or the captions. Try it on clip.mp4 from the kit first.

PROMPT 11

Your own video


copy from prompts.md

You're a top motion graphics designer. Add motion graphics to my video clip.mp4 with HyperFrames, in this folder.

1. Really analyse the video first. Transcribe it with npx hyperframes transcribe, check the word timings against the audio, and work out what the video is about and which moments matter most. If whisper isn't installed, stop and tell me to run the setup prompt.
2. Keep my video exactly as it is: same size, frame rate, audio and cut. You only add graphics on top.
3. At each important moment, add an animation made for what I'm saying right then: a number becomes a counter, a list becomes a checklist, a before and after becomes a comparison. Each one starts on the exact word.
4. Keep one style across the whole video, so it looks designed, not random.
5. Nothing in the first 3 seconds. That's the hook.
6. Keep graphics off my face, out of the bottom third where captions go, and away from the left and right 10% of the frame.

If there is a STYLE section below, follow it. If not, use clean white frosted cards.

Render to renders/with-cards.mp4.



Base first, then one spot


Don't try to get everything in one prompt. Get a base you like, play with it until nothing bothers you, then change one moment at a time. And give Claude the real thing: in one of my videos I talked about my TikTok sales, so I gave it my screenshots and told it exactly when to show them.

PROMPT 12

Fix one spot

copy from prompts.md

Now one spot. When I say Sales went from 40 a week to over 90, show the 5 screenshots in the screenshots folder popping up one after another, in order. Cut them in a way that matches the video and keep them in sync with my voice. Keep everything else exactly the same and render again to renders/with-cards.mp4.



Say the moment in words, like when I say 40 a week, not in seconds. Claude finds it in the audio.

The clicks

Small sounds on the animations make a big difference. The sfx folder has 9 of them. I made them in code, so there's no licence to worry about.

- pop
- tick
- counter
- chime
- snap
- star
- switch
- fill
- success

Copy the sfx folder into your project, then:

PROMPT 13 Sound effects [copy from prompts.md](#)

Add sound effects to this video using the files in the sfx folder. A tick when each list item or check appears, the counter sound while a number rolls, and the chime on the last card. No sound when a card slides in or leaves, and no whooshes. Keep the effects quiet under my voice. Render again to renders/with-cards.mp4.

My rule: no sound when a card slides in or leaves, and no whooshes. Just small clicks on the things that matter: a tick, a counter, a chime at the end.

What it did on the practice clip

tick	4.5 s · 7.0 s · 10.3 s, as each list item appears
counter	16.8 s, while 40 rolls to 90
chime	17.2 s, on the last card

Those 5 are the only sounds Claude added. They sit about 20 dB under the voice.

Any size, any frame rate

You can just ask: `Render it in 4K at 60 fps.` Or run these yourself in the project folder (add `-o` and a file name, like in prompts.md). I ran every one. My 90-second reel renders in under 2 minutes on my Mac.

60 fps	<code>npx hyperframes render . --fps 60</code>
4K	<code>npx hyperframes render . --resolution 4k</code>
4K at 120 fps	<code>npx hyperframes render . --resolution 4k --fps 120</code>
24 fps	<code>npx hyperframes render . --fps 24</code>
ProRes MOV	<code>npx hyperframes render . --format mov</code>
PNG frames	<code>npx hyperframes render . --format png-sequence</code>

Going over footage in Premiere or After Effects? Make the background transparent first, or you get a transparent file of a solid background. This one caught me out while testing.

PROMPT 14

Transparent export

copy from prompts.md

Remove the background so only the card is visible, with everything around it transparent. Then export a transparent version I can put over my own footage in Premiere or After Effects: renders/card.mov (ProRes 4444 with alpha) and a PNG sequence in renders/card-png.



PROMPT 14 OUTPUT OVER A CHECKERBOARD: ONLY THE CARD IS LEFT. FROSTED CARDS LOSE THEIR BLUR WITH NOTHING BEHIND THEM, SO ASK FOR A SOLID CARD FOR OVERLAYS.

When something looks wrong

Things to say. They are the same kind of plain request as the knobs on page 6.

1 Wrong font, or a plain fallback

Put the font file in a fonts folder and say: use the font file in fonts.

2 Text cut off on phones

Say: keep all text inside the middle 80% of the width.

3 A card covers the captions

Say: move every card above the caption area.

4 A card is a bit early or late

Speech-to-text can be up to a second off on some clips. Say exactly when: make the card appear when I say sales.

5 The file is huge

Say: render again with --crf 23.

If it still looks off, describe what you see like you'd tell a friend. That works better than technical words.

THAT'S IT

Now make something

If you made something with this, DM me. I reshare the best ones.

I post what I actually do with Claude Code, from motion like this to running a business from Asia.

Follow @damianodesu



or scan this on your phone

Sell on Amazon? DM me AUDIT and I'll look at your listing or PPC for free.

