

Brooklyn Reserve AR Application Handover Info

Project Status

As it stands the project needs work in a few areas.

1. Copy and UI design - specially end screens and some names of the characters are not filled in yet.
 2. Changing hosting to a new repo controlled by Hobsons Bay, or their own hosting site.
 3. Physical QR code placing and info signs in the park.
-

Updating Builds

After making updates to scenes - rebuild each scene to its own build folder in the git repo. Once pushed to main GitHub pages will take a few minutes to deploy the new builds.

Using GitHub Pages for Hosting

Using GitHub pages you can host the unique web gl experiences.

GitHub Pages serves static files from any subfolder in your repo as a distinct URL path. If your repo is your-username/ar-app, each build folder automatically gets a unique link like:

- <https://your-username.github.io/ar-app/scene1/>
 - <https://your-username.github.io/ar-app/scene2/>
 - <https://your-username.github.io/ar-app/scene3/>
 - <https://your-username.github.io/ar-app/scene4/>
 - <https://your-username.github.io/ar-app/scene5/>
-

Current Links Upon Handover

The current links upon handover are:

- <https://motionscotty.github.io/Hobsons-Bay-AR-Dev/Concertina Build/>
- <https://motionscotty.github.io/Hobsons-Bay-AR-Dev/Magpie Build/>

- [https://motionscott.github.io/Hobsons-Bay-AR-Dev/Kelpie Build/](https://motionscott.github.io/Hobsons-Bay-AR-Dev/Kelpie_Build/)
 - [https://motionscott.github.io/Hobsons-Bay-AR-Dev/Beetle Build/](https://motionscott.github.io/Hobsons-Bay-AR-Dev/Beetle_Build/)
 - [https://motionscott.github.io/Hobsons-Bay-AR-Dev/Teeth Build/](https://motionscott.github.io/Hobsons-Bay-AR-Dev/Teeth_Build/)
-

Repository Notes

Currently the GitHub repo also includes the Unity Project. But obviously it does not need to when you deploy for Hobsons Bay.

I believe GitHub repo pages should be sufficient for the use - but that is up to them if they want to host it themselves.

GitHub Pages Free Hosting Limits

Item	Limit / Note
Source Repository Size	The recommended limit for the source repository is 1 GB.
Published Site Size	The published GitHub Pages site may be no larger than 1 GB.
Bandwidth	There is a soft bandwidth limit of 100 GB per month.
Builds	A soft limit of 10 builds per hour applies, though this limit does not apply if you use a custom GitHub Actions workflow to build and publish your site.
Deployments	Deployments will time out if they take longer than 10 minutes.
Number of Sites	You can create one user or organization site for each account, and an unlimited number of project sites (one per repository).
File Size	Individual files larger than 100 MB are blocked, and for files over 50 MB you'll receive a warning.

Testing New Builds

When rebuilding scenes and pushing to GitHub, you must first clear your cache when testing the web gl experience, as you'll find a failure to do this ends up playing the old build

experience. This will save you the headache when you wonder why your changes didn't do anything. Just clear the cache/cookies when testing new builds.

I imagine when we deploy the final project we won't need to worry about directing new users to clear cache.

Note About User Experience

iPhones don't play the audio in the WebGL experience unless the user has unmuted their device - switch on the left. Perhaps a UI prompt could be beneficial to make that clear. I am not sure if this is also the case for Android users.

Notes About Unity Project

All the content for each experience (animated characters and audio) that spawns after the user places the Origin (floating arrow), live in the Game object Hierarchy, WorldTracker>MainObject>Content>

There is a Head Target Offset game object under the AR Camera prefab, this is where the Characters neck or head will look towards. You can adjust that with this object's coordinates. There is also a script attached to each animated character's root called "Constrain Offset Look" that controls the target subject, Neck bone and some constraint and rotation offset parameters (for characters with joints that don't all have the same axis orientation).

The World Tracker Object also has a lot of the logic: There is a handy script attached to this object called "Placement Tester" that lets the user simulate "placing the origin" within play mode. The same as if the user placed the floating arrow. Enable this script for testing in the editor - just remember to disable it again for the build.

There is also a script on the World Tracker object called "Show after Delay" - this handles the logic that showcases the end screen (Canvas>End Screen) after the story is finished. There is a delay parameter to set here. I have set these all to the length of the animation/story + 3-5 seconds of idle animation. For example the beetle animation goes for 97 seconds. And I have set the Delay parameter to 100 seconds. This means after the beetle has finished its story and idled for a bit. The end screen pops up.