

Medical Device List

Contents

- **Disposable Face Mask**
- **KN95 Mask Type 1**
- **KN95 Mask Type 2**
- **KN95 Mask Type 3**
- **KN95 Mask Type 4**
- **3M 9001 Mask**
- **3M 9005 Mask**
- **Forehead Thermometer**
- **Surgical Gown Long**
- **Overall Isolation Sealed**
- **Safety Goggles**
- **Face Shield**



Disposable Face Mask


Front Side



Back Side




THREE LAYERS
COMPOSITE FILTRATION



Material	1st layer: 20gsm PP non woven
	2nd layer: Melt-blown nonwoven fabric
	3rd layer: 25gsm PP non woven
Size	17.5*9.5 cm
Weight	3.2g/pc
Color	Blue
Packing List	50pcs/color box, box size: 19*10*9.5 cm
	2000 pcs/CTN, Carton size: 56.5*45*38 cm
	N.G: 6.4kgs, G.W: 8.50 kgs

KN95 MASK TYPE 1



Size	67*31*54 cm
Color	White
Packing List	2 pcs/Bag
	1000 pcs/CTN
	G.W: 10 kgs

KN95 Mask TYPE 2



Material	1st layer: 20gsm PP non woven
	2nd layer: Melt-blown nonwoven fabric
	3rd layer: 25gsm PP non woven
Weight	0.03g/pc
Color	White
Packing List	4pcs/small Bag
	800 pcs/CTN, carton size: 520*320*480 mm
	G.W: 6.12 kgs

KN95 MASK TYPE 3



Size	100*1500 mm
Packag A	10pcs/inner box, size: 160*240*40 mm
GW/NW:	4.5/4 kgs
Carton Size	520*395*495 mm




Package B	10pcs/bag, size: 260*200 mm
GW/NW:	6/5.5 kgs
Carton Size	520*395*495 mm



KN95 MASK TYPE 4

Melt-blown nonwoven




RRSC
<100 pa | KN95
98% | HCHO
0%




WATERPROOF

3D CURVED DESIGN



Product Name	KN95 Protective Mask
Material	1st layer: Breathable PP Non woven fabric
	2nd layer: Hot air cotton
	3rd layer: Melt-Blown Cloth, BFE>95%
	4th layer: Skin-friendly Non woven
Size	10.7*16 cm
Color	White
Packing List	30pcs/color box, box size: 14.7*13.6*12 cm 1200 pcs/CTN, Carton size: 60*28.5*62 cm
	N.G: 6.0kgs, G.W: 7.50 kgs

3M 9001 MASK



3M 9005 MASK



Forehead Thermometer

Three Situations



Green backlight
(32-37.3°C)
Normal



Yellow Backlight
(37-38°C)
Low fever



Red Backlight
(>38°C)
High fever

Multifunction thermometer

A perfect tool for body care



Body
temperature test



Water
temperature test



Milk
temperature test



Environment
temperature test

Technical Details

Features

Resolution: 0.1°C (0.1°F)
Fast Speed: 1 second speed measurement
Use mode: Multiple mode selection
Non-contact: Non-contact temperature measurement to avoid cross infection.
Fever alarm: Alarm value can be set, and fever alarm prompt.
Screen display: Backlit display, can read clearly at night.
Storage data: 32 sets of measurement data for easy analysis and comparison.
Unit switching: °C or °F is available.
Others: Automatic data saving and automatic shutdown.

Technical Parameters

Working environment: Ambient temperature 5°C ~ 40 °C relative humidity ≤ 85%
Power supply: DC 3V (2 x AAA batteries)
Product size: 155x93x51mm (L x W x H)
Weight: 100g (without battery)
Measurement range: Human body mode 32°C ~ 42.9°C
Measuring distance: 5-15cm (Optimal measuring distance is 5cm).
Measuring accuracy: 32°C~35.9°C±0.3°C; 36°C~39°C±0.2°C; 39°C~43°C±0.3°C
Storage and transportation environment:
Ambient temperature: -20°C~55°C
Relative humidity: 10%~85%
Automatic shutdown: About 20 seconds.



Power Supply

DC 3V
(2XAAA
batteries)

Size

155*93*51 mm

Weight

100 g

Surgical Gown

Long

Packing

40pcs/CTN,
size:
65*38*36
cm

NW/GW

7/8 kgs



Overall Isolation Sealed



Safety Goggles



QTY	200 pcs
N.W	16 kgs
G.W	19 kgs
Meas	78*35*46 cm



Face Sield



Size	33*23 cm
Thickness	0.25 mm
Packing	250 pcs/CTN
Carton Size	69.5*45*38 cm
G.W	10 kgs

