

A Mini Project Report
On
PROJECT PRANA KSHETRA WEBSITE



Submitted By

Koduri Joshna Pallavi	22B91A6181
Kumpatla Gayathri	22B91A6190
Patharlapalli Mounika	22B91A61B7
Peesapati Venkata Rasagna	22B91A61B9

DEPARTMENT OF COMPUTER SCIENCE AND ENGINEERING (AIML)
S. R. K. R ENGINEERING COLLEGE (A)
(Affiliated to JNTU, KAKINADA) BHIMAVARAM-534204
(2024-2025)

DEPARTMENT OF COMPUTER SCIENCE AND ENGINEERING (AIML)

S. R. K. R ENGINEERING COLLEGE BHIMAVARAM



CERTIFICATE

This is to certify that this is a bonafide work on “**PROJECT PRANAKSHETRA WEBSITE**” and has been submitted by K.Joshna Pallavi 22B91A6181,K.Gayathri 22B91A6190,P.Mounika 22B91A61B7,P.V.Rasagna 22B91A61B9 as a **MEAN Stack Technology** laboratory report, in partial fulfilment of the requirements for the award of the Degree of Bachelor of Technology in Computer Science and Engineering (AIML), during the academic year 2024-2025. The candidate worked right under my supervision and guidance.

Internal Examiner

- 1.
- 2.

Head of the Department

ACKNOWLEDGEMENT

We take immense pleasure in thanking **Prof. K. Murali Krishnam Raju**, beloved principal of S.R.K.R Engineering College, Bhimavaram, **Dr. Bh. V. S. R. Raju** esteemed **Head of the Department** and **Dr. G N V G Sirisha** program coordinator(AIML), for having permitted us to carry out mini project work in MEAN Stack Technolog. We wish to express our deep sense of gratitude especially to our project guides **Dr K Aruna Kumari, Associate Professor** and **Miss Ch Suma, Assistant Professor**, for their guidance and useful suggestions, which helped us in completing the work, on time. Finally, yet importantly, we would like to express our heartfelt thanks to my beloved parents, faculty, my friends/classmates for their help, and our wishes for the successful completion of this project.

Koduri Joshna Pallavi	22B91A6181
Kumapatla Gayathri	22B91A6190
Patharlapalli Mounika	22B91A61B7
Peesapati Venkata Rasagna	22B91A61B9

ABSTRACT

Prana Kshetra is an innovative and holistic Learning Management System (LMS) platform focused on wellness, designed to make yoga, meditation, and mindful living accessible to everyone. Developed using the powerful MEAN stack (MongoDB, Express.js, Angular, Node.js), the platform provides a seamless and scalable solution for delivering high-quality wellness education in both structured and personalized formats.

The primary objective of Prana Kshetra is to integrate ancient yogic practices with modern technology to help users achieve balance in mind, body, and spirit. The application features a wide range of yoga and wellness courses—including beginner to advanced yoga sessions, meditation programs, and diet guidance—tailored to specific health conditions such as diabetes, thyroid issues, prenatal wellness, and cardiac concerns. Users can choose from flexible subscription models, one-time purchases, or health-specific plans based on their individual needs and goals.

The platform emphasizes **secure user authentication**, offering personalized dashboards for users, trainers, and administrators. Trainers can manage sessions, track user progress, and allocate resources efficiently. Meanwhile, users benefit from a smooth course enrollment experience, easy access to live and recorded classes, progress tracking, and certification upon completion. A key highlight of the platform is its blog section, which offers free access to expertly written wellness articles, yoga philosophy, dietary tips, and lifestyle recommendations. The soothing UI design—with its soft pink theme—creates a calming digital environment, enhancing the overall user experience.

By combining personalized learning with expert guidance, Prana Kshetra serves as a complete digital companion for those pursuing a healthier, balanced life. It is not just an LMS—it is a wellness ecosystem that brings together community, care, and content to create lasting transformation.

TABLE OF CONTENTS

S. No	CONTENTS	Page. No
	ABSTRACT	i
1.	MODULES	2
2.	SOFTWARE REQUIREMENTS	3
3.	TECHNICAL STACK	4-5
4.	INTRODUCTION	6
5.	SAMPLE CODE	7-36
6.	SCREENSHOTS	37-41

MODULES

- Login page
- Register page
- Home page
- Courses Page
- Live page
- Workshop page
- Dashboard page
- Contact page
- Payment Page
- Progress Page

SOFTWARE REQUIREMENTS

1. Text Editor: Visual Studio Code, Notepad
2. Front End: HTML, CSS, Angular
3. Back End: Node.js, Express.js
4. Databases: MongoDB
5. Internet Browser: Google Chrome/Mozilla Firefox/Internet Browser/Firebase.

TECHNICAL STACK

Prana Kshetra is developed using the robust and modern **MEAN Stack** — MongoDB, Express.js, Angular, and Node.js — which together form a full-stack JavaScript framework. This tech stack enables fast, scalable, and responsive web applications, making it ideal for a learning management system like Prana Kshetra. Below is a detailed breakdown:

1. Frontend Development

- **Angular**

Angular is a powerful front-end framework maintained by Google. It is built using TypeScript and enables the development of scalable and maintainable single-page applications (SPAs). In Prana Kshetra, Angular is used to create all user-facing interfaces, including user dashboards, course pages, trainer portals, and admin controls. The framework's two-way data binding, routing, and modular architecture help in building an interactive UI with seamless navigation between modules such as Courses, Trainers, Live Sessions, Blogs, and Progress Tracking.

- **HTML5**

HTML5 provides the structure and semantic foundation for the application's web pages. It ensures proper content hierarchy and accessibility. HTML5 also allows the use of modern multimedia elements, which are beneficial for delivering course materials in the form of recorded sessions and guided meditations.

- **CSS3**

CSS3 is used to style the components and create a visually soothing experience, aligning with Prana Kshetra's wellness theme. Features like flexbox, grid layouts, transitions, and media queries enable responsive design across devices — from desktops to mobile phones. CSS variables and class-based styling help maintain a consistent look across the platform, especially in soft color tones like pink and white that symbolize calmness and serenity.

- **TypeScript**

Angular is built with TypeScript, a superset of JavaScript that supports static typing and object-oriented programming. In Prana Kshetra, TypeScript enhances code maintainability, reduces bugs, and facilitates IDE support for faster development. It also allows the creation of strongly typed models for users, courses, payments, etc., which is crucial for scaling the platform efficiently.

2. Backend Development

- ***Node.js***

Node.js is a runtime environment that allows JavaScript to be run on the server side. Prana Kshetra uses Node.js for its backend logic, including handling user authentication, managing course data, processing purchases, and enabling real-time features like live session management. Its non-blocking, event-driven architecture ensures that multiple users can access the platform simultaneously without performance lag.

- ***Express.js***

Express.js is the web application framework used on top of Node.js. It simplifies API development, allowing seamless communication between the frontend (Angular) and the backend (Node.js). In Prana Kshetra, Express routes handle user registration/login, course access, trainer assignment, and admin functions like adding new content or managing live sessions. Middleware support allows modular and organized backend logic, enhancing performance and code readability.

3. Database Management

- **MongoDB**

MongoDB is a NoSQL database used to store all application data in a flexible and scalable manner. It stores data in JSON-like documents (BSON format), making it ideal for storing complex nested structures such as:

- User profiles and dashboards
- Course details and modules
- Trainer information
- Purchase history
- Progress tracking data

MongoDB allows quick querying and indexing, ensuring that users can retrieve their data instantly. As the platform grows, MongoDB can be easily scaled horizontally to handle increased data traffic without compromising performance.

INTRODUCTION

In an era marked by increasing stress, sedentary habits, and lifestyle-related health issues, there is a growing demand for accessible, structured wellness education. **Prana Kshetra** answers this need by offering a unified, web-based Learning Management System that brings the ancient science of yoga and mindfulness into the digital age. Developed on the MEAN stack, the platform leverages modern web technologies to deliver a responsive, scalable, and engaging user experience.

At its core, Prana Kshetra provides a rich catalog of offerings—ranging from beginner to advanced yoga courses, guided meditation sessions, and nutrition plans to specialized programs addressing conditions such as diabetes, hypertension, thyroid disorders, and prenatal care. Users can participate in live workshops, track their progress through an intuitive dashboard, earn certifications upon completion, and access expert-authored blogs and resources. Trainers and administrators benefit from dedicated portals that streamline content management, session scheduling, and performance monitoring.

By seamlessly integrating personalized learning pathways with community features, Prana Kshetra fosters a supportive ecosystem where users can pursue holistic well-being at their own pace. Its soft-pink, minimalistic design reinforces a sense of calm, while robust authentication and role-based access ensure data security and privacy. Ultimately, this project bridges the gap between traditional wellness practices and contemporary digital convenience—empowering individuals worldwide to cultivate balance in body, mind, and spirit.

SAMPLE CODE

1. Login.component

```
import { Component } from '@angular/core';
import { Router } from '@angular/router';
import { NgForm, FormsModule } from
 '@angular/forms';
import { CommonModule } from
 '@angular/common';
import { AuthService } from
 'src/app/services/auth.service';
```

```
@Component({
  selector: 'app-login',
  standalone: true,
  imports: [CommonModule, FormsModule],
  templateUrl: './login.component.html',
  styleUrls: ['./login.component.scss']
})
export class LoginComponent {
  email: string = "";
  password: string = "";
  errorMessage: string = "";
  showPassword: boolean = false;
  isLoading: boolean = false;

  constructor(
    private authService: AuthService,
    private router: Router
  ) {}
```

```
// ☒ Toggle password visibility
```

```

togglePassword(): void {
  this.showPassword = !this.showPassword;
}

// ☒ Handle Login Form Submission
onLogin(form: NgForm): void {
  if (form.invalid || this.isLoading) {
    this.errorMessage = 'Please fill out all
required fields.';
    return;
  }

  this.isLoading = true;
  this.errorMessage = "";

  this.authService.login(this.email,
this.password).subscribe({
    next: (res: any) => {
      console.log('👍 Login success:', res);

      // Save JWT & User Data to LocalStorage
(or Service)

      this.authService.saveToken(res.token);
      this.authService.saveUser(res.user);

      // Role-based redirection
      const userRole = res.user.role;
      if (userRole === 'admin') {
        this.router.navigate(['/admin/dashboard']);
      } else if (userRole === 'user') {
        this.router.navigate(['/user/dashboard']);

```

```

    } else {
      this.router.navigate(['/']); // fallback
    }
    this.isLoading = false;
    alert(`Welcome, ${res.user.name}!`);
  },
  error: (err: any) => {
    console.error('✖ Login error:', err);
    this.errorMessage = err.error?.message ||
    'Login failed! Please check your credentials.';
    this.isLoading = false;
  }
});
}
}

```

2.Register.component

```

<section class="auth-container">
  <div class="auth-card">
    <h2>Register</h2>

    <form #registerForm="ngForm"
      (ngSubmit)="onRegister(registerForm)">
      <!-- Name Field -->
      <input
        type="text"
        [(ngModel)]="name"
        name="name"
        placeholder="Full Name"
        required

```

```

#nameField="ngModel" />
<div *ngIf="nameField.invalid &&
nameField.touched" class="error">
    Name is required!
</div>

```

```

<!-- Email Field -->
<input
    type="email"
    [(ngModel)]="email"
    name="email"
    placeholder="Email"
    required
    #emailField="ngModel" />
<div *ngIf="emailField.invalid &&
emailField.touched" class="error">
    Email is required!
</div>

```

```

<!-- Password Field -->
<div class="password-wrapper">
    <input
        [type]="showPassword ? 'text' :
'password'"
        [(ngModel)]="password"
        name="password"
        placeholder="Password"
        required
        minlength="6"
        #passwordField="ngModel" />

```

```

    <button type="button" class="toggle-
password"
(click)="togglePassword('password')">
    {{ showPassword ? 'Hide' : 'Show' }}
</button>
</div>

<div *ngIf="passwordField.invalid &&
passwordField.touched" class="error">
    Password must be at least 6 characters!
</div>

<!-- Confirm Password Field -->
<div class="password-wrapper">
    <input
        [type]="showConfirmPassword ? 'text' :
'password'"
        [(ngModel)]="confirmPassword"
        name="confirmPassword"
        placeholder="Confirm Password"
        required
        minlength="6"
        #confirmPasswordField="ngModel" />
    <button type="button" class="toggle-
password"
(click)="togglePassword('confirm')">
        {{ showConfirmPassword ? 'Hide' :
'Show' }}
    </button>
</div>

<div *ngIf="confirmPasswordField.invalid
&& confirmPasswordField.touched"
class="error">

```

Confirm Password must be at least 6 characters!

</div>

<!-- Submit Button -->

**<button type="submit" class="btn-primary"
[disabled]="registerForm.invalid">Register</button>**

</form>

**<p *ngIf="errorMessage" class="error">{{
errorMessage }}</p>**

<p>Already have an account? Login</p>

</div>

</section>

3. Home.component:

```
import { Component } from '@angular/core';  
import { CommonModule } from '@angular/common';
```

```
@Component({  
  selector: 'app-home',  
  standalone: true,  
  imports: [CommonModule],  
  templateUrl: './home.component.html',  
  styleUrls: ['./home.component.scss']  
})  
export class HomeComponent { }
```

```
<section class="hero">  
  <div class="hero-content">  
    <div class="hero-text">  
      <h2>Welcome to <br> Prana Kshetra</h2>
```


<p>Your journey towards inner peace and wellness begins here. Explore our courses and start your transformation today.</p>

Get Started

</div>

<div class="hero-image">

</div>

</div>

</section>

<section class="live-sessions-section">

<div class="live-sessions-header">

<h2>Join Our Live Sessions</h2>

<p>Experience real-time connection with expert instructors. Engage, learn, and transform!</p>

</div>

<div class="live-sessions-container">

<!-- Live Session 1 -->

<div class="live-session-card">

<div class="live-badge">LIVE</div>

<div class="session-details">

<h3>Morning Meditation</h3>

<p>Start your day with mindfulness and calm.</p>

Tomorrow, 6:00 AM - 7:00 AM

<button class="enroll-btn">Enroll Now</button>

</div>

</div>

<!-- Live Session 2 -->

<div class="live-session-card">

<div class="live-badge">LIVE</div>

<div class="session-details">

<h3>Yoga Flow Bootcamp</h3>

<p>Energizing yoga sequence to enhance your flexibility and strength.</p>

```

    <span class="session-time">Saturday, 7:00 AM - 8:00
AM</span>
    <button class="enroll-btn">Enroll Now</button>
  </div>
</div>

<!-- Live Session 3 -->
<div class="live-session-card">
  <div class="live-badge">LIVE</div>
  
  <div class="session-details">
    <h3>Satvik Food Workshop</h3>
    <p>Discover the power of wholesome satvik food for
your lifestyle.</p>
    <span class="session-time">Sunday, 5:00 PM - 6:00
PM</span>
    <button class="enroll-btn">Enroll Now</button>
  </div>
</div>
</div>

<div class="call-to-action">
  <h3>Don't Miss Out!</h3>
  <p>Seats are limited. Reserve your spot today and embark
on your wellness journey!</p>
  <button class="cta-btn">See All Live Sessions</button>
</div>
</section>

<section class="compact-benefits">
  <h2>Benefits with Prana Kshetra</h2>

  <div class="benefits-grid">
    <div class="benefit-item">
      <div class="icon">☯</div>
      <h3>Inner Peace</h3>
    </div>

    <div class="benefit-item">
      <div class="icon">💪</div>
      <h3>Strength & Flexibility</h3>
    </div>
  </div>

```

```

<div class="benefit-item">
  <div class="icon">💖</div>
  <h3>Holistic Wellness</h3>
</div>

<div class="benefit-item">
  <div class="icon">🤝</div>
  <h3>Supportive Community</h3>
</div>
</div>
</section>

<div class="pk-container">
  <h1 class="pk-heading">Trending Yoga Courses</h1>

  <div class="pk-buttons">
    <button class="pk-button active">All</button>
    <button class="pk-button">Hatha Yoga</button>
    <button class="pk-button">Ashtanga Yoga</button>
    <button class="pk-button">Vinyasa Yoga</button>
  </div>

  <div class="pk-card-container">
    <!-- Course Card 1 -->
    <div class="pk-card">
      <div class="pk-badge">Trending</div>
      
      <div class="pk-card-content">
        <h3>Ananya Sharma</h3>
        <p>Hatha Yoga</p>
        <p>📅 Mon, Wed, Fri ⌚ 6:00 AM - 7:00 AM</p>
        <a href="/course-details/ashtanga-yoga" class="pk-
details-btn">View Details</a>
      </div>
    </div>

    <!-- Course Card 5 -->
    <div class="pk-card">
      <div class="pk-badge">Popular</div>
      

```

```

<div class="pk-card-content">
  <h3>Aarti Menon</h3>
  <p>Kundalini Yoga</p>
  <p><img alt="31 days icon" data-bbox="178 138 201 154"/> Sat & Sun <img alt="clock icon" data-bbox="298 138 321 154"/> 8:00 AM - 9:30 AM</p>
  <a href="/course-details/ashtanga-yoga" class="pk-
details-btn">View Details</a>
</div>
</div>

<!-- Course Card 3 -->
<div class="pk-card">
  <div class="pk-badge hot">Hot</div>
  
  <div class="pk-card-content">
    <h3>Meera Iyer</h3>
    <p>Vinyasa Yoga</p>
    <p><img alt="31 days icon" data-bbox="188 408 211 424"/> Daily <img alt="clock icon" data-bbox="268 408 291 424"/> 5:00 PM - 6:00 PM</p>
    <a href="/course-details/ashtanga-yoga" class="pk-
details-btn">View Details</a>
  </div>
</div>

<!-- Course Card 4 -->
<div class="pk-card">
  <div class="pk-badge">Trending</div>
  
  <div class="pk-card-content">
    <h3>Sandeep Chatterjee</h3>
    <p>Iyengar Yoga</p>
    <p><img alt="31 days icon" data-bbox="188 678 211 694"/> Mon to Fri <img alt="clock icon" data-bbox="298 678 321 694"/> 6:30 AM - 7:30 AM</p>
    <a href="/course-details/ashtanga-yoga" class="pk-
details-btn">View Details</a>
  </div>
</div>

<!-- Course Card 2 -->
<div class="pk-card">
  <div class="pk-badge">New</div>
  
  <div class="pk-card-content">

```

```

    <h3>Rohan Verma</h3>
    <p>Ashtanga Yoga</p>
    <p><img alt="Calendar icon" data-bbox="178 121 201 138"/> Tue, Thu, Sat <img alt="Clock icon" data-bbox="318 121 341 138"/> 7:30 AM - 8:30 AM</p>
    <a href="/course-details/ashtanga-yoga" class="pk-
details-btn">View Details</a>
  </div>
</div>

<!-- Course Card 6 -->
<div class="pk-card">
  <div class="pk-badge hot">Hot</div>
  
  <div class="pk-card-content">
    <h3>Kiran Desai</h3>
    <p>Power Yoga</p>
    <p><img alt="Calendar icon" data-bbox="188 408 211 425"/> Tue, Thu, Sat <img alt="Clock icon" data-bbox="328 408 351 425"/> 5:30 PM - 6:30 PM</p>
    <a href="/course-details/ashtanga-yoga" class="pk-
details-btn">View Details</a>
  </div>
</div>
</div>
</div>

<section class="compact-workshops">
  <h2 class="section-title">Our Transformative
Workshops</h2>

  <div class="workshop-scroll-container">
    <!-- Workshop 1 -->
    <div class="workshop-card">
      <div class="image-container">
        
      </div>
      <div class="workshop-card-content">
        <h3>Heal Yourself</h3>
        <p>Meditation</p>
        <button class="view-btn">View Details</button>
      </div>
    </div>
  </div>

```

```

<!-- Workshop 2 -->
<div class="workshop-card">
  <div class="image-container">
    
  </div>
  <div class="workshop-card-content">
    <h3>Yoga Sadhana</h3>
    <p>Bootcamp</p>
    <button class="view-btn">View Details</button>
  </div>
</div>

```

```

<!-- Workshop 3 -->
<div class="workshop-card">
  <div class="image-container">
    
  </div>
  <div class="workshop-card-content">
    <h3>Satvik Food</h3>
    <p>Diet Plan</p>
    <button class="view-btn">View Details</button>
  </div>
</div>

```

```

<!-- Workshop 4 -->
<div class="workshop-card">
  <div class="image-container">
    
  </div>
  <div class="workshop-card-content">
    <h3>7 Day Challenge</h3>
    <p>Health & Fitness</p>
    <button class="view-btn">View Details</button>
  </div>
</div>
</div>
</section>

```

```

<section class="trainers-section">

```

```
<div class="trainers-container">
  <h2>Meet Our Expert Trainers</h2>
  <p class="trainers-subtitle">Guiding You on Your
Wellness Journey</p>
```

```
<div class="trainers-cards">
  <!-- Trainer 1 -->
  <div class="trainer-card">
    
    <h3>Arjun Sharma</h3>
    <p>Yoga & Meditation Expert</p>
    <div class="social-links">
      <a href="#"><i class="fab fa-facebook-f"></i></a>
      <a href="#"><i class="fab fa-instagram"></i></a>
    </div>
  </div>
</div>
```

```
<!-- Trainer 2 -->
<div class="trainer-card">
  
  <h3>Sara Kapoor</h3>
  <p>Pranayama Specialist</p>
  <div class="social-links">
    <a href="#"><i class="fab fa-facebook-f"></i></a>
    <a href="#"><i class="fab fa-instagram"></i></a>
  </div>
</div>
```

```
<!-- Trainer 3 -->
<div class="trainer-card">
  
  <h3>Rohan Mehta</h3>
  <p>Fitness & Wellness Coach</p>
  <div class="social-links">
    <a href="#"><i class="fab fa-facebook-f"></i></a>
    <a href="#"><i class="fab fa-instagram"></i></a>
  </div>
</div>
```

```
<!-- Trainer 4 -->
<div class="trainer-card">
  
  <h3>Ananya Rao</h3>
  <p>Satvik Diet Expert</p>
  <div class="social-links">
```

```

        <a href="#"><i class="fab fa-facebook-f"></i></a>
        <a href="#"><i class="fab fa-instagram"></i></a>
    </div>
</div>
</div>
</div>
</section>

```

4. Dashboard.component

```

import { Component } from '@angular/core';
import { Router } from '@angular/router';
import { AuthService } from 'src/app/services/auth.service';

@Component({
  selector: 'app-dashboard',
  templateUrl: './dashboard.component.html',
  styleUrls: ['./dashboard.component.scss']
})
export class DashboardComponent {
  constructor(private authService: AuthService, private router:
Router) {
    if (!this.authService.isAuthenticated()) {
      this.router.navigate(['/login']);
    }
  }
}

import { Component, OnInit } from '@angular/core';
import { CommonModule } from '@angular/common';
import { Router, ActivatedRoute } from '@angular/router';

@Component({
  selector: 'app-dashboard',
  standalone: true,
  imports: [CommonModule],
  templateUrl: './dashboard.component.html',
  styleUrls: ['./dashboard.component.scss']
})
export class DashboardComponent implements OnInit {

  adminName: string = 'Admin'; // You can fetch the actual
name if you store it

```



```

constructor(
  private router: Router,
  private route: ActivatedRoute // 📌 Inject ActivatedRoute
  for relative navigation
) {}

ngOnInit(): void {
  // Optional: Validate admin session here
  const token = localStorage.getItem('token');
  if (!token) {
    console.warn('No token found! Redirecting to login.');
    this.router.navigate(['/login']);
  }

  // Optional: Fetch admin user details if you want
  // this.adminName = '...' from localStorage/session/etc.
}

goTo(section: string): void {
  console.log(`Navigating to: ${section}`);

  // ✅ Navigate using relative path since you're already
  // inside /admin/
  this.router.navigate([section], { relativeTo: this.route })
    .then(success => {
      if (!success) {
        console.error(`Failed to navigate to: ${section}`);
      }
    });
}
}

```

5.courses.component

```

<!-- Hero Section -->
<section class="courses-hero">
  <div class="container">
    <h1 class="page-title">Explore Our Courses</h1>
    <p class="page-subtitle">

```

Tailored yoga, meditation, and wellness programs to transform your life.

</p>

</div>

</section>

<!-- Category Filter Buttons -->

<section class="courses-filters">

<div class="container">

<div class="categories">

<button

class="category-btn"

[class.active]="activeCategory === 'All'"

(click)="filterCourses('All')">

All

</button>

<button

*ngFor="let cat of categories"

class="category-btn"

[class.active]="activeCategory === cat.name"

(click)="filterCourses(cat.name)">

{{ cat.name }}

</button>

</div>

</div>

</section>

<!-- Courses Grid -->

<section class="courses-list">

<div class="container">

<div class="courses-grid">

<div *ngFor="let course of filteredCourses()" class="course-card">

<div class="course-image">

</div>

<div class="course-content">

<h3 class="course-title">{{ course.title }}</h3>

<p class="course-description">{{ course.description }}</p>

<div class="course-category">

{{ course.category }} /

```

        <span class="subcategory-tag">{{
course.subcategory }}</span>
    </div>
    <button class="enroll-btn">Enroll Now</button>
</div>
</div>
</div>
</div>
</section>

<!-- Subcategories Section -->
<section class="courses-subcategories">
    <div class="container">
        <h2>Explore Subcategories</h2>
        <div class="subcategory-lists">
            <div *ngFor="let cat of categories" class="subcategory-
block">
                <h3>{{ cat.name }}</h3>
                <ul>
                    <li *ngFor="let sub of cat.subcategories">
                        {{ sub }}
                    </li>
                </ul>
            </div>
        </div>
    </div>
</section>

```

6. Workshops.component

```

<section class="workshops-hero">
    <div class="container">
        <h1 class="page-title">Our Workshops</h1>
        <p class="page-subtitle">
            Transformative wellness programs tailored to your
journey.
        </p>
    </div>
</section>

<section class="workshops-list">
    <div class="container">
        <div class="workshops-grid">
            <div *ngFor="let workshop of workshops"
class="workshop-card">

```

```

        <div class="workshop-image">
            <img [src]="workshop.image" [alt]="workshop.title"
/>
        </div>
        <div class="workshop-content">
            <h3 class="workshop-title">{{ workshop.title
}}</h3>
            <p class="workshop-description">{{
workshop.description }}</p>
            <div class="workshop-meta">
                <span class="workshop-date">{{ workshop.date
}}</span> |
                <span class="workshop-duration">{{
workshop.duration }}</span>
            </div>
            <button class="enroll-btn">View Now</button>
        </div>
    </div>
</div>
</section>

```

7.Live.component:

```

import { Component, OnInit, OnDestroy } from
'@angular/core';
import { CommonModule } from '@angular/common';

@Component({
  selector: 'app-live',
  standalone: true,
  imports: [CommonModule], // CommonModule for basic
Angular directives
  templateUrl: './live.component.html',
  styleUrls: ['./live.component.scss']
})
export class LiveComponent implements OnInit, OnDestroy
{

  // List of upcoming sessions
  upcomingSessions = [
    {
      id: 1,
      title: 'Morning Yoga for Beginners',
      date: '2025-03-30T07:00:00', // ISO format

```

```

        description: 'Kickstart your day with refreshing yoga!',
        instructor: 'Yogi Anjali',
        image:
'https://i.pinimg.com/736x/f0/a2/65/f0a2651080dcfc4cb5321
9faee9a4377.jpg'
    },
    {
        id: 2,
        title: 'Mindfulness Meditation',
        date: '2025-03-31T18:00:00',
        description: 'Relax and center your mind with guided
meditation.',
        instructor: 'Master Raj',
        image:
'https://i.pinimg.com/736x/c2/1a/cb/c21acb1fe8e1000d1a6d2
a9354fa80c8.jpg'
    }
];

```

```

nextSession: any; // Holds the session for countdown
countdown: string = ""; // Countdown string
private countdownTimer: any; // Timer reference to clear
onDestroy

```

```

constructor() { }

```

```

ngOnInit() {
    this.loadNextSession();
    this.startCountdown();
}

```

```

ngOnDestroy() {
    if (this.countdownTimer) {
        clearTimeout(this.countdownTimer);
    }
}

```

```

// Find the next session from the list (future sessions)
loadNextSession() {
    const now = new Date().getTime();
    const futureSessions = this.upcomingSessions.filter(session
=> new Date(session.date).getTime() > now);

```

```

    // Sort future sessions by date ascending

```

```
futureSessions.sort((a, b) => new Date(a.date).getTime() -  
new Date(b.date).getTime());
```

```
// Set the closest upcoming session  
this.nextSession = futureSessions.length > 0 ?  
futureSessions[0] : null;  
}
```

```
startCountdown() {  
  if (!this.nextSession) {  
    this.countdown = 'No upcoming sessions!';  
    return;  
  }
```

```
  const targetDate = new  
Date(this.nextSession.date).getTime();
```

```
  const updateCountdown = () => {  
    const now = new Date().getTime();  
    const distance = targetDate - now;
```

```
    if (distance <= 0) {  
      this.countdown = 'Live Now!';  
      return;  
    }  
    const days = Math.floor(distance / (1000 * 60 * 60 * 24));  
    const hours = Math.floor((distance % (1000 * 60 * 60 *  
24)) / (1000 * 60 * 60));  
    const minutes = Math.floor((distance % (1000 * 60 * 60))  
/ (1000 * 60));  
    const seconds = Math.floor((distance % (1000 * 60)) /  
1000);
```

```
    this.countdown = `${days}d ${hours}h ${minutes}m  
${seconds}s`;
```

```
    // Store the timer reference  
    this.countdownTimer = setTimeout(updateCountdown,  
1000);  
  };
```

```
  updateCountdown();  
}
```

```

    // Simulate joining a session (replace this with real logic
    later)
    joinSession(session: any) {
      alert('Joining "${session.title}" with
    ${session.instructor}!');
      // You can add navigation or video call integration here.
    }
  }
}

```

8.app.module.ts

```

import { NgModule } from '@angular/core';
import { BrowserModule } from '@angular/platform-browser';
import { AppComponent } from './app.component';
import { HomeComponent } from './pages/home/home.component';

import { NavbarComponent } from './shared/navbar/navbar.component';
import { FooterComponent } from './shared/footer/footer.component';

@NgModule({
  declarations: [
    AppComponent,
    HomeComponent,
    NavbarComponent,
    FooterComponent, //  HomeComponent is declared here!
  ],
  imports: [
    BrowserModule,
  ],
  providers: [],
  bootstrap: [AppComponent]
})
export class AppModule { }

```

9.app.routes.ts

```

import { Routes } from '@angular/router';
import { HomeComponent } from
'./pages/home/home.component';
import { BlogsComponent } from
'./pages/blogs/blogs.component';
import { LoginComponent } from
'./pages/login/login.component';
import { RegisterComponent } from
'./pages/register/register.component';
// Guards
import { AuthGuard } from './services/auth.guard';

// Admin layout
import { AdminLayoutComponent } from
'./pages/admin/admin-layout/admin-layout.component';

// Direct Component Imports (for eager-loaded components)
import { CoursesComponent } from
'./pages/admin/courses/courses.component';
import { AddEditCourseComponent } from
'./pages/admin/courses/add-edit-course.component';

// Direct Component Imports (for eager-loaded components)
import { UsersComponent } from
'./pages/admin/users/users.component';
import { AddEditUserComponent } from
'./pages/admin/users/add-edit-user.component';

// ☒ Import your Trainers components for CRUD routes
import { TrainersComponent } from
'./pages/admin/trainers/trainers.component';
import { AddEditTrainerComponent } from
'./pages/admin/trainers/add-edit-trainer.component'; // Make
sure this path is correct

export const routes: Routes = [
  //  Public Routes
  { path: '', component: HomeComponent },
  { path: 'login', component: LoginComponent },
  { path: 'register', component: RegisterComponent },
  { path: 'blogs', component: BlogsComponent },

  { path: 'aboutus', loadComponent: () =>
import('./pages/aboutus/aboutus.component')
.then(m => m.AboutusComponent) },

```



```

    { path: 'courses', loadComponent: () =>
import('./pages/courses/courses.component')
    .then(m => m.CoursesComponent) },

    { path: 'workshops', loadComponent: () =>
import('./pages/workshops/workshops.component')
    .then(m => m.WorkshopsComponent) },

    { path: 'contact', loadComponent: () =>
import('./pages/contact/contact.component')
    .then(m => m.ContactComponent) },

    { path: 'live', loadComponent: () =>
import('./pages/live/live.component')
    .then(m => m.LiveComponent) },
    {
        path: 'user/dashboard',
        loadComponent: () =>
import('./pages/users/user.component').then(m =>
m.UserComponent)
    },
    {
        path: 'progress/progressing',
        loadComponent: () =>
import('./pages/progress/progressing.component').then(m =>
m.ProgressingComponent)
    },
// 🏠 Admin Routes (Protected by AuthGuard)
{
    path: 'admin',
    component: AdminLayoutComponent,
    canActivate: [AuthGuard],
    children: [
        { path: 'dashboard', loadComponent: () =>
import('./pages/admin/dashboard/dashboard.component')
        .then(m => m.DashboardComponent) },

        // ✅ Courses Routes
        { path: 'courses', component: CoursesComponent },
        { path: 'courses/add', component:
AddEditCourseComponent },
        { path: 'courses/edit/:id', component:
AddEditCourseComponent },
        // ✅ Courses Routes

```

```

    { path: 'users', component: UsersComponent },
    { path: 'users/add', component: AddEditUserComponent },
    { path: 'users/edit/:id', component: AddEditUserComponent
  },

  { path: 'workshops', loadComponent: () =>
import('./pages/admin/workshops/workshops.component').the
n(m => m.WorkshopsComponent) },
  {
    path: 'workshops/add',
    loadComponent: () =>
import('./pages/admin/workshops/add-edit-
workshop.component')
    .then(m => m.AddEditWorkshopComponent)
  },
  {
    path: 'workshops/edit/:id',
    loadComponent: () =>
import('./pages/admin/workshops/add-edit-
workshop.component')
    .then(m => m.AddEditWorkshopComponent)
  },

```

```

//  Trainers Routes (New)
  { path: 'trainers', component: TrainersComponent
}, // List trainers
  { path: 'trainers/add', component:
AddEditTrainerComponent }, // Add trainer
  { path: 'trainers/edit/:id', component:
AddEditTrainerComponent }, // Edit trainer

```

```

// Other Admin Features
  { path: 'users', loadComponent: () =>
import('./pages/admin/users/users.component')
    .then(m => m.UsersComponent) },

  { path: 'workshops', loadComponent: () =>
import('./pages/admin/workshops/workshops.component')
    .then(m => m.WorkshopsComponent) },

```

```

  { path: 'livesessions', loadComponent: () =>
import('./pages/admin/livesessions/livesessions.component')
    .then(m => m.LivesessionsComponent) },

```

```

    { path: 'revenue', loadComponent: () =>
import('./pages/admin/revenue/revenue.component')
    .then(m => m.RevenueComponent) },

    { path: 'support-requests', loadComponent: () =>
import('./pages/admin/support-requests/support-
requests.component')
    .then(m => m.SupportRequestsComponent) },

    // Default admin redirect
    { path: '', redirectTo: 'dashboard', pathMatch: 'full' },
  ]
},

// Wildcard route
{ path: '**', redirectTo: '', pathMatch: 'full' },
];

```

10. app.component.html :

```

<app-navbar></app-navbar>

<router-outlet></router-outlet>

<app-footer></app-footer>

```

11.Contact.component:

```

<section class="contact-hero">
  <h1 class="page-title">Contact Us</h1>
  <p class="page-subtitle">We'd love to hear from you.
Whether you have a question, feedback, or just want to
connect, reach out to us!</p>
</section>

<section class="contact-container">
  <div class="contact-form">
    <h2>Send Us a Message</h2>
    <form>
      <div class="form-group">
        <label for="name">Your Name</label>

```

```

        <input type="text" id="name" placeholder="Enter your
name" required />
    </div>
    <div class="form-group">
        <label for="email">Your Email</label>
        <input type="email" id="email" placeholder="Enter
your email" required />
    </div>
    <div class="form-group">
        <label for="message">Your Message</label>
        <textarea id="message" rows="5" placeholder="Write
your message..." required></textarea>
    </div>
    <button type="submit" class="btn-submit">Send
Message</button>
</form>
</div>

```

```

<div class="contact-details">
    <h2>Get in Touch</h2>
    <p><strong>Email:</strong>
info@pranakshetra.com</p>
    <p><strong>Phone:</strong> +91 98765 43210</p>
    <p><strong>Address:</strong> Prana Kshetra Yoga
Center, Bengaluru, India</p>

```

```

<div class="map-container">
    <!-- Optional: Embed Google Map -->
    <iframe
        src="https://www.google.com/maps/embed?pb=!1m18!
1m12!1m3!1d3890.4745536131184!2d77.59456261508517!
3d12.971598890854746!2m3!1f0!2f0!3f0!3m2!1i1024!2i768
!4f13.1!3m3!1m2!1s0x3bae1670a7d38859%3A0x2f905c86e
b493fd0!2sBangalore!5e0!3m2!1sen!2sin!4v1646584465171
!5m2!1sen!2sin"
        width="100%" height="250" style="border:0;"
allowfullscreen="" loading="lazy">
    </iframe>
</div>
</div>
</section>

```

12.Payment.component:

```
<div class="purchase-container">
  <h2>Confirm Your Purchase</h2>
  <p><strong>Course:</strong> Yoga for Beginners</p>
  <p><strong>Price:</strong> ₹999</p>

  <form (ngSubmit)="onSubmit()">
    <label>Full Name:</label>
    <input type="text" [(ngModel)]="fullName"
name="fullName" class="readonly" readonly>

    <label>Email Address:</label>
    <input type="email" [(ngModel)]="email" name="email"
placeholder="Enter your email" required>

    <label>Phone Number:</label>
    <input type="text" [(ngModel)]="phone" name="phone"
placeholder="Enter your phone number" required>

    <button type="submit">Confirm & Buy</button>
  </form>
</div>
```

13. Progress.component:

```
import { Component } from '@angular/core';
import { DomSanitizer, SafeResourceUrl } from '@angular/platform-browser';

//  Angular Core Modules
import { CommonModule } from '@angular/common';

//  PrimeNG Modules
import { ProgressBarItemModule } from 'primeng/progressbar';
import { ButtonModule } from 'primeng/button';

@Component({
```

```

selector: 'app-progressing',
standalone: true,
templateUrl: './progressing.component.html',
styleUrls: ['./progressing.component.scss'],
imports: [
  CommonModule,      // For *ngIf and *ngFor
  ProgressBarModule, // For p-progressBar
  ButtonModule       // For pButton directive
]
})
export class ProgressingComponent {

  // ☒ Progress Percentages for Course and Diet (for p-progressBar)
  courseProgress = 75;
  dietProgress = 60;

  // ☒ YouTube Video Embed
  youtubeVideoUrl: SafeResourceUrl;
  rawYoutubeUrl = 'https://www.youtube.com/embed/brjAjq4zEIE?si=hL8p22ui6Q0pUVWP';

  // ☒ Yoga Sessions List
  yogaSessions = [
    { title: 'Session 1: Introduction to Yoga', completed: true },
    { title: 'Session 2: Pranayama Techniques', completed: true },
    { title: 'Session 3: Surya Namaskar', completed: false },
    { title: 'Session 4: Meditation Basics', completed: false },
  ];

  // ☒ Yoga Philosophies List

```

```

philosophies = [
    'Ahimsa (Non-violence)',
    'Satya (Truthfulness)',
    'Asteya (Non-stealing)',
    'Brahmacharya (Moderation)',
    'Aparigraha (Non-possession)'
];

//  Diet Plan List
dietPlan = [
    { meal: 'Breakfast', menu: 'Smoothie bowl with chia seeds and fruits' },
    { meal: 'Lunch', menu: 'Quinoa salad with fresh veggies' },
    { meal: 'Dinner', menu: 'Steamed vegetables with lentil soup' },
];

//  Course Progress Timeline Data
courseProgressTimeline = [
    { name: 'Introduction' },
    { name: 'Warm-Up Exercises' },
    { name: 'Beginner Asanas' },
    { name: 'Advanced Asanas' },
    { name: 'Breathing Techniques' },
    { name: 'Meditation' },
    { name: 'Completion' }
];

//  Current Stage in Progress Timeline
currentStageIndex = 0;

```

```

constructor(private sanitizer: DomSanitizer) {
  // Embed YouTube video with sanitization
  this.youtubeVideoUrl = this.sanitizer.bypassSecurityTrustResourceUrl(this.rawYoutubeUrl);
}

// ✅ Navigate to the Next Stage in Progress Timeline
goNext() {
  if (this.currentStageIndex < this.courseProgressTimeline.length - 1) {
    this.currentStageIndex++;
    this.updateCourseProgress();
  }
}


// ✅ Navigate to the Previous Stage in Progress Timeline
goBack() {
  if (this.currentStageIndex > 0) {
    this.currentStageIndex--;
    this.updateCourseProgress();
  }
}

// ✅ Update the Course Progress Bar (optional: update based on stage)
private updateCourseProgress() {
  const totalStages = this.courseProgressTimeline.length;
  const progressPercentage = Math.floor((this.currentStageIndex / (totalStages - 1)) * 100);
  this.courseProgress = progressPercentage;
}
}

```



7.SCREEN SHOTS

1.REGISTER PAGE:




The screenshot shows the Register page of the Prana Kshetra website. The header includes the logo "Prana Kshetra" and a navigation menu with links: Home, Courses, Workshops, Live, About, Blogs, and Contact. On the right side of the header, there are two buttons: "Login" and "Register". The main content area features a light pink background with a central white rounded rectangle containing the registration form. The form is titled "Register" and includes the following fields: "Full Name", "Email", "Password", and "Confirm Password". There are "Show" buttons next to the Password and Confirm Password fields. A pink "Register" button is at the bottom of the form, followed by the text "Already have an account? Login".

2.LOGIN PAGE:




The screenshot shows the Login page of the Prana Kshetra website. The header is identical to the Register page, with the "Prana Kshetra" logo, navigation menu, and "Login" and "Register" buttons. The main content area has a light pink background with a central white rounded rectangle containing the login form. The form is titled "Login" and includes the following fields: "Email" and "Password". There is a "Show" button next to the Password field. A pink "Login" button is at the bottom of the form, followed by the text "Don't have an account? Register".


3.HOME PAGE:




4.COURSES PAGE:



5.LIVE PAGE:



6.WORKSHOP PAGE:



7.DASHBOARD PAGE:

Prana Kshetra
Home Courses Workshops Live About Blogs Contact
Login Register

Dashboard
Courses
Trainers
Users
Workshops
Live Sessions
Revenue
Support Requests

Courses List

+ Add New Course

Title	Category	Instructor	Price	Status	Actions
yoga 21 days	yoga	Jyothi Priya	₹899	Active	Edit Delete
Health Concerns Specific Diet	Food	Jyothi Priya	₹699	Active	Edit Delete
Glow Diet Plan	Food	Dr Jyothir Mayee	₹499	Active	Edit Delete
Weight Loss Diet Plan	Food	Mounika	₹550	Inactive	Edit Delete

8.CONTACT PAGE:

Prana Kshetra
Home Courses Workshops Live About Blogs Contact
Login Register

Contact Us

We'd love to hear from you. Whether you have a question, feedback, or just want to connect, reach out to us!

Send Us a Message

Your Name

Your Email

Your Message

Get in Touch

Email: info@pranakshetra.com

Phone: +91 98765 43210

Address: Prana Kshetra Yoga Center, Bengaluru, India

9. PAYMENT PAGE:

Confirm Your Purchase

Course: Yoga for Beginners
Price: ₹999

Full Name:

Email Address:

Phone Number:

Confirm & Buy

10. PROGRESS PAGE:

Prana Kshetra

Home Courses Workshops Live About Blogs Contact Hello mounikapatharlapalli@gmail.com Logout

M

Mounika Patharlapalli

mounikapatharlapalli@gmail.com

0898585949

Dashboard

My Courses

Wishlist

Settings

Logout

Welcome, Mounika Patharlapalli

Total Courses

1

Wishlist

2

21-Day YOGA SADHANA BEGINNER

65% Completed (14 / 21 Days)

Continue Course