

Research Outline: Geometric Complexity of Length-Four Binary Integer Arithmetic Expressions

Mingli Yuan and Gemini AI

August 3, 2025

Abstract

This document outlines a research program to analyze the computational complexity of arithmetic expressions involving binary integers, utilizing the framework of Arithmetic Expression Geometry (AEG). Traditional complexity analysis often treats integers as atomic units. However, binary integers are themselves expressions (sums of powers of 2). We propose a multi-layered complexity analysis considering the input representations, the expression structure, and the output representation. We will focus on expressions of length four (four operands) to investigate how geometric concepts such as path length (time), curvature (space/precision), and condensation dictate computational efficiency. A key objective is to explore optimal intermediate representations, questioning whether standard binary encoding is always the most efficient geometric path.

Contents

1	Introduction and Motivation	1
2	Theoretical Framework: AEG and Complexity	2
2.1	The Geometric Interpretation of Complexity	2
2.2	Three Facets of Complexity	2
3	Research Methodology and Objectives	2
3.1	Objective 1: Geometrizing Binary Representation	2
3.2	Objective 2: Analyzing Length-Four Structural Complexity	3
3.3	Objective 3: Exploring Optimal Intermediate Representations	3
4	Expected Outcomes	3

1 Introduction and Motivation

The foundation of digital computation rests on binary integer representation. A deeper analysis of arithmetic complexity requires acknowledging that a binary integer N is intrinsically an arithmetic expression: $N = \sum_i c_i 2^i$. Evaluating an expression involving such integers means manipulating expressions of expressions.

This research program aims to analyze this interaction within the framework of Arithmetic Expression Geometry (AEG) [?], focusing on expressions involving four binary integer operands (Length 4). For a single associative operation, there are $C_3 = 5$ distinct structural forms (Catalan number for 4 operands).¹

¹We assume "length four" refers to four operands and three operations. If it refers to four operations (five operands), the number of structures would be $C_4 = 14$. We proceed with the former interpretation.

We are particularly interested in synthesizing AEG theory with practical optimization insights, such as DAG balancing ?, to address the following central question: Can we identify optimal intermediate representations that minimize computational cost by navigating the geometric space more efficiently than standard binary encoding?

2 Theoretical Framework: AEG and Complexity

We adopt the "First Principles" perspective of AEG ?, which views computation as flow in a geometric space emergent from algebraic relations (condensation).

2.1 The Geometric Interpretation of Complexity

- **Time Complexity as Path Length:** The time complexity corresponds to the length of the computational path (geodesic) in the expression space (e.g., $\mathfrak{E}_1$).
- **Space Complexity as Curvature:** The non-commutativity of operations induces curvature (Arithmetic Torsion). Negative curvature leads to exponential divergence of paths (instability), necessitating higher precision (space complexity).
- **Condensation and Computational Mass:** The process by which operational sequences (time) are crystallized into spatial nodes (representations). These condensed nodes possess "computational mass," influencing the geometry.

2.2 Three Facets of Complexity

We distinguish three facets of complexity in this context:

1. **Representational Complexity (Input):** The complexity of the binary representation of the input integers.
2. **Operational Complexity (Process):** The geometric cost of executing the arithmetic operation based on the expression structure.
3. **Resultant Complexity (Output):** The complexity of the canonical representation of the result, and the cost of condensing the final flow back into binary form.

3 Research Methodology and Objectives

3.1 Objective 1: Geometrizing Binary Representation

We will analyze the complexity of the binary representations themselves within the AEG framework. Binary representation relies on the operations $\{+1, \times 2\}$, corresponding to a specific grid structure in $\mathfrak{E}_1$.

- **Analysis of Binary Paths:** Characterize the paths corresponding to binary encoding. We will relate standard metrics (bit length, Hamming weight) to geometric properties (path length, enclosed torsion).
- **Binary as Condensation:** Interpret the binary system as a specific strategy for condensing repeated additions into a compact spatial form. We will investigate the "computational mass" associated with this condensation.

3.2 Objective 2: Analyzing Length-Four Structural Complexity

We will study how the structure of the length-four DAG influences complexity, focusing on the 5 Catalan structures for single operations, and extending the analysis to mixed operations (addition and multiplication).

- **Geometric Interpretation of Balancing:** We will quantify how balancing (e.g., from $A + (B + (C + D))$ to $(A + B) + (C + D)$) reduces the geometric path length and mitigates the effects of hyperbolic divergence, validating the observations in ? geometrically.
- **Torsion Accumulation:** Analyze structures mixing addition and multiplication. We will quantify the arithmetic torsion generated by different structures and its direct impact on precision requirements (space complexity).
- **Interaction Effects:** Investigate how the specific binary structure of the inputs (e.g., bit sparsity) interacts with the expression structure to affect the total geometric cost.

3.3 Objective 3: Exploring Optimal Intermediate Representations

The core hypothesis is that mandating intermediate results to be stored in standard binary representation (eager re-condensation) may be geometrically suboptimal.

- **The Cost of Re-Condensation:** Evaluate the cost of forcing intermediate results back onto the standard binary grid. This might force the computation along inefficient, high-curvature paths.
- **DAGs and Lazy Evaluation:** Analyze the efficiency of using the expression DAG itself (lazy evaluation) as the intermediate representation. This avoids premature condensation and maintains the explicit computational history.
- **Geometric Shortcuts and Favorable Structures:** Analyze the "caveats" identified by Wilhelm (e.g., the telescoping product), where balancing harms performance. These cases suggest the existence of "low-cost" regions in the AEG space (e.g., integer lattice points). We aim to characterize these regions geometrically.
- **Novel Representations:** Explore if alternative representations (e.g., coordinates in $\mathfrak{E}_1$, or redundant number systems) offer paths closer to the true computational geodesic than standard binary.

4 Expected Outcomes

This research program is expected to yield:

1. A unified geometric framework for understanding the complexity of concrete binary computations, encompassing representation and structure.
2. A precise characterization of the complexity trade-offs between the fundamental length-four expression structures based on geometric invariants (length and torsion).
3. Theoretical foundations for designing optimal intermediate data representations, guided by the intrinsic geometry of the computation space.