



NATIONAL SURVEY ON DRUG USE AND HEALTH (NSDUH)

- 67,500 Americans make this survey possible every year.
- We thank the participants who shared their time with surveyors and who had the courage and honesty to share sensitive information to help shed light on these important issues.



NSDUH: A LOOK AT BEHAVIORAL HEALTH IN AMERICA

- The NSDUH has been completed every year since 1990.
- Even though the NSDUH was redesigned in 2015, there are a number of measures we are able to trend and they show consistency from prior years. For example:
 - Tobacco and alcohol use across the age groups are decreasing.
 - Prescription drug misuse also appears to be decreasing.
- NSDUH: Areas of concern





MENTAL AND SUBSTANCE USE DISORDERS IN AMERICA: 2016

PAST YEAR, 2016, 12+

Among those with a substance use disorder about:

- 1 IN 3 (37%) struggled with illicit drugs
- 3 IN 4 (75%) struggled with alcohol use
- 1 IN 9 (12%) struggled with illicit drugs and alcohol

7.5%
(20.1 MILLION)
People aged 12 or
older had a
substance use disorder

3.4%
(8.2 MILLION)
18+ HAD BOTH
substance use disorder
and a mental illness

Among those with a mental illness about:

• 1 IN 4 (23%) had a serious mental illness

18.3%
(44.7 MILLION)
People aged
18 or older had a
mental illness


No statistically different changes from 2015



\mathcal{Q}

ILLICIT DRUG USE IMPACTS MILLIONS: MARIJUANA MOST WIDELY USED DRUG








OPIOID'S GRIP: MILLIONS CONTINUE TO MISUSE RX PAIN RELIEVERS

PAST YEAR, 2016, 12+

11.8 MILLION PEOPLE WITH OPIOID MISUSE (4.4% OF TOTAL POPULATION)








OPIOIDS' ADVERSE OUTCOMES: NOT DRIVEN BY INCREASES IN NUMBER OF USERS






MISUSERS

* Lower than 2015

DISORDER

MISUSERS

2.1 MILLION with OUD



1 IN 5 INDIVIDUALS WITH OPIOID USE DISORDERS (OUD) RECEIVED SPECIALTY TREATMENT FOR ILLICIT DRUGS



37.5% OF PEOPLE WITH HEROIN USE DISORDERS RECEIVED TREATMENT




17.5% OF PEOPLE WITH RX PAIN RELIEVER USE DISORDERS RECEIVED TREATMENT





HEROIN DEATHS HAVE SKYROCKETED



The number of heroin users increased 2.35 fold (135%)

Source: SAMHSA

The number of heroin deaths increased 6.33 fold (533%)


Source: CDC National Vital Statistics System (NCHS)





SMI AMONG YOUNG ADULTS RISING, TREATMENT LEVELS REMAIN UNCHANGED

PAST YEAR, 2016, 18+





51.5%
OF THE 2 MILLION YOUNG
ADULTS WITH SMI
RECEIVED TREATMENT


no statistical change from 2015





SUICIDAL THOUGHTS, PLANS, AND ATTEMPTS INCREASE FOR 18-25 YEAR OLDS


PAST YEAR, 2016





\mathcal{D}

DESPITE CONSEQUENCES AND DISEASE BURDEN, MANY DO NOT GET TREATMENT



^{*}Received no substance use treatment at a specialty facility and no mental health services



